Section 6

This section is separated into two parts as follows:

Section 6a

FLAT STEEL

Worldwide flat steel keys. Organized by lock manufacturer where possible and listed in numerical order. Only keys with keyway milling or corrugation are illustrated with a profile view.

Some keys in this section are marked “DISCONTINUED”, however they may still be available from Ilco distributors. We have left these in this directory for your reference.

Section 6b

MISCELLANEOUS KEYS

A selection of special purpose keys organized by lock manufacturer where possible and listed in numerical sequence.

Some keys in this section are marked “DISCONTINUED”, however they may still be available from Ilco distributors. We have left these in this directory for your reference.

	CORBIN	DUTCH LOCK	EAGLE
			
THICK WIDTH**a**	.070” - 1.8mm .310” - 7.9mm **725**	.060” - 1.5mm .583” - 14.8mm **663**	.050” - 1.3mm .361” - 9.2mm **671**

	EAGLE				
					
THICK WIDTH **ILCO**	.050” - 1.3mm .365” - 9.3mm **672**	.040” - 1.0mm .310” - 7.9mm **1214**	.050” - 1.3mm .265” - 6.7mm **1270D**	.060” - 1.5mm .300” - 7.6mm **1412**	.050” - 1.3mm .260” - 6.6mm **1417**

	EAGLE	FRANKLIN	LOCKWOOD AUSTRALIA	MASTER
				
THICK WIDTH **ILCO**	.060” - 1.5mm .250” - 6.4mm **1417A**	.050” - 1.3mm .250” - 6.4mm **S625P**	.065” - 1.7mm .300” - 7.6mm **201**	.065” - 1.7mm .300” - 7.6mm **T153**

MASTER



.060” - 1.5mm
.350” - 8.9mm
687W

.050” - 1.3mm
.320” - 8.1mm
687X

.050” - 1.3mm
.268” - 6.8mm
687Y



1286



1286B **1286BR**

THICK
WIDTH
ILCO

MASTER



1286C



1286E **R1286E**



N1286 **N1286R**

MEDART



.060” - 1.5mm
.300” - 7.6mm
1332S

SLAYMAKER



SLA10

THICK
WIDTH
ILCO

SLAYMAKER



SLA11



SLA12



SLA13



.050” - 1.3mm
.215” - 5.6mm
1418

SWITCH KEY



.060” - 1.5mm
.340” - 8.7mm
1425

THICK
WIDTH
ILCO

YALE



	623S	621A	U621A	1221AL
THICK	.050” - 1.3mm	.060” - 1.5mm	.040” - 1.0mm	.050” - 1.2mm
WIDTH	.340” - 8.7mm	.310” - 7.9mm	.310” - 7.9mm	.310” - 7.9mm
ILCO	623S	621A	U621A	1221AL

YALE



	O1223	O1223L	1224	1224F	1224L	1225
THICK	.060” - 1.5mm	.050” - 1.3mm	.050” - 1.3mm	.060” - 1.5mm	.040” - 1.0mm	.040” - 1.0mm
WIDTH	.335” - 8.5mm	.335” - 8.5mm	.300” - 7.6mm	.300” - 7.6mm	.300” - 7.6mm	.250” - 6.4mm
ILCO	O1223	O1223L	1224	1224F	1224L	1225

YALE



	1225A	1225D	625DH	1225E	625EH	1225G
THICK	.050” - 1.3mm	.040” - 1.0mm	.060” - 1.5mm	.040” - 1.0mm	.060” - 1.5mm	.040” - 1.0mm
WIDTH	.270” - 6.8mm	.275” - 7.0mm	.275” - 7.0mm	.305” - 7.8mm	.305” - 7.8mm	.300” - 7.6mm
ILCO	1225A	1225D	625DH	1225E	625EH	1225G

YALE






.040” - 1.0mm .265” - 6.7mm	.050” - 1.3mm .305” - 7.8mm	.060” - 1.5mm .305” - 7.8mm	.040” - 1.0mm .260” - 6.6mm	.050” - 1.3mm .295” - 7.5mm	THICK WIDTH
1225PL	**1370**	**770**	**1422**	**1427**	**ILCO**

MISCELLANEOUS FLAT STEEL







.050” - 1.3mm .300” - 7.6mm	.050” - 1.3mm .265” - 6.7mm	.040” - 1.0mm .250” - 6.4mm	.060” - 1.5mm .375” - 9.5mm	.060” - 1.5mm .475” - 12.1mm	THICK WIDTH
T45	**T50**	**T64**	**T70**	**T77**	**ILCO**

MISCELLANEOUS FLAT STEEL








.070” - 1.8mm .355” - 9.0mm	.060” - 1.5mm .300” - 7.6mm			.050” - 1.3mm .330” - 8.4mm	.065” - 1.7mm .390” - 9.9mm	THICK WIDTH
T80	**T92**	**T105**	**T107**	**T131**	**355ST**	**ILCO**

MISCELLANEOUS FLAT STEEL






THICK	.050” - 1.3mm	.065” - 1.7mm	.060” - 1.5mm	.050” - 1.3mm	.060” - 1.5mm
WIDTH	.265” - 6.7mm	.460” - 11.7mm	.365” - 9.3mm	.295” - 7.5mm	.295” - 7.5mm
ILCO	E374	E375	606AH	606L	606LH
			1206A		

MISCELLANEOUS FLAT STEEL






THICK	.060” - 1.5mm	.050” - 1.3mm	.060” - 1.5mm	.050” - 1.3mm	.040” - 1.0mm	.050” - 1.3mm
WIDTH	.350” - 8.1mm	.350” - 8.1mm	.300” - 7.5mm	.265” - 6.7mm	.250” - 6.4mm	.480” - 12.2mm
ILCO	610B	610BL	611	U611B	615	616

MISCELLANEOUS FLAT STEEL







THICK	.050” - 1.3mm	.050” - 1.3mm	.050” - 1.3mm	.040” - 1.0mm
WIDTH	.280” - 7.1mm	.316” - 8.0mm	.320” - 8.1mm	.325” - 8.3mm
ILCO	617GL	617J	617JL	632M

MISCELLANEOUS FLAT STEEL









.080” - 2.0mm	..075” - 1.7mm	.060” - 1.5mm	.060” - 1.5mm	THICK
.400” - 10.2mm	.668” - 17.0mm	.562” - 14.3mm	.435” - 11.0mm	WIDTH
634	**662**	**667**	**1209**	**ILCO**

MISCELLANEOUS FLAT STEEL









.060” - 1.5mm	.050” - 1.3mm	.050” - 1.3mm	.060” - 1.5mm	.060” - 1.5mm	THICK
.400 - 10.2mm	.250” - 6.4mm	.300” - 7.6mm	.300” - 7.6mm	.315” - 8.0mm	WIDTH
1210A	**1211B**	**1213A**	**1213AH**	**1213AS**	**ILCO**

MISCELLANEOUS FLAT STEEL











.050” - 1.3mm	.040” - 1.0mm	.040” - 1.0mm	.050” - 1.3mm	.040” - 1.0mm	THICK
.315” - 8.0mm	.250” - 6.4mm	.250” - 6.4mm	.290” - 7.4mm	.275” - 7.0mm	WIDTH
O1213	**1215A**	**1215B**	**O1215**	**1217**	**ILCO**

MISCELLANEOUS FLAT STEEL





THICK	.050” - 1.3mm	.050” - 1.3mm
WIDTH	.325” - 8.3mm	.270” - 6.9mm
ILCO	**1217A**	**1217D**

MISCELLANEOUS FLAT STEEL







THICK	.050” - 1.3mm	.040” - 1.0mm	.060” - 1.5mm	.050” - 1.3mm	.040” - 1.0mm
WIDTH	.335” - 8.5mm	.335” - 8.5mm	.335” - 8.5mm	.380” - 9.7mm	.380” - 9.7mm
ILCO	**1221L**	**O1221L**	**621**	**1222AL**	**1222E**

MISCELLANEOUS FLAT STEEL











THICK	.050” - 1.3mm	.050” - 1.3mm	.040” - 1.0mm	.040” - 1.0mm	.050” - 1.3mm
WIDTH	.375” - 9.5mm	.325” - 8.3mm	.225” - 5.7mm	.245” - 6.2mm	.285” - 7.2mm
ILCO	**1222B**	**1222L**	**1225BL**	**1225F**	**O1225N**

MISCELLANEOUS FLAT STEEL







.050” - 1.3mm	.050” - 1.3mm	.070” - 1.8mm	.040” - 1.0mm	THICK
.435” - 11.1mm	.312” - 7.9mm	.312” - 7.9mm	.285” - 7.2mm	WIDTH
1226	**1233M**	**633MH**	**1239**	**ILCO**

MISCELLANEOUS FLAT STEEL







.070” - 1.8mm	.060” - 1.5mm	.050” - 1.3mm	.060” - 1.5mm	THICK
.300” - 7.6mm	.300” - 7.6mm	.375” - 9.5mm	.575” - 14.6mm	WIDTH
1242	**1242L**	**1243D**	**1259**	**ILCO**

MISCELLANEOUS FLAT STEEL









.040” - 1.0mm	.060” - 1.5mm	.040” - 1.0mm	.050” - 1.3mm	.060” - 1.5mm	THICK
.300” - 7.6mm	.300” - 7.6mm	.300” - 7.6mm	.255” - 6.5mm	.310” - 7.9mm	WIDTH
1270	**1270H**	**1270A**	**1270B**	**1270C**	**ILCO**

MISCELLANEOUS FLAT STEEL



THICK	.065” - 1.6mm	.060” - 1.5mm	.060” - 1.5mm	.050” - 1.3mm
WIDTH	.265” - 6.5mm	.300” - 7.6mm	.325” - 8.3mm	.375” - 9.5mm
ILCO	**1271H**	**1303**	**1306**	**1306A**

MISCELLANEOUS FLAT STEEL



THICK	.070” - 1.8mm	.050” - 1.3mm	.060” - 1.5mm	.050” - 1.3mm
WIDTH	.525” - 13.3mm	.305” - 7.8mm	.305” - 7.8mm	.285” - 7.2mm
ILCO	**1309**	**1321**	**1321H**	**1366**

MISCELLANEOUS FLAT STEEL



THICK	.050” - 1.3mm		.050” - 1.3mm	.060” - 1.5mm	.055” - 1.3mm
WIDTH	.300” - 7.6mm		.335” - 8.5mm	.495” - 12.6mm	.320” - 8.1mm
ILCO	**1426**	**T28**	**T37L**	**T127**	**4436**

AMER. TOURISTER BELL LOCKER, CABINET LOCK & DUDLEY CHENEY



NICKEL SILVER

.040” - 1.0mm
.285” - 7.2mm
1031

BRASS

.085” - 2.2mm
.300” - 7.6mm
1033D



BRASS

.085” - 2.2mm
.295” - 7.5mm
1033F

STEEL

C350

THICK WIDTH ILCO

CLARK FORK LIFT CLOCK KEY DURAND LOCKER EAGLE



STEEL

.080” - 2.0mm
.344” - 8.7mm
1430



PRECISION CAST

669



NICKEL SILVER

.060” - 1.5mm
.300” - 7.6mm
1033A



STEEL

T39

THICK WIDTH ILCO

EAGLE



STEEL

T40



STEEL

T41

STEEL

816A



NICKEL SILVER

.050” - 1.3mm
.375” - 9.5mm
S1306A



NICKEL SILVER

.050” - 1.3mm
.275” - 7.0mm
1322S

THICK WIDTH ILCO

	EAGLE			EVERLASTING	
					
	STEEL	STEEL	STEEL	STEEL	STEEL
THICK WIDTH ILCO	.050” - 1.3mm .365” - 9.3mm **1416**	**2712**	**2714**	**T44**	**T95**

	EVERLASTING		EXCELSIOR		GAS & COMBINE
					
	STEEL	STEEL	STEEL	STEEL	STEEL
THICK WIDTH ILCO	**T96**	**T97**	**T72**	**T139**	**666**

	GERMAN BANK LOCK		GERSTNER TOOL BOX		JAPAN CAR ANTENNA
					
	STEEL	STEEL	BRASS	BRASS	STEEL
THICK WIDTH ILCO	.070” - 1.8mm .421” - 10.7 mm **660**	**665**	**1013G**	**1013GR**	**619**

LUCAS

STEEL

LU1



STEEL

LU2

LYONS



NICKEL SILVER
.060” - 1.5mm
.300” - 7.6mm

1303S

MEDART



NICKEL SILVER
.060” - 1.5mm
.305” - 7.8mm

1326



NICKEL SILVER
.060” - 1.5mm
.300” - 7.6mm

1332

THICK WIDTH ILCO

NEUMAN

STEEL

T73



STEEL

T74



STEEL

T75

POLARIS

STEEL

1148

PRESTO



STEEL

T60

THICK WIDTH ILCO

PRESTO

STEEL

T88



STEEL

T89

SAMSONITE



BRASS

70S



BRASS

80S



STEEL

149

THICK WIDTH ILCO

SAMSONITE











THICK WIDTH ILCO					
	BRASS	BRASS	BRASS	BRASS	BRASS
	170S	**171S**	**170S1**	**170S6**	**S170S1**

YALE











THICK WIDTH ILCO					
	NICKEL SILVER	NICKEL SILVER	BRASS	NICKEL SILVER	NICKEL SILVER
	.060” - 1.5mm .335” - 8.4mm				
	37D	**51**	**94**	**143C**	**703S**

YALE







MISCELLANEOUS



THICK WIDTH ILCO					
	NICKEL SILVER	NICKEL SILVER	NICKEL SILVER	STEEL	STEEL
		.040” - 1.0mm .285” - 7.2mm	.060” - 1.5mm .300” - 7.6mm		
	719S	**1031**	**1033A**	**T46**	**T86**

MISCELLANEOUS



STEEL
T124

STEEL
TS149



STEEL
TS150



STEEL
1147



STEEL
1148

THICK WIDTH ILCO

MISCELLANEOUS



STEEL
3916-21



STEEL
3916-22

THICK WIDTH ILCO

THICK WIDTH ILCO