SCHLAGE®

PRO Series Manually PROgrammable Locks

PRO5100 Cylindrical, PRO5500 Mortise and PRO5700 Unit Locks

Cylindrical Model PRO5100

PRO Series Manually Programmable Locks from Schlage are keypad programmable, stand alone locking solution that provides basic access control in both retrofit and new construction installations.

These unique locks eliminate the need to provide keys to authorized personnel for entry. It also eliminates high rekeying costs associated with lost, stolen or non-returned keys. PRO locks allow for manual programming of up to 120 individual 3 to 8 digit access codes. Adding and deleting codes can be done at the keypad within seconds. PRO locks complement additional products available from IR Security & Safety – PRO993 exit trim from Von Duprin® and PRO+ keypads from Locknetics.

Schlage PRO locks are available in cylindrical, mortise latch, mortise AutoBolt® and even unit lock designs and are powered by 4 standard "AA" batteries. The 4 standard "AA" batteries, on average, provide greater than 80,000 activations. Also available with hardwired option for high use or extremely cold climates. PRO locks utilize standard ANSI cylindrical door preps with minor modifications. Installation is simple and quick.

When looking for a basic and flexible access control system that is easy to install, operate and maintain, all while meeting your budgetary requirements, PRO locks from Schlage are your solution.

Benefits of Using Schlage PRO Series Locks

- *Provides basic, flexible access control*
- *Easy to retrofit*
- *Easy to install and maintain*
- *Better control*

SCHLAGE®

PRO Series Manually PROgrammable Locks

PRO5100 Cylindrical, PRO5500 Mortise and PRO5700 Unit Locks

Provides Basic, Flexible Access Control and Easy to Retrofit

PRO Series Lock

- Can accept up to 120 unique three to eight digit access codes
- Quick and easy addition and deletion of access codes right at the keypad
- Mortise cylinder provides emergency key override and integrates with existing master key systems

Broad Range of Applications

626 Satin Chrome ***(standard)***

605 Bright Brass

612 Satin Bronze

613 Oil Rubbed Bronze

625 Bright Chrome

17 Sparta ***(standard)***

06 Rhodes

- Available in 5 finishes*
- Available in 2 lever styles
- Available in:
  - Cylindrical
  - Mortise latch
  - Mortise AutoBolt®
  - Unit lock
- Furnished standard with 1¼" Schlage Everest® emergency override cylinder, adaptable to other existing key systems

NOTE: Other Manufacturers' 1⅛" cylinders with straight cam can also be used as emergency override cylinders

Hardwired Lock Ratings:
0.5 amps @ 12 VAC/DC
0.5 amps @ 24 VAC/VDC

Cylindrical Latch bolt
1/2" and 3/4" Latch

Mortise Latch bolt
3/4" Latch

Mortise AutoBolt®
1" deadbolt automatically projects upon door closure, providing a high level of security.

Unit Lock
For Retrofit applications

1¼" Schlage Everest C123 Keyway Cylinder ***(standard)***

Small Format Interchangeable Core Housing

Schlage® Large Format Interchangeable Core Housing

** Unit Lock available in 626 Satin Chrome only*

Questions? Call: 866-322-1237 • FAX: 866-322-1233 • Visit us on the Internet at www.locknetics.com
IR Security & Safety Electronic Access Control • 575 Birch Street • Forestville, CT 06010

IR Security & Safety

SCHLAGE®

PRO Series PROgrammable Locks

PRO5100 Cylindrical, PRO5500 Mortise and PRO5700 Unit Locks

Easy to Install and Easy to Maintain

Vandlgard® Clutching Lever Design

PRO5100 Cylindrical Lock

- Reduces installation and maintenance costs
- Battery powered, requires 4 standard "AA" batteries which provide greater than 80,000 activations
- FCC approved, UL listed for fire doors
- Designed to meet ANSI/BHMA Grade 1 requirements
- Vandlgard® clutching lever design prevents damage to lever from force or extreme abuse
- Weather resistant gasket for exterior applications

Better Control

PRO5100 Cylindrical Lock

- Integrates into facility master key system
- Issue codes instead of keys
- Maintain access control by assigning individual codes to each authorized user
- Add, delete or change codes easily and often

SCHLAGE®

PRO Series Manually PROgrammable Locks

PRO5100 Cylindrical, PRO5500 Mortise and PRO5700 Unit Locks

How To Order PRO Series Manually Programmable Locks

PRO5196 – BP – 17 – RH – KD – 626 – SLB

- Select Model
- Select Power and Mode
- Select Lever Style
- Select Handing
- Select Key Cylinder Option
- Select Finish
- Select Options

1. Select Model

PRO5196 Cylindrical Classroom/ Storeroom
PRO5596 Mortise Classroom/ Storeroom 3/4" AutoBolt®
PRO5594 Mortise Classroom/ Storeroom 1" AutoBolt®
PRO5796 Unit Lock Classroom/ Storeroom

2. Select Power and Mode

BP Battery powered
FSE Hardwired, fail secure
FSA Hardwired, fail safe

3. Select Lever

17 Sparta ***(Standard)***
06 Rhodes

4. Select Handing

RH Right Hand
LH Left Hand
RHR Right Hand Reverse
LHR Left Hand Reverse

Note: Handing is field reversible

5. Select Key Cylinder Option

KD 1-1/4" Schlage Everest® Cylinder
LC Less Cylinder
SFS Small Format Cylinder Housing
LFS Large Format Cylinder Housing

Note: Order masterkeyed cylinder separately

6. Select Finish

626 Satin Chrome ***(standard)***
605 Bright Brass
612 Satin Bronze
613 Oil Rubbed Bronze
625 Bright Chrome

7. Select Options

EG Exterior Gasket

SLB 2-3/4" backset, 1/2" latch bolt (for PRO5100 cylindrical series only)

OLB 2-3/8" backset, 1/2" latch bolt (for PRO5100 cylindrical series only)

ELB 2-3/4" backset, 3/4" latch bolt (for PRO5100 cylindrical series only)

DOOR THICKNESS 1-3/4" ***(standard)***

DOOR THICKNESS 1-3/8" to 2-3/4" (available in 1/8" increments)

Questions? Call: 866-322-1237 • FAX: 866-322-1233 • Visit us on the Internet at www.locknetics.com
IR Security & Safety Electronic Access Control • 575 Birch Street • Forestville, CT 06010