



STREAMLIGHT

Heroes Trust Streamlight®

LAW ENFORCEMENT // FIRE/RESCUE // MILITARY // SPORTING GOODS

// INDUSTRIAL // ELECTRICAL // HVAC // AUTO // HARDWARE



Heroes Trust Streamlight.





The fact is, most firefighters and police officers never even think about their flashlights. They don't have to. Because so many "heroes" carry Streamlight flashlights, they just know their lights will work whenever, wherever, and through the most demanding conditions.

From the New York Fire Department to the Royal Canadian Mounted Police (RCMP), from Alaskan hunters to New Zealand mountain rescue teams, our products have been the trusted sources of light for over 30 years.

Having earned that trust, many companies would take the compliments and begin taking it easy. Not Streamlight.

We're driven by the knowledge that our products are essential tools in life or death situations. We're driven to make the best lights even better – stronger, more durable, more powerful, more versatile, more economical. We're driven to create new technologies, new innovations, and find new ways to make our customers' jobs easier ... and safer.



STREAMLIGHT®

Heroes Trust Streamlight®



WE MAKE TOOLS NOT TOYS.

You needn't be rushing into a burning building, chasing a suspect into a dark alley or leading a mountain search party to benefit from Streamlight's advancements. There are Streamlight tools for everyone who needs a dependable way to light the darkness ... from outdoor enthusiasts, auto mechanics, industrial engineers, to military personnel, and homeowners.


OUR INNOVATIONS LIGHT THE WAY.

When Streamlight developed the first million candlepower hand

light for NASA in the 1970s, we set the standard and raised the bar for the lighting industry. We've been constantly raising that bar ever since. Streamlight holds over 90 US & foreign patents, and 70 US & foreign trademarks. We are pioneers in rechargeable flashlights. We've come up with new ways to help keep firefighters safer, even in dense, dark smoke. We've made lights brighter, lighter and longer-lasting. And we're always exploring new horizons.

FIRSTS

- 1st million candlepower portable Xenon arc light – SL-1 Million
- 1st halogen rechargeable flashlight – SL-20®
- 1st halogen rechargeable lantern – LiteBox®
- 1st single-cell AAA miniature light – Key-Mate®
- 1st convertible headlight/flashlight – TopSpot®
- 1st compact, high-performance rechargeable – Stinger®
- 1st LED/Xenon combination – Cyclone®
- 1st illuminated handcuff key – CuffMate®
- 1st LED penlight – Stylus®
- 1st co-molded rubber/plastic flashlights – ProPolymers®



STREAMLIGHT COMPANY INFO

<i>SL History & Innovation</i>	<i>Pgs. 5-6</i>
<i>SL Innovations/Rechargeables & LEDs</i>	<i>Pgs. 7-8</i>
<i>Product Safety Ratings</i>	<i>Pgs. 9-10</i>
<i>Choosing the Right Light</i>	<i>Pg. 12</i>
<i>Glossary of Terms</i>	<i>Pg. 70</i>
<i>SL People Behind the Lights</i>	<i>Pgs. 79-80</i>

RECHARGEABLE PRODUCTS

<i>Stinger® LED Series</i>	<i>Pgs. 13-14</i>
<i>Stinger® Series</i>	<i>Pgs. 15-18</i>
<i>Strion®</i>	<i>Pgs. 19-20</i>
<i>SL Series</i>	<i>Pgs. 21-22</i>
<i>Fire Vulcan®</i>	<i>Pgs. 23-24</i>
<i>Vulcan®</i>	<i>Pgs. 25-26</i>
<i>FireBox® Series</i>	<i>Pgs. 27-28</i>
<i>LiteBox® Series</i>	<i>Pgs. 29-30</i>
<i>Survivor® LED Series</i>	<i>Pgs. 31-32</i>
<i>Survivor® Series</i>	<i>Pgs. 33-34</i>

NON-RECHARGEABLE PRODUCTS

<i>ProPolymer® Series</i>	<i>Pgs. 35-38</i>
<i>Tactical Hand-Held Series</i>	<i>Pgs. 39-42</i>
<i>Tactical Gun-Mount Series</i>	<i>Pgs. 43-44</i>
<i>Twin-Task® Series</i>	<i>Pgs. 45-50</i>
<i>Task-Light® Series</i>	<i>Pgs. 51-52</i>
<i>Stylus® Series</i>	<i>Pgs. 53-54</i>
<i>Stylus Reach® Series</i>	<i>Pg. 55</i>
<i>Jr.® Luxeon® Series</i>	<i>Pg. 56</i>
<i>Buckmasters® Series</i>	<i>Pgs. 57-58</i>
<i>SL Headlamp Series</i>	<i>Pgs. 59-62</i>
<i>SL Pocket Lights</i>	<i>Pgs. 63-64</i>

STREAMLIGHT PRODUCT INFO

<i>Streamlight Light Specs</i>	<i>Pgs. 65-70</i>
<i>Features at a Glance</i>	<i>Pgs. 71-72</i>
<i>SL Part Numbers</i>	<i>Pgs. 73-78</i>



STREAMLIGHT
Heroes Trust Streamlight®

WE LISTEN. WE LEARN. WE GET IT.

We make it a point to get out in the field and talk to our customers. We hold focus groups to hear what they like about our products; but we're more interested in what they don't like, what needs to be improved, and what lighting problems have yet to be solved. Customer feedback helps us continually improve existing products and create new and better ones.

Since the most extreme hazardous conditions are often in dark places, Streamlight created a complete line of safety-rated lights. For the industrial market, we've developed lighting tools that are safe to use even around explosive gases and in other potentially explosive atmospheres.

Auto technicians can now easily see into the smallest, darkest engine crevices, thanks to the Streamlight Stylus Reach®, a powerful, lightweight penlight with a flexible cable.

Our green LED clip-on penlights and headlamps are keeping outdoor enthusiasts safer, with an LED light so strong, it's visible from over a mile away.

WE DIDN'T INVENT CUSTOMER SERVICE; WE JUST PERFECTED IT.

Our success is directly related to our ability to satisfy customers. So we take customer service very seriously.

Our inside sales department includes specialists in each of the markets we serve. They go through extensive training on all our products, even working on the assembly line and in

the repair shop. They know Streamlight products inside/out. They understand the challenges you face and they know how to help you find the best lights and get the most from your purchases. We'll work with you and do whatever it takes to help you.

WE SUPPORT OUR PRODUCTS WITH A "NO EXCUSES" WARRANTY.

Streamlight makes tough, durable, long-lasting lights. And we support them with an equally strong warranty. If something goes wrong, we don't make excuses – we make good.

Streamlight warrants its products to be free of defects for a lifetime of use. We will repair, replace or refund the purchase price, at our option, of any Streamlight product that does not work or that you manage to break for as long as you own it. Of course, this limited lifetime warranty excludes abuse, batteries, bulbs and chargers. Rechargeable batteries and chargers have a 1-year warranty.

In the unlikely event that you have a problem with a Streamlight product, go to www.streamlight.com for the location of an authorized Streamlight repair center near you.

WORLD-CLASS.

It's no wonder that Streamlight is recognized around the world as the leading provider of premium portable lighting solutions.



Our products are distributed in over 60 countries, and our new website allows our U.S. and International customers to stay up-to-date with the latest Streamlight products and news.

STREAMLIGHT LIGHTING THE WAY FOR OVER 30 YEARS

1973	Streamlight was founded to supply solar simulators for NASA.	1980	Invented the LiteBox® Lantern.	1989	Streamlight introduces the Survivor® line, still the #1 right-angle rechargeable flashlight in the world.	1998 1999	New product development initiative results in Vulcan®, Stylus® and Propolymer® series.
1974	Introduced the first halogen lamp rechargeable flashlight.	MID 1980's	Variety of miniature flashlights introduced.	1994	Stinger® series introduced – becomes law enforcement standard. Scorpion® introduced – lithium powered flashlight with rubber grip.	2000	Streamlight builds state-of-the-art manufacturing facility/corporate headquarters in Eagleville, PA.



STINGER® LED



2001 Streamlight leads the market with innovative LED lighting products.

2004 Streamlight introduces Strion®, the world's first ultra-compact rechargeable. Weighing just 4.6 oz. with its innovative lithium ion rechargeable battery, Strion shines as bright as lights 5 times its size.

2006 Streamlight introduces our first aluminum-bodied gun-mounted lights, the TLR-1™ & TLR-2™. LED versions of the Stinger® and Survivor® are created, raising the standard for duty lights and right-angle firefighters' lights.

2007

2003 Twin-Task® patented combination LED/Xenon flashlights introduced. New Tactical line premieres featuring Super High-Flux LEDs. Fire Vulcan® aids firefighter safety as the first fire lantern with LED tail lights.

2005 FireBox®, with bright blue LED tail lights that help firefighters be seen in heavy smoke, is released. Streamlight teams with Clint Smith of Thunder Ranch to create tactical light illumination systems.



STINGER® LED



SL-20X® LED



SURVIVOR® LED



**STREAMLIGHT RECHARGEABLES...
AN INNOVATION THAT SAVES LIVES,
AS WELL AS MONEY!**

Streamlight created the first high-intensity halogen rechargeable light. Unlike a standard D-cell flashlight, you can depend on a Streamlight rechargeable to work instantly in even the harshest conditions. And you can count on it to keep on working for years. A Streamlight rechargeable light can be charged up to 1,000 times.

MORE POWERFUL. MORE ECONOMICAL.

Streamlight rechargeables pack a lot more power than a D-cell. The UltraStinger®, for example, produces 75,000 candlepower but fits in a case 12" long and weighs just one pound. The Strion®, with Lithium Ion battery technology, packs 12,000 candlepower into a 5.3" package and weighs less than 5 ounces! And only Streamlight rechargeables come with universal cords that attach to any Streamlight charger.

Our rechargeables are infinitely more dependable than D-cell flashlights, and more cost-efficient. Over the average 4-year life of a Streamlight rechargeable, you'll save more than \$300 in disposable batteries. (See our chart on page 12.)

**STREAMLIGHT TAKES LED TECHNOLOGY TO
A WHOLE NEW LEVEL.**

Streamlight played a major role in adapting LED (Light Emitting Diode) technology to portable lighting tools. But we didn't stop there. We found innovative ways to give you all the benefits of LEDs with brightness and range that make ordinary LED lights pale by comparison. We also blazed new trails in the size and shape of LED flashlights. We put them in lightweight penlights like the Stylus® and then put them into flexible cables so you can "snake" a light into almost any nook or cranny.



STYLUS REACH®



BENEFITS OF LED TECHNOLOGY:

- LEDs run longer – up to 336 hrs. before the batteries need to be replaced
- LEDs last almost forever – more than 100,000 hours!
- LEDs are virtually unbreakable since there is no glass or filament.
- LEDs are available in colors for special applications. The green is a favorite of outdoor enthusiasts because it doesn't affect night vision, won't spook wild game, and can be seen from far distances. The "cool" blue LED is used by forensic investigators. And our UV LEDs aid in the detection of fraudulent documents and are also used for forensics, HVAC and automotive applications.



SPECIAL PURPOSE COLORED LEDs



SPECIAL PURPOSE COLORED LEDs



SPECIAL PURPOSE UV LEDs

10 TIMES BRIGHTER THAN STANDARD LEDs.

First we intensified the brightness of an LED by putting multiple LEDs in a single flashlight. We also use super high-flux LED technology to make LEDs that rival the brightness and long range of conventional bulbs. Our ProPolymer® Luxeon® Lights, for example, shine 10 times brighter than a standard LED.

THE BEST OF BOTH WORLDS.

Of course, there's still a place for conventional bulbs. And sometimes it's right in the same flashlight with an LED! We're the only company to offer the most effective LED/incandescent hybrid combination on the market. Our patented Twin-Task® line, SL-20X®-LED, SL20XP®-LED, and 3C-XP® lights let you switch between a high-power xenon bulb and a long-lasting LED.

OUR LATEST INNOVATIONS GIVE HEROES MORE REASONS TO TRUST STREAMLIGHT.

Some of our newest lights, the Stinger® LED and Survivor® LED, set new standards for efficiency, reliability and safety. With Stinger® LED, we made the #1 duty light for law enforcement officers more versatile, longer-running, longer-lasting, and more economical to use. Survivor® LED gives firefighters a right-angle light with a super-bright LED that lasts a lifetime and can run on a rechargeable battery or on regular alkaline batteries.



SAFETY FIRST, LAST AND ALWAYS... STREAMLIGHT GIVES YOU MORE OPTIONS FOR MORE HAZARDOUS LOCATIONS.

WHY ARE SAFETY RATINGS IMPORTANT? There are several different types of hazardous locations in which it can be extremely dangerous to use any light that has not been specially designed for that kind of location. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts or ignitable fibers or flyings.

Streamlight subjects its lights to the most rigorous testing – and meets or exceeds the standards of leading independent laboratories such as Factory Mutual Research Corporation, Underwriters Laboratories Inc. and Demko. It's your assurance that the Streamlight flashlight you choose will be safe, reliable and tough enough for the job.

DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by "class" and "division." There are three classes:



Class I locations are made hazardous by the presence of flammable gases, liquids or vapors




Class II locations are hazardous because combustible dusts are present.



Class III locations contain easily ignitable fibers or flyings.

The "Division" designation refers to the likelihood that ignitable concentrations of flammable materials are present.

There are two divisions:



Division 1 designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions or where easily ignitable fibers and flyings are manufactured, handled or used.



Division 2 locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by "groups" based on the physical properties of their combustible materials.

These groups include (but are not limited to):

Group A Acetylene

Group B Hydrogen



Group C Ethylene, carbon monoxide

Group D Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane

Group E Metals including aluminum, magnesium (Div. 1 only)

Group F Carbonaceous dusts including coal, carbon black, coke

Group G Dusts not included in E and F including wood, plastics, flour, starch or grain dusts.



STREAMLIGHT HAS THE SAFETY YOU NEED AND THE POWER, PERFORMANCE & DEPENDABILITY YOU WANT.

Streamlight has the light you need, no matter what kind of hazardous location you'll be working in. We offer more choices than ever with the addition of the 3AA HAZ-LO™, our first Class I / Division 1 safety-rated headlamp. Streamlight makes it easy to choose a light with all the qualities you want. The safety ratings are prominently displayed on the packaging and literature for all Streamlight products.



NEC		ATEX		
Division	Occurrence	Group	Category	Zone
1	Continuous	II	1	0
	Likely		2	1
2	Not likely		3	2

ATEX RATINGS: As of July 2003, mandatory compliance to the European Union (EU) Directive 94/9/EC (ATEX) for all products intended for use in potentially explosive atmospheres within the EU member countries came into effect.

Differing from the NEC, the ATEX Directive categorizes equipment into Group I (mining) and Group II (non-mining) applications according to the relevant protection methods used in their design. Similar to divisions, "zones" (0, 1 or 2) and gas groups; A (propane), B (ethylene) and C (Acetylene and Hydrogen), are used to define Group II hazardous area characteristics. For a particular zone and group a specific equipment category and protection concept are required.

Further, all approved flashlights are temperature rated from T1 (less than or equal to 450°C) to T6 (less than or equal to 85°C) and the flashlight you select partly depends on the auto ignition temperature characteristics of the substances you may encounter and the ambient temperature (adjusted to 40°C) of the area.

This document contains a simplified explanation of safety approvals and list of some of the substances and conditions for which the approval is valid. It is not intended as a substitute for a thorough understanding of the subject. Remember; you or the "Authority Having Jurisdiction" are responsible for the proper selection and application, in a properly defined area, of any hazardous locations approved product. The National Fire Protection Agency (NFPA), The International Electrotechnical Association (IEC) as well as most certifying agencies offering hazardous locations services are helpful references for defining hazardous locations.

Streamlight flashlights have been tested and approved by the world's leading independent laboratories such as Factory Mutual Research Corporation, Underwriters Laboratories Inc. and Demko. It's your assurance that the Streamlight flashlight you choose will be safe, reliable and tough enough for the job – characteristics that have distinguished our products for over a quarter century.



A QUICK GUIDE TO CHOOSING

THE RIGHT LIGHT



Streamlight makes serious lighting tools for a wide variety of applications. We also make it easy to select the light that's best for your specific needs. If you ask yourself a few basic questions – and answer based on the information provided here – you can choose a light that will serve you well for a long, long time.

Flashlight choice depends on intended use. Typically, there is no one light that works well in all situations. Consider your applications and the following basic questions:

HOW BRIGHT?

Is the work close-up or is a long-range beam required?

Is the extraordinary long life and reliability of an LED needed or is it more important to have the blinding brightness of a halogen or xenon bulb?

BATTERY TYPE?

Disposable batteries are more costly than rechargeables if your light gets frequent use. However, it's easier and faster to replace disposables in the field when the batteries run out.

SAFETY RATING?

It's important to know if you'll be working in a hazardous environment and exactly what type of hazards may be present. The information on page 9 will help you choose a light that's both safe and effective for your needs.

DISPOSABLE OR RECHARGEABLE?

Disposable batteries, either alkaline or lithium, have excellent storage life, 7 and 10 years respectively. They generally offer longer runtimes for a given bulb power and are typically lower in initial purchase price and easier to keep spares on hand. Their operating costs are considerably higher than rechargeables (see chart) and they are seldom as bright. Lithium cells have high energy density, but are even more costly than alkaline.

Rechargeable flashlights using nickel cadmium or lithium ion batteries feature extraordinarily low operating expense and are well suited for frequent use. They can often support a brighter bulb or LED and store conveniently in custom charger holders. Their initial purchase price is higher and they self discharge at a higher rate when in storage.

Typical Costs of a Rechargeable vs. Disposable

Year	Rechargeable Flashlight Costs	D-Cell Flashlight Costs
1st	\$97*	\$103**
2nd	\$0	\$78
3rd	\$0	\$78
4th	\$0	\$78
	\$97	\$337

* Average suggested cost of a rechargeable flashlight

** Includes \$25 flashlight purchase and a year's worth of replacement batteries

LUMENS AND CANDLEPOWER



"Lumens" of a bulb is a measurement of the entire output of the bulb. (Focus is not considered.)



"Lumens" of LEDs is a measurement of all the light inside the "beam angle".



"Peak beam candlepower" is a measure of the brightest spot in a focused beam.

HOW BRIGHT?

Flashlights come with several kinds of bulbs. The biggest differences are the amount of brightness, longevity of the bulb, and the cost. Here's a rundown of bulb choices:

INCANDESCENT – Streamlight uses premium gas-filled lamps for high performance. Both xenon and halogen lamps provide high output for their size and a white, natural-appearing light. Halogen lamps "blacken" less as they age and may have longer life than xenon. Both require periodic replacement and can fail on extreme impact. They are easily focused – most powerful, highest performance, top choice for long distances.


LEDS (LIGHT EMITTING DIODES) – Solid-state construction. Very durable and long-lived – up to 100,000 hours. Do not require periodic replacement. Soft focus, short range. Good for close work. Typically much less power than incandescent lamp, but can give extremely long (100's of hours) runtimes at low illumination levels.

SUPER HIGH-FLUX LED – Reliability of an LED with the performance of an incandescent. Latest in high power LED technology. Durable with lifetimes 10,000 to 50,000 hours. Can be focused to give performance that competes with incandescent in many applications.

COMBINATION LED/INCANDESCENT – Streamlight's exclusive patented LED/Xenon combination lights combine the long running times and durability of LEDs with the brightness of an incandescent. Arguably the best of both worlds.




RECHARGEABLES



The original Stinger® set the standard for duty lights. Now the new Stinger® LED raises that standard to a whole new level. It has multiple lighting options, including a strobe and a super bright, white-hot, long-range beam with a wider circle of light that increases your peripheral vision. The LED won't break or burn out. Stinger® LED delivers the lowest operating cost of any flashlight in its class!



STINGER® LED SERIES



A. Machined aircraft aluminum with non-slip rubberized comfort grip

B. 3 watt, Super High-Flux LED

C. Ni-Cd battery recharges up to 1,000 times

D. Serialized for positive identification

COMMON FEATURES

Access four modes of lighting; low, medium, high and disorienting strobe, at the touch of a button.



STINGER® LED


This powerful, long-range, long-running flashlight has a wide peripheral circle of bright white light coupled with an intense spot of light.

CE Meets applicable European Community Directives

- 3 watt, super high-flux LED
- A combination of rechargeability and LED technology that produces the lowest operating cost of any flashlight in its class!
- Deep-dish parabolic reflector
- LED rating: 80 lumens typical
- 3-cell 3.6V nickel-cadmium sub-C battery
- Multi-function push-button switch designed for extremely long life; tested at 1 million actuations
- Runtime on multi-function switch:
 - High beam: up to 1.75 continuous hrs.,
 - Medium beam: up to 3.5 continuous hrs.,
 - Low beam or strobe: Up to 6.75 continuous hrs.
- 8.41"
- 12.4 oz.
- Fast Charger available
- Fits existing Stinger chargers
- Available in black

NEW PRODUCT

Includes anti-roll ring.



TYPICAL LED LIGHT



STINGER® LED

Other LED flashlights provide only a small amount of peripheral vision. The Stinger® LED casts a wider, brighter looking circle of light that reveals dangers you might miss.



STINGER®

The standard flashlight in law enforcement the world over.



Class I, Div. 2, Grps A,B,C,D T1;
Class II, Div. 2, Grp F,G T3



Class I, Div. 2, Grps A,B,C,D T1;
Class II, Div. 2, Grp F,G T3



Meets applicable European
Community Directives

- Xenon gas-filled bi-pin bulb; spare bulb in tailcap
- Adjustable focus beam
- Up to 15,000 peak beam candlepower; 125 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- 7.38"
- 10 oz.
- Fast Charger available
- Available in black

STRION & STINGER SIZE COMPARISON:



Strion®

Stinger® LED

Stinger®

Stinger XT®

Stinger HP®

Stinger XT HP®


PolyStinger®

UltraStinger®

These compact, super-bright, rechargeable, lightweight personal lights are the most powerful lights ever made in their size. The machined aluminum housing that's anodized against corrosion and the unbreakable polycarbonate lens make the Stingers virtually indestructible.



STINGER[®] SERIES



A. The only machined aluminum flashlights to earn UL listing for Class I, II, Div. 2*

B. Serialized for positive identification

C. Nickel-cadmium battery recharges up to 1,000 times

D. Xenon gas-filled bi-pin bulb with variable spot to flood beam and 30-hour life

E. LED charge-continuity indicator; compact, snap-in charger mounts in any position

COMMON
FEATURES



STINGER XT[®]

Compact, powerful, rechargeable flashlight with easy-to-locate tactical tailcap switch.

- Xenon gas-filled bi-pin bulb with 30-hour life
- Adjustable focus beam
- Push-button tailcap switch for one-hand momentary or constant operation
- Up to 15,000 peak beam candlepower; 125 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- 7.7"
- 11.1 oz.
- Available in black

CE Meets applicable European Community Directives



STINGER HP[®]

Lightweight, high-performance rechargeable flashlight that delivers up to 40,000 candlepower.

- Xenon gas-filled bi-pin bulb with 30-hour life
- Adjustable focus beam
- Up to 40,000 peak beam candlepower; 120 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- 8.25"
- 12.2 oz.
- Available in black

UL LISTED Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3

cUL LISTED Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp F,G T3

CE Meets applicable European Community Directives



STINGER XT HP[®]

High-performance, compact, rechargeable flashlight with easy-to-locate tactical tailcap switch; delivers up to 40,000 candlepower.

- Xenon gas-filled bi-pin bulb with 30-hour life
- Adjustable focus beam
- Push-button tailcap switch for one-hand momentary or constant operation
- Up to 40,000 peak beam candlepower; 120 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- 8.63"
- 14.6 oz.
- Available in black

CE Meets applicable European Community Directives

* Applies to Stinger[®] and Stinger HP[®]. The PolyStinger[®] is UL listed for Class I, II, Div. 2 as well.



POLYSTINGER®

Lightweight, powerful, rechargeable flashlight with super-tough, non-conductive nylon polymer construction that makes it virtually indestructible.

- Xenon gas-filled bi-pin bulb with 30-hour life; spare bulb in tailcap
- Adjustable focus beam
- Up to 15,000 peak beam candlepower; 125 lumens
- 3-cell 3.6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- 7.4"
- 8.7 oz.
- Available in black, yellow or olive drab

UL LISTED Class I, Div. 2, Grps A,B,C,D T1; Class II, Div. 2, Grp G T3

CE Meets applicable European Community Directives

ULTRASTINGER®

The brightest Streamlight flashlight available, providing up to 75,000 candlepower.

- 30-hour life xenon-halogen gas-filled bi-pin bulb
- Adjustable focus beam
- Up to 75,000 peak beam candlepower; 295 lumens
- 5-cell 6V nickel-cadmium sub-C battery
- Up to 1 hour continuous use
- Push-button head switch
- 11.75"
- 1.1 lbs.
- Available in black

CE Meets applicable European Community Directives

STINGER[®] SERIES



STINGER & STINGER LED ACCESSORIES:

5 Unit Bank "Smart" Fast Charger, 120V or 230V AC



5 Unit Bank Charger, 120V or 230V AC



12V DC Charge Cords

100V, 120V, 230V, 240V AC Charge Cords




Colored Lenses

Infrared Lens



Holsters

Ring Holder



10-hour Charger

2.5-hour "Smart" Fast Charger

PiggyBack[®] Charger

PIGGYBACK[®] CHARGER - Double your battery power! Now you can charge your Stinger flashlight while simultaneously charging its spare battery. The Stinger PiggyBack Charger works with Stinger, Stinger HP, Stinger XT, Stinger XT HP, as well as PolyStinger. Available in steady charge or fast charge.



Safety Wands



Patented Battery Sticks



HP Upgrade Kit

Ultra-Head Upgrade Kit

HP & Ultra-Head Upgrade Kits
Convert your Stinger and Stinger XT flashlights into HP — High Performance Stingers. Increases their candlepower from 15,000 to 40,000. The Ultra-Head kit converts your SuperStinger into a 75,000 candlepower UltraStinger.

Accessories Not Shown: Bulbs



STRION ACCESSORIES:



6 Unit Bank Charger



Colored filters



Safety Wands



Holsters

Rechargeable Batteries




Rail Mount

The ultra-compact, super-powerful Strion® represents a whole new level in rechargeable technology. It's the first lithium ion battery powered flashlight that recharges its battery in the light. There is no brighter, ultra-compact flashlight in the world! The tactical Strion® is the only rechargeable gun mounted light system on the market.



STRION®

SERIES



- A. Machined aircraft aluminum with anodized finish
- B. Xenon gas-filled bi-pin bulb with spare bulb in the tailcap
- C. 2.5 hour "smart" Fast Charger
- D. Serialized for positive identification

COMMON FEATURES



STRION®

It's ultra-compact – just 4.6 oz. – but it's as bright as lights 5 times its size, thanks to an innovative lithium ion rechargeable battery and xenon bulb. The Strion® is the only rechargeable gun mounted light system on the market.

- 3.6V, 6 watt xenon gas-filled bi-pin bulb; spare bulb in tailcap
- Lithium ion 3.75V battery with on-board safety control circuit
- Up to 70 minutes continuous use between charges
- Up to 12,000 peak beam candlepower, 116 lumens
- Adjustable focus beam
- Rechargeable up to 300 times on 100V, 120V, 230V, 240V AC, or 12V DC chargers
- Clamp-style charger holder with digital control circuit that prevents over charge; LED indicates charge status. Fully recharged in 2.5 hrs.
- Momentary and constant-on modes
- Grooved barrel provides superior rail mount retention
- Serrated tailcap
- Extended push button on Tactical Model
- Rail mount available
- Rail mount fits long guns with 1913 (Picatinny style) rails
- 5.3", 4.6 oz.
- Black



Accessory long gun mount available.



TactCap™
New, removable tailcap design for quick, easy momentary operation.

CE Meets applicable European Community Directives



SL-20X®

Full-size, professional grade, high intensity, rechargeable flashlight.

- 10 watt, 6V halogen lamp with tungsten filament
- Up to 30,000 pre-focused peak beam candlepower; 200 lumens
- Constant-on and momentary modes
- Machined aircraft aluminum with anodized finish
- Up to 1.5 hours continuous use
- 6V, 2.4 amp-hour, 1/2 D nickel cadmium rechargeable battery
- 13"
- 1.9 lbs.
- Available in black

CE Meets applicable European Community Directives



SL-20XP® LED

Full-size yet lightweight incandescent/LED rechargeable that combines the brightness of an incandescent with the extended run time of LEDs.

- 8 watt, 6V halogen bulb with a 100-hour lifetime
- Pre-focused halogen beam of up to 28,000 candlepower
- 3 white LEDs with 100,000-hour lifetime provide up to 30 lumens; bulb rating is 150 lumens
- Lightweight, super-tough nylon polymer case with non-slip rubber comfort grip
- Run time is 1.5 hours for halogen only; 40 hrs. for LEDs only; emergency backup LED (after full halogen run) = 1 hr. min.
- Dual switches to select halogen or LEDs
- Constant-on and momentary modes
- High-capacity sub-C, nickel-cadmium battery
- Power Failure Feature – when light is in charger in the “on” position, it will come on automatically during power failure
- 13.2"
- 1.1 lbs.
- Available in black, yellow or orange

Also available in halogen bulb only model - SL-20XP®

This versatile family of rechargeable personal lights has the power and the durability you need for almost any job. Choose from a variety of features, including Streamlight's patented dual incandescent/LED; and no matter which SL light you choose, you get these great features:



SL SERIES



- A. Unbreakable polycarbonate lens with scratch-resistant coating
- B. Individual serialization for easy identification
- C. Nickel-cadmium rechargeable battery
- D. Rechargeable up to 1,000 times on 100V, 120V, 230V, 240V AC, or 12V DC chargers

COMMON FEATURES



SL-20X®-LED

Full-size, professional grade rechargeable flashlight is now brighter and has 40-hr. runtime LEDs for backup illumination.

CE Meets applicable European Community Directives

- 10 watt, 6V halogen lamp with 100-hr. lifetime plus three high-intensity, 100,000-hr. life LEDs
- Up to 38,000 peak beam candlepower (200 lumens) from halogen bulb; 30 lumens from 3 LEDs
- Dual switch control for halogen and LEDs
- Momentary and constant on for halogen; constant on for LEDs
- Machined aircraft aluminum with anodized finish
- Up to 80 minutes runtime with halogen only; up to 40 hrs. with LEDs only; emergency backup LED – 1 hr. minimum
- High-capacity sub-C nickel-cadmium rechargeable battery
- Power Failure Feature – when light is in charger in the “on” position, it will come on automatically during power failure
- O-Ring sealed, water resistant
- 13.2”
- 1.7 lbs.
- Available in black

SL ACCESSORIES:



Safety Wands



Battery Sticks



5 Unit Bank Charger, 120V or 230V AC



12V DC Charge Cords

100V, 120V, 230V & 240V Charge Cords



Lamp Module



Ring Holder


Deluxe Nylon Holster



Charge Sleeve



FIRE VULCAN ACCESSORIES:



Charging Rack



Quick Release Strap



Battery



12V DC Charge Cords



100V, 120V, 230V, 240V AC Charge Cords

In a smoke-filled room, it's not only important that you can see – it's critical that you can be seen. In addition to the high-intensity halogen lamp, the rechargeable Fire Vulcan® has two powerful, ultra-bright LED taillights. Your partners can follow you through the thickest smoke; and they can find you fast in an emergency. The toggle switch makes it easy to go between strobe and steady modes, so you can use it to increase visibility at a fire or accident scene or signal for help.



FIRE VULCAN® SERIES



A. 3-Position Toggle Switch designed for easy use with gloves

B. High-impact ABS thermoplastic waterproof housing

C. Quick-release strap

D. Two powerful, ultra-bright blue LED taillights

COMMON FEATURES



Two powerful, ultra-bright blue LED taillights help you be seen even in thick smoke.



FIRE VULCAN®

A life-saving innovation. The only lantern with taillight LEDs to help you be seen even in thick smoke.



Factory Mutual (FM) approved for Class I, Div. 2, Groups A, B, C, D, T2A Class II, Div. 2, Groups F, G Class III, T3C



CSA certified for Class I, Div. 2, Groups A, B, C, D, T2A Class II, Div. 2, Groups F, G Class III, T3C



Rack meets requirements of NFPA 1901-12-1.7 mounted in any position



Meets applicable European Community Directives




FTZÚ 04 ATEX 0180 II 3G EEx n AL IIC T4 II 3D T53°C

- High-intensity halogen 8 watt spot bi-pin bulb and two ultra-bright blue LEDs
- Strobe and Steady Modes
- Up to 80,000 peak beam candlepower with halogen bulb
- Bulb Rating: 150 lumens typical
- Run times are up to 3 hrs. with steady halogen & LEDs; up to 6 hrs. with blinking halogen and LEDs; up to 60 hours with blinking LEDs only
- 6V 4.5 amp-hour rechargeable battery can be recharged up to 500 times
- Waterproof to 100ft.
- 7 1/2" (L) x 5" (W) x 5 3/4" (H)
- 3.3 lbs.
- Quick-release strap
- Serialized for positive identification
- Available in high-visibility orange

TWO FIRE VULCAN MODELS:

Standard System – Includes charging rack and both AC and DC chargers

Vehicle Mount System – Includes 12V DC vehicle-mountable direct-wire charging rack



"I FEEL SO MUCH SAFER AND MORE CONFIDENT GOING THROUGH THICK SMOKE WITH MY STREAMLIGHT."

Bob LaGrow, Firefighter, FDNY, NY State Certified Fire Instructor

VULCAN ACCESSORIES:



100V, 120V, 230V, 240V
AC Charge Cords

Accessories Not Shown: Bi-Pin Bulbs



12V DC
Charge Cords



Charging Rack

Battery

Quick Release Strap

The introduction of the Vulcan® several years ago represented a major breakthrough. It was the first truly safety approved compact, lightweight, waterproof lantern that was big on power. And talk about tough! It's almost impossible to destroy a Vulcan®. Buildings collapse on them, trucks drive over them, fires scorch them, and they keep shining. Their compact size and durable waterproof construction, combined with a powerful beam and rechargeability, make the Vulcan® series ideal for the most demanding jobs.



VULCAN® SERIES



- A. Powerful, ultra-bright halogen bulb
- B. Zero-maintenance, lead acid battery
- C. Recharging Rack
- D. Unbreakable polycarbonate lens with scratch-resistant coating

COMMON FEATURES



VULCAN®

Industrial-duty, lightweight, rechargeable, waterproof lantern; it's virtually indestructible.

- High-intensity halogen bi-pin bulb: 8 watt spot; xenon dual filament 8 watt safety bulb delivers instant backup beam
- 8 watt spot provides up to 80,000 peak beam candlepower (bulb lumens: 150 typical); dual filament 8 watt spot has up to 70,000 peak beam candlepower each (bulb lumens: 157 typical)
- Up to 3.25 hrs. continuous run time per charge
- Zero-maintenance 4.5 amp-hour sealed lead acid battery is rechargeable up to 500 times
- Red and green LEDs give charge status
- Serialized for positive identification
- High-impact ABS thermoplastic housing with rubberized cushioned grip handle
- Waterproof to 100ft.
- 7.5" (L) x 5" (W) x 6.5" (H)
- 3.3 lbs.
- Available in high-visibility yellow or international safety orange



Factory Mutual (FM) approved for Class I, Div. 2, Groups A, B, C, D, T2A Class II, Div. 2, Groups F, G Class III, T3C



CSA certified for Class I, Div. 2, Groups A, B, C, D, T2A Class II, Div. 2, Groups F, G Class III, T3C

NFPA

Rack meets requirements of NFPA 1901-12-1.7 mounted in any position



Meets applicable European Community Directives



Vulcan FTZU 04 ATEX 0180 II 3G EEx n AL IIC T4 II 3D T53°C



Dual Filament Vulcan FTZU 04 ATEX 0180 II 3G EEx n AL IIC T2 II 3D T62°C

THREE VULCAN MODELS:

Standard System – Includes AC and DC chargers and charging rack.

Vehicle Mount System – Comes with vehicle-mountable hard-wire rack.

Dual Filament System – Features a 3-position toggle switch for easy use with gloves. Includes an 8 watt spot dual filament bulb for an instant backup, plus AC and DC chargers and charging rack.

Dual filament bulb provides instant emergency backup when required.





FIREBOX ACCESSORIES:



100V, 120V, 230V, 240V
AC Charge Cords



12V DC
Charge Cords



Lamp Assembly

Battery

Quick
Release Straps

Standard and Direct
Wire Mounting Racks

Shoulder
Straps

Locking Devices

Accessories Not Shown:
Bi-Pin Bulbs

The revolutionary FireBox® is one of the most important firefighting tools to come along in years. It has bright blue taillight LEDs so your partners can see you even through thick smoke. It also has a 90° swivel neck so you can see in any direction. You can set it on its base, aim the bright light and still use the rear LEDs. The high-intensity halogen bi-pin bulb 8 watt spot provides a super-bright searchlight of up to 80,000 peak beam candlepower. Plus you get an exceptionally long runtime – up to 9 hrs. on a single charge.



FIREBOX® SERIES



A. 3-Position Toggle Switch designed for easy use with gloves

B. High-impact ABS thermoplastic waterproof housing

C. Heavy-duty strap

D. Two powerful, ultra-bright blue LED taillights

COMMON FEATURES



FIREBOX®

Industrial duty, portable lantern with a halogen bi-pin bulb and (2) ultra-bright blue LEDs.

CE Meets applicable European Community Directives.

NFPA Rack meets requirements of NFPA 1901-12-1.7(1999) mounted in any position.

- High-intensity halogen 8 watt spot bi-pin bulb and two ultra-bright blue LEDs
- 8 Programmable Lighting Modes including Steady and Blinking
- Up to 80,000 peak beam candlepower with halogen bulb
- Bulb Rating: 150 lumens typical
- Run times are up to 9 hrs. with halogen; up to 8 hrs. with halogen and LEDs; up to 100 hours with LEDs only
- 6V 12 amp-hour rechargeable battery can be recharged up to 500 times
- High-impact ABS thermoplastic housing with rubberized impact bumper, lens ring, and cushioned-grip handle
- 11.5" (L) x 5.1" (W) x 7" (H)
- 7.4 lbs.
- Heavy-duty strap
- Fits existing LiteBox charging racks
- Serialized for positive identification
- Available in international safety orange
- Toggle switch

TWO FIREBOX MODELS:

Standard System – Includes charging rack and both AC and DC chargers

Vehicle Mount System – Includes 12V DC vehicle-mountable direct-wire charging rack



LITEBOX®

Portable, powerful, industrial-duty, rechargeable lantern with 90° swivel head lets you aim the super-bright light in any direction.

- High-intensity halogen bi-pin bulb available in 8 watt and 20 watt spot and flood. Xenon dual filament 8 watt safety bulb features instant backup beam
- Candlepower:

Peak Beam Cp	Bulb Lumens (typical)
8 watt flood = 1,500	150
20 watt flood = 3,000	400
8 watt spot = 80,000	150
20 watt spot = 105,000	400
- Dual Filament –

8 watt spot = 70,000 each	157
---------------------------	-----
- High-impact ABS thermoplastic housing with rubberized impact bumper, lens ring, and cushioned-grip handle
- Up to 9 hrs. continuous run time per charge depending on bulb type
- 11.5" (L) x 5.1" (W) x 7" (H)
- 7.4 lbs.



FOUR LITEBOX MODELS:

Standard System

Includes shoulder strap, AC and DC chargers and mounting rack. Available in international safety orange or high-visibility yellow.

Vehicle Mount System

Comes with vehicle-mountable hard-wire charge rack and shoulder strap. Available in international safety orange or high-visibility yellow.

Power Failure System

Features AC and DC chargers and "smart" power failure circuitry that automatically goes on when power goes off. Available in international safety orange or beige.

Dual Filament System

Includes an 8 watt spot dual filament bulb for instant backup, AC and DC chargers, charge rack and shoulder strap. Available in international safety orange or high-visibility yellow.



Dual filament bulb provides instant emergency backup when required.

CE Meets applicable European Community Directives.

NFPA Rack meets requirements of NFPA 1901-12-1.7(1999) mounted in any position.

The rugged, dependable LiteBox® was the first lantern with a swivel neck for full right angle lighting. It runs up to 9 hours and is now brighter than ever with an innovative new bulb configuration. The high-intensity halogen bi-pin bulb, available in spot or flood, provides a beam of up to 105,000 peak beam candlepower. An optional xenon Dual Filament system is available, providing the security of a backup safety beam.



LITEBOX® SERIES



- A. Unbreakable polycarbonate lens
- B. Individual serialization for easy identification
- C. 6 volt, 12 amp-hour lead acid rechargeable battery
- D. Rechargeable up to 500 times on 120V, 230V or 240V AC, or 12V DC chargers

COMMON FEATURES



LITEBOX ACCESSORIES:



12V DC Charge Cords

100V, 120V, 230V, 240V AC Charge Cords

Spot and Flood Lamp Assemblies

Battery



Quick Release Straps




Standard and Direct Wire Mounting Racks



Shoulder Straps

Locking Devices

Accessories Not Shown: Bi-Pin Bulbs





SURVIVOR ACCESSORIES:

5 Unit bank Charger, 120V or 230V AC



10-hour Steady Charger Holder



Rechargeable Battery Pack



12V DC Charge Cords

100V, 120V, 230V, 240V AC Charge Cords




PiggyBack® Charger for charging light and spare battery pack simultaneously.

We took the #1 right-angle firefighters' light and gave it a super-bright LED that practically lasts forever. At 8,500 peak beam candlepower the super high-flux 3 watt LED makes it one of the brightest LED flashlights in the world. It won't break or burn out and you'll never have to change the bulb. It's rechargeable and it can run on 4AA alkaline batteries.



SURVIVOR® LED SERIES



A. Unbreakable Lexan® lens with silicone anti-scratch coating

B. Raised switch for easy operation with gloves

C. Nickel-cadmium rechargeable battery

D. Rechargeable up to 1,000 times on 110V, 120V, 230V, 240V or 12V DC chargers

COMMON
FEATURES



SURVIVOR® LED

Introducing Survivor® LED. The Brightest, Right-Angle LED Flashlight In the World! Class 1, Div. 1 rated!

- 3 watt super high-flux LED, with 50,000 hour lifetime
- Lamp and battery housings and battery base made of high-impact, super-tough nylon for exceptional durability
- LED Rating: 65 Lumens typical. Deep-dish parabolic reflector produces narrow beam with a 500 ft. range; ideal for smoke-cutting applications. Optimum peripheral illumination to aid in navigation.
- Runtimes: up to 3 hrs. on high beam up to 6 hrs. low beam
- All openings are O-ring sealed for weather resistance
- Industrial rechargeable nickel-cadmium 4.8V, 1.8 amp-hour, 4-cell sub-C battery pack or optional (4) "AA" alkaline battery pack
- 7.06" (H) x 2.85" (W) x 2.87" (D) – Height in charger: 8.67"
- 17.9 oz. with Ni-Cd pack, 13.1 oz. with alkaline pack
- 3-modes: high, low and strobe functions
- Serialized for easy identification
- Fits existing Survivor chargers
- Available in international safety orange, high visibility yellow or black



Alkaline battery pack holds 4 "AA" alkaline batteries

Survivor LED Division 1

UL LISTED UL Listed for
Class I, Div. 1, Groups C & D
Class I, Div. 2, Groups A,B,C,D, Temp Code: T4
Class II, Div. 2 Groups F & G
Class III, Temp Code: T4

CUL LISTED CUL Listed for
Class I, Div. 2, Groups A,B,C,D, Temp Code: T4
Class II, Div. 2, Groups F&G
Class III, Temp Code: T4

RECHARGEABLES



A lightweight, handheld personal light with right angle head designed to clip on to turn-out gear for easy, hands-free use. Available with Streamlight's exclusive Smoke Cutter optics that penetrate smoke, fog and mist for improved visibility.



SURVIVOR[®] SERIES



A. Unbreakable Lexan[®] lens with silicone anti-scratch coating

B. Raised switch for easy operation with gloves

C. Nickel-cadmium rechargeable battery

D. Rechargeable up to 1,000 times on 110V, 120V, 230V, 240V or 12V DC chargers

COMMON
FEATURES



SURVIVOR[®]

Tough, durable, portable lantern certified for hazardous locations.

- Lamp and battery housings and battery base made of high-impact, super-tough nylon for exceptional durability
- All openings are O-ring sealed for weather resistance
- Industrial rechargeable nickel-cadmium 4.8V, 1.8 amp-hour, 4-cell sub-C battery pack
- 6.75" (H) x 2.85" (W) x 2.87" (D) – Height in charger: 8.5"
- 15.4 oz. without charger
- Serialized for easy identification
- Available in international safety orange or high visibility yellow

Survivor Division 2

UL LISTED
UL listed for
Class I, Div. 2, Groups A,B,C,D, T2
Class II, Div. 2, Groups F & G
Class III, Temp Code: T4

CUL LISTED
CUL listed for
Class I, Div. 2, Groups A,B,C,D, T2
Class II, Div. 2, Groups F & G
Class III, Temp Code: T4

CE
Meets applicable European
Community Directives

NFPA
Meets requirements of NFPA

Zone 2 FTZU 04 ATEX 0179
II 3G EEx nL IIC T3
II 3D T80°C

Survivor Division 2

- Features a 5.5 watt, black-dot xenon bulb with anti-glare coating for maximum visibility in smoke & fog. Up to 25,000 peak beam candlepower (114 lumens).

- Runs up to 1.70 continuous hours between charges. Optional spare battery can be speed-loaded in seconds.

SURVIVOR ACCESSORIES:


5 Unit bank Charger, 120V or 230V AC



10-hour Steady Charger Holder

Rechargeable Battery Pack

Replacement Bulbs



12V DC Charge Cords



100V, 120V, 230V, 240V AC Charge Cords

PiggyBack[®] Charger for charging light and spare battery pack simultaneously. (Available in Fast or Steady Charge)





2AA PROPOLYMER®

Tough, super-convenient, extra-bright flashlight features dual switching on the head and the tailcap. It's co-molded grip ensures it'll stay in your hand.

- Powered by 2 "AA" alkaline batteries
- Xenon gas-filled bi-pin bulb, many times brighter than conventional flashlights
- Up to 4,500 peak beam candlepower (9 lumens typical)
- Runs up to 4 continuous hrs.
- Waterproof
- Features a wrist lanyard connection and pocket clip
- 6.06"
- 3.7 oz.
- Available in yellow



Class I, Div. 1, Groups C, D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Group G;
Class III, T3C



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Group G;
Class III, T3C



Meets applicable European Community Directives



Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-648-0



II 2G EEX ia IIB T4
SEE 00 ATEX 2990



3N PROPOLYMER®

Extremely lightweight, alkaline battery-powered personal light features three ultra-bright LEDs.

- Powered by 3 "N" alkaline batteries
- 3 ultra-bright white, 100,000-hour life LEDs provide up to 30 lumens typical, blue LEDs also available
- Impact-resistant polymer
- Up to 120 hrs. continuous run time
- Momentary blink or constant-on tail switch
- 5.25"
- 2.1 oz.
- Available in yellow or black



Intrinsic Safety for Haz. Loc.
Class I, II, Div. 1, Groups A, B, C, D, F, G;
Class III, T4A



Intrinsic Safety for Haz. Loc.
Exia Class I, II, Div. 1, Groups A, B, C, D, F, G;
Class III, T4A



Meets applicable European Community Directives




II 1G EEX ia IIC T4
DEMKO 04 ATEX 0406954

These lightweight, affordable, alkaline battery-powered personal lights are extremely durable, long-lasting, and powerful. Available in 2AA, 4AA, 3C and 3N configurations.



PROPOLYMER[®] SERIES



A. Virtually indestructible, non-conductive polymer with a scratch-resistant lens for impact & shock-resistance

B. Unbreakable polycarbonate lens

C. Convenient tailcap on/off/blink switch (2AA has dual head & tailswitches)

COMMON FEATURES



4AA PROPOLYMER[®] XENON

Tough, waterproof, super-bright alkaline battery-powered flashlight with one high-intensity xenon bulb that provides 11,000 peak beam candlepower

- Powered by 4 "AA" alkaline batteries
- Features a 4.8 volt xenon gas-filled module
- Up to 11,000 peak beam candlepower with xenon module (34 lumens typical)
- Runs up to 4 continuous hrs.
- 6.5"
- 6.3 oz.
- Features a wrist lanyard connection
- Available in yellow only



Class I, Div. 1, Groups C, D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Meets applicable European Community Directives



Permissible for use in Gassy Mines,
Methane/air only. Appr. No. 10C-658-0



SNCH 04 ATEX 3639
II 2G EEx ib e IIB T4
II 2D T74°C



4AA PROPOLYMER[®] LED

Impact and shock resistant LED flashlight that provides 155 hours of run time.

- Powered by 4 "AA" alkaline batteries
- 7 ultra-bright 100,000-hour life LEDs
- 67 lumens typical with 7 white LEDs, blue LEDs also available
- Runs up to 155 hrs.
- 6.5"
- 6.3 oz.
- Features a wrist lanyard connection
- Available in yellow and black



Class I, Div. 1, Groups C, D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Meets applicable European Community Directives



Permissible for use in Gassy Mines,
Methane/air only. Appr. No. 10C-658-0



SNCH 04 ATEX 3639
II 2G EEx ib e IIB T4
II 2D T74°C



4AA PROPOLYMER[®] LUXEON[®]

1 watt, 10,000 hour, super high-flux LED provides a longer reaching, brighter beam that's 10 times brighter than a high-intensity LED. Ergonomically shaped for maximum hand comfort.

- Powered by 4 "AA" alkaline batteries
- Up to 3,500 peak beam candlepower (42 lumens typical)
- Waterproof
- Div. 1 / Div. 2 - Runs up 4 hrs. at full intensity with 2 additional hrs. of declining usable light
- 7" / 7.52 oz.
- Features a wrist lanyard connection
- Available in yellow and black

4AA Luxeon[®] Division 1



Class I, Div. 1, Groups C&D;
Class II, Div. 1, Groups F&G;
Class III, T4, Exia



Meets applicable European Community Directives

4AA Luxeon[®] Division 2



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Meets applicable European Community Directives



3C-XP®

This lightweight alkaline-powered light lets you choose between the high-intensity of an incandescent and the long running time of LEDs. After xenon light expires, LEDs provide a full hour of light.

- Powered by 3 "C" cell alkaline batteries
- 3 watt xenon bulb with 30-hour life; and three 100,000-hour high-intensity LEDs
- Up to 16,000 peak beam candlepower (50 lumens) from xenon bulb; 3 white LEDs deliver 30 lumens typical
- Runs up to 5.5 continuous hours on xenon only; over 300 hrs. on LEDs only; the emergency backup LED (after full xenon run) runs for 1 hr.
- Lightweight, super-tough nylon polymer case with non-slip rubber comfort grip
- Dual switch for xenon or LEDs
- Momentary and constant on for xenon; constant on for LEDs
- 10.9"
- 15 oz.
- Available in black, yellow or orange

CE Meets applicable European Community Directives

PROPOLYMER[®] SERIES



3C PROPOLYMER[®] XENON

A powerful and incredibly handy flashlight that features a momentary blink or constant on tailcap switch.

- Powered by 3 "C" alkaline batteries
- 3.7 volt, 785 mA xenon gas-filled module
- Up to 16,000 peak beam candlepower (50 lumens typical)
- Runs up to 5.5 continuous hrs.
- 8.55"
- 13.5 oz.
- Waterproof
- Features a wrist lanyard connection and a spring-loaded clip
- Available in yellow



3C PROPOLYMER[®] LED

Impact and shock resistant LED flashlight that provides 336 hours of run time.

- Powered by 3 "C" alkaline batteries
- 10 ultra-bright 100,000-hour life LEDs
- 85 lumens typical with 10 white LEDs, blue LEDs also available
- Runs up to 336 hrs.
- 8.55"
- 13.5 oz.
- Waterproof
- Features a wrist lanyard connection and a spring-loaded clip
- Available in yellow or black



3C PROPOLYMER[®] LUXEON[®]

High-performance, 10,000 hour, super high-flux LED provides a longer reaching, brighter beam that's 10 times brighter than a high-intensity LED. Durable, impact resistant and non-conductive.

- Powered by 3 "C" alkaline batteries
- Up to 3,500 peak beam candlepower (44 lumens typical)
- Waterproof
- Div. 1 - Runs up 4 hrs. at full intensity with 16 additional hrs. of declining usable light
- Div. 2 - Runs up 5.5 hrs. at full intensity with 2 additional hrs. of declining usable light
- 9.30" / 15 oz.
- Rubber boot, tail-end push button switch
- Features a wrist lanyard connection and a spring-loaded clip
- Available in yellow or black



Class I, Div. 1, Group D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A



Meets applicable European Community Directives



Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-658-0



SNCH 04 ATEX 3640X
II 2G EEx ib e IIB T4
II 2D T70°C



Class I, Div. 1, Group D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A



Meets applicable European Community Directives



Permissible for use in Gassy Mines, Methane/air only. Appr. No. 10C-658-0



SNCH 04 ATEX 3640X
II 2G EEx ib e IIB T4
II 2D T70°C

3C Luxeon[®] Division 1



Class I, Div. 1, Groups C&D;
Class II, Div. 1, Groups F&G;
Class III, T4, Exia



Meets applicable European Community Directives

3C Luxeon[®] Division 2



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups C&D;
Class III, T5



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups C&D;
Class III, T5



Meets applicable European Community Directives

PROPOLYMER ACCESSORIES: Accessories Not Shown: Lanyard (3N), Ring Holder (3C-XP), Holster



Helmet Clamps
(2AA, 4AA, 4AA LED,
4AA Luxeon[®])



Rubber Helmet Strap



Gallet Helmet Mount



Helmet Lighting Kit - 4AA
Luxeon[®] alkaline batteries,
helmet clamp, helmet band.



Safety Wands
(3C-XP, 4AA, 4AA LED,
4AA Luxeon[®])

NON-RECHARGEABLES



Streamlight's Tactical Series personal lights are the most sophisticated and reliable tactical lights available. They're designed to give users a clear advantage when confrontations occur in areas of poor light or limited visibility. They are compact and lightweight, yet powerful and precise with the versatility you need to face any situation. They're all powered by extremely long-lasting lithium batteries, so they're ready whenever you need them.



TACTICAL HAND-HELD SERIES



NF-2° & NF-2° LED

The NightFighter® tactical lights are the lightest flashlights in their class. The unique adjustable ring makes a perfect fit for any hand.

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years (included)
- TactCap™ switch for quick, easy momentary operation
- Momentary push button tailcap, which rotates for locked "on"
- Polymer grip ring adjusts to any hand size
- Removable spring steel pocket clip and adjustable wrist lanyard
- Available in black

NF-2°

- High-intensity xenon gas-filled bi-pin bulb delivers up to 7,900 peak beam candlepower (114 lumens)
- Adjustable spot-to-flood focus
- 1 hour of continuous run time
- Spare bulb contained within flashlight
- Head: 1.25;" Body: .9" x Length 4.8;" Ring: 1.38"
- 4.5 oz. with batteries

NF-2° LED

- Anti-roll head
- 1 watt super high-flux LED delivers 47 lumens
- 1.75 hrs. run time at regulated maximum intensity; 2 additional hrs. of declining usable output
- Solid state power regulation provides maximum light output for the entire battery life
- Head: 1.25;" Body: .9" x Length 5.4;" Ring: 1.38"
- 5.2 oz. with batteries



The fully adjustable ring – unique to the NF-2 – adjusts to any hand size, providing a sure grip for one-handed operation.



SCORPION° & SCORPION° LED

One of the brightest and lightest personal flashlights ever created, the Scorpion® is the only tactical light with a rubberized grip and tailcap switch. Available with a xenon bulb or a super high-flux LED.

- Two 3 volt CR123A lithium batteries with a storage life of up to 10 years (included)
- Machined aluminum covered by a rubber-armored sleeve for a sure grip
- O-ring sealed for moisture protection
- Available in black

SCORPION°

- 6 volt xenon gas bulb, designed to last through 5 sets of batteries (spare bulb included)
- Up to 7,900 peak beam candlepower (114 lumens)
- Adjustable spot-to-flood focus
- 1 hr. continuous run time
- 4.9" long
- 4.7 oz. with batteries

SCORPION° LED

- Anti-roll head
- 1 watt super high-flux LED with 10,000 hour life
- 47 lumens typical
- 1.75 hrs. run time at regulated maximum intensity; 2 additional hrs. of declining usable output
- 5.72"
- 5.3 oz. with batteries

TACTICAL LIGHT ACCESSORIES:

Nylon Holsters




Lithium Batteries



Colored & Infrared Lenses (IR Lens fits TL-3 only)

Safety Wands (Blue & White also available)



THUNDER RANCH ILLUMINATION SYSTEMS

BONUS! Each Thunder Ranch System includes a bonus DVD featuring tips from Clint Smith on using tactical lights in low-light confrontations. Whether you're a seasoned pro or just beginning to shoot, you're sure to learn something new that just may save your life!



THUNDER RANCH ILLUMINATION SYSTEM

A tactical lighting system that will enable you to navigate in low light, developed in conjunction with Clint Smith and the staff at Thunder Ranch, America's leading firearms training facility.

The Thunder Ranch Illumination System includes:

- TL-2® LED Tactical Light with lithium batteries
- Key-Mate® LED light for backup/emergency light
- Innovative "Tiger Ring™" deployment/shooting grip retention system
- Green filter and flip-up lens cover
- DVD featuring Clint Smith, Director of Training at Thunder Ranch



THUNDER RANCH URBAN RIFLE ILLUMINATION SYSTEM

An incredible value, with everything you'd expect from Streamlight and Thunder Ranch. This exceptional performer is on par with systems costing twice as much. Shock-Proof bulb is designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.

The Thunder Ranch Urban Rifle Illumination System includes:

- TL-3® Shock-Proof Tactical Light with lithium batteries
- Green filter and flip-up lens cover
- Long Gun Rail Mount fits on a Picatinny Rail or standard handguard with AR15/M16 Adapter
- Pocket clip, adjustable lanyard
- Urban Rifle Low Light DVD featuring Clint Smith, Director of Training at Thunder Ranch

TACTICAL HAND-HELD SERIES

TactCap™
New, removable tailcap design for quick, easy momentary operation.



TL-2

TL-2 LED

TL-2® & TL-2® LED

The brightness of a larger light in a compact size that can be comfortably used with a firearm. Now available with shock-proof bulb.

TL-2®

- Two 3 volt CR123A lithium batteries with a storage life of 10 years (included)
- 6 volt high-pressure xenon gas-filled bi-pin bulb
- Up to 7,900 peak beam candlepower (114 lumens)
- Adjustable focus
- Spare bulb included
- 1 hr. continuous run time
- Pocket clip, adjustable lanyard
- Head: 1.25;" Body: .9" x Length 4.9"
- 4.2 oz. with batteries
- Shock-Proof model available. Designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.
- Available in black

TL-2® LED

- Two 3 volt CR123A lithium batteries with a storage life of 10 years (included)
- 1 watt super-high flux LED is 10 times brighter than a high-intensity LED – 47 lumens
- Anti-roll head
- Solid state power regulation provides 1.75 hrs. of uniform high brightness followed by an additional 2 hrs. of declining brightness
- Pocket clip, adjustable lanyard
- Head: 1.25;" Body: .9" x Length 5.25"
- 4.3 oz. with batteries
- Available in black

TL-3



TL-3 LED

TL-3® & TL-3® LED

Our brightest tactical light. Now available with shock-proof bulb.

TL-3®

- Three 3 volt CR123A lithium batteries with a storage life of 10 years (included)
- 9 volt, high-pressure xenon gas-filled bi-pin bulb
- Up to 11,500 peak beam candlepower (211 lumens)
- Adjustable focus
- Spare bulb included
- 1 hr. continuous run time
- Pocket clip, adjustable lanyard
- Head: 1.6;" Body: .9" x Length 6.25"
- 7 oz. with batteries
- Shock-Proof model available. Designed to withstand even the punishing recoil of a 3" 12 gauge magnum slug.
- Available in black

TL-3® LED

- Three 3 volt CR123A lithium batteries with storage life of 10 years (included)
- 5 watt super-high flux LED delivers 90 lumens
- Up to 2.5 hrs. of high brightness, followed by 20 additional hrs. of declining brightness
- Pocket clip, adjustable lanyard
- Head: 1.6;" Body: .9" x Length 6.25"
- 7 oz. with batteries
- Available in black

TACTICAL LIGHT ACCESSORIES:



Remote Switch w/ Coil Cord*

Remote Switch w/ 8" Cord*

*Fits TangoDown Rail Covers (includes two screws, tie wrap, double stick tape and retaining clips)



Remote Switch Retaining Clips for Picatinny Rail

Shock-Proof Lamp Assembly

TL-3

TL-2



AR15/M16 Adapter



12 ga. Mag Tube Mount



TL Long Gun Rail Mount

Flashlight clamp tightens without tools. Positive engagement teeth on clamp mate with grooves on flashlight body for recoil-proof installation. Flashlight may be positioned at multiple locations.



These powerful, intensely bright, long-running, aluminum-bodied gun mount lights set a whole new standard for durability. They're shockproof, dustproof, and virtually indestructible. The 3-watt super high-flux LED won't break or burn out. The rail grip clamp system securely attaches/detaches quickly & easily with no tools and without putting your hands in front of the muzzle. The TLR Tactical Lights give you every advantage in any low-light situation.



TACTICAL GUN MOUNT SERIES



TLR-1™

Intensely bright, virtually indestructible tactical light, attaches/detaches in seconds.

- Powered by two 3-volt CR123A lithium batteries with 10-year storage life
- Shockproof 3-watt super high-flux LED with blinding beam (up to 80 lumens) with bright side-light – will not break or burn out!
- Up to 2.5 hr. runtime
- Rail grip clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle
- Fast, adjustable, secure side mounting to 1913 and Glock style rails
- Machined aluminum sealed construction with black anodized finish
- Waterproof to one meter for one hour, dustproof
- Ambidextrous momentary/steady on-off switch
- Fits most light bearing holsters
- Includes keys for Glock (universal) installed, 1913 (Picatinny) and S&W TSW/99
- 4.18 oz.



TLR-2™ WITH LASER SIGHT

The same great features of the TLR-1 with an integrated laser sight for accurate aiming.

- Powered by two 3-volt CR123A lithium batteries with 10-year storage life
- Shockproof 3-watt super high-flux LED with blinding beam (up to 80 lumens) with bright side-light – will not break or burn out!
- Up to 2.5 hr. runtime (laser-only mode runs 45+ hrs.)
- Rail grip clamp system securely attaches/detaches quickly and safely with no tools and without putting your hands in front of muzzle
- Fast, adjustable, secure side mounting to 1913 and Glock style rails
- Machined aluminum sealed construction with black anodized finish
- Dustproof
- Ambidextrous momentary/steady on-off switch
- Highly accurate sight repeatability when remounting
- Fits most light bearing holsters
- Includes keys for Glock (universal) installed, 1913 (Picatinny) and S&W TSW/99
- 4.72 oz.

TLR ACCESSORIES:

Mounts or Adapters for: 12 gauge Shotguns with extended magazine tubes, Remington 870, AR15/M16, MP-5, HK USP (Full Size) Handgun



HK USP



Remington 870



12 ga. Mag Tube



MP-5



AR15/M16



Colored & Infrared Lenses

Accessories Not Shown: TLR Remotes



2-MODES:



**TWIN-TASK®
1-CELL LITHIUM**

With its lithium battery that has a shelf life of nearly 10 years, you can store it in the glove box and it will be ready whenever you need it!

CE Meets applicable European Community Directives

- Powered by one 3 volt CR123A lithium battery with a shelf life of nearly 10 years (included)
- 2.4 volt high-pressure xenon bulb; plus 3 ultra bright, white, 100,000-hour life LEDs
- 29 lumens typical with xenon bulb; 24 lumens from 3 LEDs
- Up to 1.5 hrs. run time (xenon); up to 9.5 hrs. (3 LEDs)
- 1.33" (D) x 4.09" (L)
- 4 oz.
- Available in matte black or titanium



2-MODES:



**TWIN-TASK®
2-CELL LITHIUM**

With a super-bright xenon bulb and two lithium batteries, it's always ready to light your way!


CE Meets applicable European Community Directives

- Powered by two 3 volt CR123A lithium batteries with a shelf life of nearly 10 years (included)
- 4.8 volt high-pressure xenon bulb; plus 3 ultra bright, white, 100,000-hour life LEDs
- 72 lumens typical with xenon bulb; 25 lumens from 3 LEDs
- Up to 2.5 hrs. run time (xenon); up to 28 hrs. (3 LEDs)
- 1.33" (D) x 5.43" (L)
- 5.44 oz.
- Available in matte black or titanium

These exceptionally durable and powerful lights offer multiple lighting modes from a variety of power sources. There's no task that these lights can't handle! The Twin-Task® lights are the only machined aluminum flashlights with a patented xenon/LED combination for unmatched brightness and exceptionally long run times. Users can easily select the best light source and intensity for the task at hand. The Twin-Task® lights feature a micro-faceted reflector for a smooth, perfectly focused beam.



TWIN-TASK® SERIES



- A. Patented xenon/LED combination for brightness and long run time
- B. Computer machined anodized aluminum
- C. Enhanced knurled grip for easy handling

- D. O-ring sealed for water resistance
- E. Unbreakable polycarbonate lens
- F. Wrist lanyard
- G. Available in matte black or titanium

COMMON FEATURES



3-MODES:



5 LEDs
Run Time
80 hours



10 LEDs
Run Time
50 hours



XENON
Run Time
9.5 hours

TWIN-TASK® 2D

An all-purpose, professional-grade flashlight with ten ultra-bright white LEDs and a high-intensity xenon bulb.

CE Meets applicable European Community Directives

- Powered by 2 "D" alkaline batteries
- 2.4 volt high-pressure xenon bulb; plus 10 ultra-bright, white 100,000-hour life LEDs
- 22 lumens typical with xenon bulb; 79 lumens with 10 LEDs; 48 lumens with 5 LEDs
- Up to 9.5 hrs. run time (xenon); up to 80 hrs. (5 LEDs); up to 50 hrs. (10 LEDs)
- 2.19" (D) x 8.35" (L)
- 1.39 lbs.



TWIN-TASK® 3AA

A lightweight, versatile, go-anywhere light with a high-intensity xenon bulb and three ultra-bright white LEDs.

- Powered by 3 "AA" alkaline batteries
- 3.6 volt high-pressure xenon bulb; plus 3 ultra-bright, white, 100,000-hour life LEDs
- 29 lumens typical with xenon bulb; 30 lumens typical with 3 LEDs
- Up to 2.6 hrs. run time (xenon); up to 80 hrs. (3 LEDs)
- 1.33" (D) x 8.54" (L)
- 6.72 oz.

CE Meets applicable European Community Directives

TWIN-TASK[®] SERIES



3-MODES:



3 LEDs	6 LEDs	XENON
Run Time 160 hours	Run Time 100 hours	Run Time 5 hours

TWIN-TASK[®] 3C

This versatile light, with a high-intensity xenon bulb plus six ultra-bright white LEDs, can shine for up to 160 hours.

- Powered by 3 "C" alkaline batteries
- 3.6 volt high-pressure xenon bulb; plus 6 ultra-bright, white 100,000-hour life LEDs
- 57 lumens typical with xenon bulb; 52 lumens typical with 6 LEDs; 28 lumens typical with 3 LEDs
- Up to 5 hrs. run time (xenon); up to 160 hrs. (3 LEDs); up to 100 hrs. (6 LEDs)
- 1.68" (D) x 9.02" (L)
- 1 lb.
- Accessory holster available

CE Meets applicable European Community Directives

3-MODES:



3 LEDs	6 LEDs	XENON
Run Time 160 hours	Run Time 100 hours	Run Time 5 hours

TWIN-TASK[®] 3C-UV

Includes an ultra-bright xenon bulb plus six ultraviolet LEDs for UV detection of fraudulent documents, forensic investigations and for detecting engine & HVAC leaks.

- Powered by 3 "C" alkaline batteries
- 3.6 volt high-pressure xenon bulb plus 6 ultraviolet 100,000-hour life LEDs
- 57 lumens typical with xenon bulb
- 3 Modes; Runs up to 5 hours (Xenon bulb); or up to 160 hours (3 LEDs); or up to 100 hours (6 LEDs)
- Available in Black (with three 375 and three 390 nanometer UV LEDs – ideal for law enforcement use) or Titanium (with six 390 nanometer UV LEDs – for HVAC & auto leak detection)
- 1.68" (D) x 9.02" (L) 1 lb.
- Accessory holster available

CE Meets applicable European Community Directives



3-MODES:



1 LED	2 LEDs	XENON
Run Time 130 hours	Run Time 28 hours	Run Time 2.5 hours

NIGHT COM™ XENON/LED

The lithium powered NIGHT COM™ combines High-Intensity Xenon illumination, state-of-the-art LED night vision protection and Streamlight's new Dual Switch System.

- Powered by two 3 volt CR123A lithium batteries with a shelf life of nearly 10 years (included)
- 4.8 volt high-pressure xenon bulb; plus 2 ultra bright, and 1 indicator type 100,000-hour life LEDs
- 72 lumens typical with xenon bulb; 8 lumens from 2 LEDs
- Up to 2.5 hrs. run time (xenon); up to 130 hrs. (1 LED)
- 1.33" (D) x 5.43" (L)
- 5.44 oz.
- Push-button tailcap – steady on and momentary on/off operation
- 3-position lighting – 2 ultra bright LEDs (red or green), 1 low power LED (red or green) for optimum night vision protection, and xenon
- Available in matte black

CE Meets applicable European Community Directives

Streamlight's patent pending mode select dial allows the user to choose from 3 lighting positions and also has a safe mode position to insure the light is not switched on by mistake. In addition, the Dual Switch System features an engineered tailcap switch for Power On/Off and Signal.

TWIN-TASK[®] SERIES



One high-intensity xenon bulb, five ultra-bright, long-running LEDs and one long-range laser pointer.



3-MODES:



LASER



5 LEDs

Run Time
100 hours



XENON

Run Time
5 hours

TWIN-TASK[®] 3C LASER COMBO

This versatile light includes a high-intensity incandescent bulb, plus 5 ultra-bright LEDs, and a long-range laser pointer.

- Powered by 3 "C" alkaline batteries
- 3.6 volt, 0.9A high-pressure Xenon bulb provides up to 57 lumens
- Five 100,000-hour life white LEDs deliver up to 21 lumens
- Pre-focused, 650 nm wavelength, 5 mW, Class IIIa laser
- Useable laser range is 100 yards+ (with laser pointer only); 100 ft. in laser/xenon position
- Runs up to 5 hours with xenon bulb; up to 100 hours with LEDs
- 9.02"
- 1 lb.
- 3-position lighting – laser only, 5 LEDs, laser/xenon with adjustable focus
- Accessory holster available
- Available in gun metal gray

CE Meets applicable European Community Directives

NEW
PRODUCT



3-MODES:



LASER



5 LEDs

Run Time
12 hours



XENON

Run Time
2.25 hours

TWIN-TASK[®] 3AAA LASER COMBO

This versatile light includes a high-intensity incandescent bulb, plus 5 ultra-bright LEDs, and a long-range laser pointer.

- Powered by 3 "AAA" alkaline batteries
- 3.6 volt high-pressure xenon bulb; plus 5 ultra-bright, white, 100,000-hour life LEDs
- Pre-focused, 650 nm wavelength, 5 mW, Class IIIa laser
- 57 lumens typical with xenon bulb; 21 lumens with 5 LEDs
- Up to 2.25 hrs. run time (xenon); up to 12 hrs. (5 LEDs)
- 1.35" (D) x 5.38" (L)
- 7.04 oz.
- Available in matte black

CE Meets applicable European Community Directives

NEW
PRODUCT



3-MODES:



3 LEDs

Run Time
16 hours



6 LEDs

Run Time
9 hours



XENON

Run Time
50 min.

TWIN-TASK[®] -RECHARGABLE

This versatile light, with a high-intensity xenon bulb plus six LEDs, can shine for up to 16 hours.

- Super-bright Xenon bulb with 6 100,000 hour life LEDs
- 95 lumens typical with xenon bulb; 42 lumens with 6 LEDs
- Up to 50 min. run time (xenon); up to 16 hrs. (3 LEDs)
- 3 "4/5 sub-C" size nickel-cadmium battery
- O-Ring sealed, water resistant
- 1.6" (D) x 7.14" (L)
- .66 lb.
- Available in Titanium

CE Meets applicable European Community Directives



**TASK-LIGHT®
3AA LUXEON®**

The long life of an LED with the longer range and bright beam of a conventional high-powered flashlight.

CE Meets applicable European Community Directives

- Powered by 3 "AA" alkaline batteries
- 1 watt Luxeon®, super high-flux LED is 10 times brighter than a high-intensity LED – 32 lumens typical
- Up to 28 hrs. run time
- 1.33" (D) x 8.6" (L)
- 6.4 oz.
- Available in matte black and titanium

MODE:



Run Time
28 hours


Super High-Flux LED (In "Off" Mode)

They're ultra-compact, extremely durable, and powerfully bright with long runtimes. These affordable personal lights with dual lighting modes are the ideal lights to take anywhere, so you're ready for anything.



TASK-LIGHT®

SERIES



- A. All models feature LED light source
- B. Computer machined anodized aluminum
- C. Enhanced knurled grip for easy handling

- D. O-ring sealed for water resistance
- E. Unbreakable polycarbonate lens
- F. Wrist lanyard

COMMON
FEATURES



TASK-LIGHT® 1AA

Ultra-compact, affordable flashlight has a long run time and fits in your pocket.

- Powered by "1" AA alkaline battery
- 100,000 hour life LED
- Delivers 8 lumens typical (high), 2 lumens typical (low)
- Deep reflective optic for a bright beam
- Up to 80 hours continuous use
- 3-modes: high, low & strobe
- Runs up to 48 hours on emergency strobe only
- 4.25"
- 3.1 oz.
- Available in gun metal gray

CE Meets applicable European Community Directives



TASK-LIGHT® 2AA

80% of the light output of a super high-flux LED with twice the run time. You can bring this affordable flashlight anywhere, anytime.

- Powered by 2 "AA" alkaline batteries
- 100,000 hour life LED
- Delivers up to 25 lumens
- Deep reflective optic for a bright beam
- Up to 50 hours continuous use
- 3-modes: high, low & strobe
- Runs up to 48 hours on emergency strobe only
- 6.8"
- 4.6 oz.
- Available in gun metal gray

CE Meets applicable European Community Directives




TASK-LIGHT® 3AAA

Compact LED flashlight with 80% of the light output of a super high-flux LED, includes an emergency strobe function.

- Powered by 3 "AAA" alkaline batteries
- 100,000 hour life LED
- Deep reflective optic for a bright beam
- Delivers up to 25 lumens
- Up to 45 hours continuous use
- 3-modes: high, low & strobe
- Runs up to 32 hours on emergency strobe only
- 4.5"
- 5.1 oz.
- Available in gun metal gray

CE Meets applicable European Community Directives



STYLUS ACCESSORIES:



Sharp Spot® fits over the tip of the Stylus® for a sharper focused, extended beam.

Glare Guard



Realtree Hardwoods® Green High Definition (HD) camouflage pattern Stylus® Combo includes Sharp Spot®, Glare Guard and Holster. Available in camo/green LED, black/green LED, black/white LED, and OD green/IR LED.



Stylus® and Stylus Reach® are available in a Combo Pack with white or green LEDs.

The revolutionary Stylus® combines the convenience of a penlight with the power of a high-intensity LED. These tough, durable, safety rated, waterproof lights are ideal for a variety of tasks, from reading a map on a camping trip and inspecting hard-to-see places, to forensic investigations and tactical law enforcement operations. Available in a variety of LED colors for various applications.



STYLUS® SERIES

**WHITE LED NOW
EVEN BRIGHTER!**



STYLUS®

This bright LED penlight has a battery life 20x greater than a standard flashlight and goes anywhere you need it.

SAFETY RATED MODELS AVAILABLE



UL Classified for Class I, Div. 1, Groups A, B, C, D, T3C



UL Classified to Canadian Safety Standards for Class I, Div. 1, Groups A, B, C, D, T3C Exia



Meets applicable European Community Directives



II 1G EEx ia IIC T1
DEMKO 04 ATEX 0410949

- Case available in black, gold, silver, US flag, red, blue, and camouflage (combo only)
- High-intensity LED lasts 100,000 hrs.
- LED available in white (now brighter with 10 lumens), red (1.13 lumens), blue (.71 lumens), green (2.6 lumens), and ultraviolet (375 nm)
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- Momentary blink and constant "on" modes
- Serialized for easy identification
- Pocket clip for easy access
- 6.21"
- 1.1 oz.



STYLUS® UV

Includes an ultraviolet light for fluorescent detection of fraudulent documents and for use in forensic investigations.

- The same features as Stylus with a (375 nm) ultraviolet LED

Now you can illuminate all those hard-to-see, out-of-the-way nooks and crannies. Just twist & turn the tough PVC-coated cable into any position to aim light almost anywhere.



STYLUS REACH® SERIES



STYLUS REACH®

The Stylus Reach® includes a 7" flexible cable that enables you to see into even the tightest spots. Available with a white LED or blue LED for leak detection.

- Includes flexible 7" extension cable that allows for 14" of "reach"
- Case available in black or silver
- High-intensity LED lasts 100,000 hrs.
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- LED available in arctic white (10 lumens) or ice blue (.71 lumens)
- 14" extended; 6.75" folded
- 1.7 oz.

SAFETY RATED MODELS AVAILABLE



UL Classified for Class I, Div. 1, Groups A, B, C, D, T3C



Meets applicable European Community Directives



UL Classified to Canadian Safety Standards for Class I, Div. 1, Groups A, B, C, D, T3C Exia



II 1G EEx ia IIB T1 DEMKO 04 ATEX 0410949



Twist & turn the flexible cable into any position to light the most out-of-the-way places.

A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.

STYLUS REACH® 18

The slim, compact, lightweight Stylus Reach® allows you to see almost anywhere. Thanks to its flexible cable, nothing is out of sight. Available with a white LED or blue LED for leak detection.

- Includes flexible 18.75" extension cable that allows for 25.5" of "reach"
- Case available in black
- High-intensity LED lasts 100,000 hrs.
- Powered by 3 "AAAA" alkaline batteries
- Runs up to 60 continuous hrs.
- LED available in arctic white (10 lumens) or ice blue (.71 lumens)
- 25.5" extended; 13" folded
- 3.5 oz.



Meets applicable European Community Directives



Don't let the name "Junior" fool you. The Streamlight Jr.® Luxeon® lights may be lightweight and compact, but the light they produce is anything but small. The super high-flux 1-watt Luxeon® LED emits a blast of bright light with a far-reaching beam that you'd never expect from a flashlight this size. And the Jr. Luxeon® lights are big on dependability too. They run up to 4 continuous hours on two "AA" batteries.



STREAMLIGHT JR.® LUXEON® SERIES



STREAMLIGHT JR.® LUXEON® REACH

With the ultra-bright, long-beam Luxeon® star LED mounted on a flexible cable and the magnetic clip for easy mounting, you can put this handy light almost anywhere and see anything.

- Includes extension cable that allows for 14" of "reach"
- 1-watt, 50,000 hour "Luxeon® Star" LED provides up to 31 lumens
- Machined aircraft aluminum casing with anodized finish is virtually indestructible
- Flexible cable protected by a durable PVC coating
- Runs up to 3 hours at maximum intensity (1.5 hrs. additional declining useable output)
- 20.0" long / folded length is 9.0" / reach length is 14.0"
- 6.30 oz
- Push-button tailcap – steady on and momentary on/off operation
- Powered by 2 "AA" size alkaline batteries, included in package
- O-Ring sealed, water-resistant
- Packaged with magnetic clip holder for mounting & positioning



CE Meets applicable European Community Directives



STREAMLIGHT JR.® LUXEON®

Cutting-edge Luxeon® technology and internal reflection optics make this ultra-compact light super-bright and ultra-convenient.

CE Meets applicable European Community Directives

- Powered by two "AA" alkaline batteries (included)
- 1 watt Luxeon® Star 50,000-hr. LED
- 31 lumens typical
- Over 4 hrs. run time at high intensity plus 2 additional hrs. of declining usable output
- Push-button tailcap – steady on and momentary on/off operation
- Shock-resistant / water-resistant
- Includes black nylon flapless holster
- 6.5" long
- 3.8 oz.
- Available in black

NON-RECHARGEABLES

SAFETY GREEN PROGRAM



NEW PRODUCT



3-MODES:



3 LEDs	3 LEDs	XENON
Run Time 16 hours	Run Time 16 hours	Run Time 50 min.

TWIN-TASK®-RECHARGEABLE

This versatile light, with a high-intensity xenon bulb plus three green night vision LEDs and three blue tracker LEDs, can shine for up to 16 hours.

- 3.6 volt high-pressure xenon bulb; plus 3 green and 3 blue 100,000-hour life LEDs
- 95 lumens typical with xenon bulb; 22 lumens typical with 3 LEDs
- Up to 50 min. run time (xenon); up to 16 hrs. (3 LEDs)
- 3 "4/5 sub-C" size nickel-cadmium battery
- O-Ring sealed, water resistant
- 1.6" (D) x 7.14" (L)
- .66 lb.
- Available in RealTree® Hardwoods High Definition® (HD) Green

CE Meets applicable European Community Directives

Green LEDs Help Keep You Safe In The Great Outdoors

Streamlight offers a variety of lights with new safety-green LEDs. The green light is ideal for the outdoors. It's bright enough to light your way and alert other hunters of your presence. It can be seen up to a mile away, yet it will not spook game. The safety-green LED is available with the ClipMate®, the Stylus®, the KeyMate®, and the Trident® LED.



Streamlight developed these special lights for use in the great outdoors in conjunction with Buckmasters, one of the premiere hunting enthusiast organizations in the USA. They have the features you need to help keep you safe and both Buckmasters lights are available in REALTREE Hardwoods® Green High Definition (HD) camouflage pattern.



BUCKMASTERS® SERIES



BUCKMASTERS® CAMO TWIN-TASK® 2L LED/XENON COMBINATION

Lightweight, versatile light switches from powerful xenon bulb to 3 ultra-bright safety-green LEDs. The dependable lithium batteries have a 10-year shelf-life; and the water & corrosion-resistant casing is almost indestructible.

- RealTree® Hardwoods® Green High Definition (HD) camouflage pattern with Leathertop wear-resistant coating
- 4.8 volt, 0.9A high pressure, adjustable focus xenon bulb provides 72 lumens
- 3 ultra-bright, 100,000-hour-life green LEDs deliver 10 lumens
- Anodized machined aluminum alloy is corrosion and water-resistant
- Powered by two 3 volt CR123A lithium batteries with 10-year shelf-life
- Runs up to 2.5 hrs. on xenon mode; up to 28 hrs. on LED mode
- 5.43"
- 5.44 oz.
- Micro-faceted reflector for smooth focus
- O-ring sealed, heavy-duty drop-tested construction
- Night vision green LEDs won't spook game
- Includes high-strength lanyard

CE Meets applicable European Community Directives



BUCKMASTERS® CAMO TRIDENT® LED/XENON COMBINATION HEADLAMP

Hands-free lighting with 90° tilting head. Features super-bright xenon bulb and three safety-green LEDs within the same reflector. Three-position lighting includes xenon bulb, 1 LED, 3 LEDs.

- RealTree® Hardwoods® Green High Definition (HD) camouflage pattern
- 3 volt, 300 mA xenon bi-pin bulb delivers 18 lumens
- 3 night vision, safety-green, 100,00-hour-life LEDs provide 7.5 lumens
- Water-resistant, lightweight thermoplastic construction
- Powered by three "AAA" alkaline batteries (included)
- 1.86" face cap diameter; 2.55" width; 2.53" depth
- 4.64 oz.
- Night vision green LEDs won't spook game
- Includes elastic head strap and rubber hard hat strap

CE Meets applicable European Community Directives



CE Meets applicable European Community Directives



Includes a rubber head-strap that ensures a non-slip grip for hardhats.

ARGO® HP LED HEADLAMP

Our brightest headlamp, with a super high-flux LED that's seven times brighter than a regular LED and extra long runtime.

- Powered by two 3 volt disposable lithium batteries
- 1 watt super high-flux LED with 50,000-hour life
- 33 lumens typical (high mode); 12 lumens typical (low mode)
- Solid State Power Regulation provides maximum light output throughout battery life
- 4.75 hrs. run time at regulated maximum intensity plus 3.5 additional hrs. of declining usable output, 20+ hours on low mode
- Ultra-compact, impact-resistant housing, lightweight for maximum comfort
- Includes elastic head strap and rubber hard hat strap
- Facecap diameter: 1.6" x Max headlight width: 3.0"
- Max headlight depth: 2.0" including head strap and mounting plate
- 4.0 oz. with batteries (included)
- 90° tilting head
- Available in black

Streamlight offers a variety of ultra-compact headlamps. Designed for comfort and durability, our adjustable, flexible, lightweight straps can be worn on the head or around a hard hat. The high powered professional grade lights offer power, versatility and longevity to accomplish any task.



HEADLAMP SERIES

**NEW
PRODUCT**



3AA HAZ-LO™ LED HEADLAMP

We engineered this compact, long running, high-performance, super high-flux LED headlight to meet the stringent requirements of Division 1 hazardous locations while maintaining exceptional light output and a long runtime.

- Class 1, Div. 1
- Powered by 3 "AA" alkaline batteries (included)
- 1 watt super high-flux LED
- 34 lumens typical
- Impact resistant housing
- Includes elastic head strap and rubber hard hat strap
- Up to 11 hours of runtime, declining output to 25% intensity
- 4.5 oz.



Class I, Div. 1, Groups A, B, C, D, Temp Code: T4



ARGO® LED HEADLAMP

The Argo features state-of-the-art, super high-flux technology for the long life and reliability of an LED with the brightness and range of a conventional bulb. It offers three digitally controlled brightness levels, a durable compact case, and rubber & elastic head straps for use with hard hats.

- Powered by 3 "AAA" alkaline batteries; LED battery life indicator
- 1 watt super high-flux LED
- Three brightness levels: 31 lumens (1 hr. runtime), 15 lumens (2.5 hrs.), 9 lumens (6.5 hrs.)
- 2.15" (H) x 2.9" (W) x 2.25" (D)
- 4.75 oz.
- 90° tilting head
- Includes elastic head strap and rubber hard hat strap
- Available with yellow ABS case

CE Meets applicable European
Community Directives



Rubber head-strap is included.



TRIDENT® LED/XENON COMBINATION HEADLAMP

Includes three LEDs and a xenon bulb in the same reflector. Three-position lighting lets you select the best combination of lights for the task at hand.

SAFETY RATED MODELS AVAILABLE



Class I, Div. 2, Groups A, B, C, D; Class II Div.2 Groups F,G; Class III Temp. Code T3C



Class I, Div. 2, Groups A, B, C, D; Class II Div.2 Groups F,G; Class III Temp. Code T3C



Meets applicable European Community Directives

- Powered by 3 “AAA” alkaline batteries (included)
- 3 volt, 300 mA xenon bi-pin bulb, plus three 100,000-hour life LEDs
- 18 lumens typical (xenon); 24 lumens typical (3 LEDs)
- 3-position lighting: 1) xenon bulb; 2) one LED; 3) three LEDs
- Spot to flood focus
- Includes elastic head strap and rubber hard hat strap
- 90° tilting head
- Runs up to 150 hrs. (single LED)
- Facecap diameter: 1.86”
- Max width: 2.55”
- Max depth: 2.53” including head strap and mounting plate
- 4.64 oz.
- Available in yellow, green or camo

THREE TRIDENT MODELS:

Yellow Model – Contains 3 ultra-bright white LEDs

Green Model – Contains 1 safety green LED and 2 ultra-bright white LEDs

Camo Model – Realtree Hardwoods® Green High Definition camouflage pattern; contains super-bright xenon bulb and three safety-green LEDs within the same reflector. Shown on pg. 58.

HEADLAMP SERIES



ENDURO® LED HEADLAMP

One of the lightest, brightest, most comfortable headlamps available today. Features High and Low lighting modes and a runtime up to 24 hours.

- Powered by two 1.5V "AAA" cells (included)
- .5 watt high-flux, 100,000-hour life LED
- Up to 14.5 lumens typical and up to 850 peak beam candlepower (high mode); 6 lumens typical (low mode)
- Solid State Power Regulator provides maximum light output throughout battery life
- Up to 6 hrs, runtime on high; up to 24 hrs, on low mode
- Impact-resistant, drop-tested housing
- Includes elastic head strap and rubber hard hat strap
- O-Ring sealed construction
- Waterproof to 1 meter for 1 hr.
- Facecap diameter: 1.3"
- 2.25" (W) x 1.6" (D)
- 2.75 oz. with battery and head strap



SEPTOR® LED HEADLAMP

This ultra-bright LED headlamp lets you choose 1, 3 or 7 LEDs.

CE Meets applicable European Community Directives

- Powered by 3 "AAA" alkaline batteries (included)
- Seven 100,000 hr. life ultra-bright, white LEDs
- 50 lumens typical (7 LEDs), 25 lumens typical (3 LEDs), 9 lumens typical (1 LED)
- Runs up to 150 hrs. (single LED)
- Includes elastic head strap and rubber hard hat strap
- Facecap diameter: 1.86"
- Max width: 2.55"
- Max depth: 2.53" including head strap and mounting plate
- 4.72 oz.
- 90° tilting head
- Available in yellow



CLIPMATE®

Equipped with three high-intensity LEDs and an innovative 360° rotating head, this is one versatile little light.

- Powered by 3 "AAA" alkaline batteries
- Three high-intensity, 100,000-hr. life LEDs
- 27 lumens typical (white LEDs)
- Up to 40 hrs. run time
- Includes elastic strap headband and lanyard
- 3.52" long
- 2.4 oz.
- Available in yellow with three white LEDs, black with a choice of white or green LEDs and RealTree® Hardwoods High Definition® (HD) Green with three green LEDs

CE Meets applicable European Community Directives

Thanks to Streamlight innovations, even the smallest most compact lights are now big on power and brightness. Just click on one of these "small wonders" and you'll be amazed at its illumination and range. And with runtimes up to 96 hours, you'll be amazed for a long time!

POCKET LIGHTS

THAT PACK A LOT OF POWER



Colored & Infrared Lenses



KEY-MATE®

The world's smallest, brightest, one-ounce, machined aluminum, one LED flashlight! The Key-Mate runs longer and stays brighter.

- Reflector optics deliver up to 400% more lighting range than traditional penlights
- Easily attaches/detaches to just about anything with convenient pocket clip or key ring
- Up to 96 hrs. run time
- Includes neck lanyard
- O-ring sealed for water-resistance
- Powered by 4 alkaline button cells (included)
- 100,000 hr. lifetime high-intensity LED with reflector optics
- LED available in white (10 lumens), blue (.7 lumens), or green (2.6 lumens)
- 2.36"
- .9 oz.
- Available in black or titanium with white, blue or green LEDs, and RealTree® Hardwoods High Definition® (HD) Green with green LED

CE Meets applicable European Community Directives




CUFFMATE®

An extended-reach handcuff key/flashlight with super-bright multi-directional dual LEDs.

- Compatible with most handcuff brands
- Made of virtually indestructible fiberglass-reinforced polymer
- Swiveling key ring connector for extra convenience
- Powered by two long-lasting, replaceable CR2016 lithium batteries
- Two 100,000-hr. life high-intensity LEDs
- 7 lumens typical
- Runs up to 7.5 continuous hrs. or 1,000s of momentary bursts of light
- 3.25" (L) x 1" (W)
- .4 oz.
- Available in black

CE Meets applicable European Community Directives




	STINGER® LED	STINGER®	STINGER XT®	POLYSTINGER®	STINGER HP®	STINGER XT HP®
Battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery	3-Cell, 3.6 volt NiCd sub-C battery
Light Source	3 Watt Super High-Flux LED	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb
Case Material	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Machined aluminum w/non-slip rubber grip	Nylon polymer w/non-slip rubber grip	Anodized, machined aluminum housing	Anodized, machined aluminum housing
Colors	Black	Black	Black	Black, Yellow, Olive Drab	Black	Black
Weight (w/batteries)	12.4 ounces (351.53 grams)*	10 ounces (284 grams)*	11.1 ounces (315 grams)*	8.7 ounces (247 grams)*	12.2 ounces (345.9 grams)*	14.6 ounces (413.9 grams)*
Dimensions L x W x H	8.41"	7.38" x 1.6"	7.7" x 1.6"	7.4" x 1.67"	8.25" x 2.37"	8.63" x 2.37"
Run Time	High / Med / Low 1.75 hrs/3.5 hrs/6.75 hrs	Up to one hour of continuous use	Up to one hour of continuous use	Up to one hour of continuous use	Up to one hour of continuous use	Up to one hour of continuous use
Light Output	80 Lumens	15,000 candlepower 125 Lumens	15,000 candlepower 125 Lumens	15,000 candlepower 125 Lumens	40,000 candlepower 120 Lumens	40,000 candlepower 120 Lumens
Special Features	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification



	FIREBOX®	LITEBOX®	LITEBOX® DUAL FILAMENT	LITEBOX® POWER FAILURE	SURVIVOR® LED	SURVIVOR®
Battery	6 volt, 12 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery	6 volt, 12 Ah sealed lead-acid battery	4-Cell, 4.8 volt NiCd sub-C battery	4-Cell, 4.8 volt NiCd sub-C battery
Light Source	High-intensity halogen bi-pin bulb	High-intensity halogen bi-pin bulb	High-intensity halogen bi-pin bulb	High-intensity halogen bi-pin bulb	3 Watt Super High-Flux LED	Black-dot Xenon gas-filled bulb
Case Material	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle	Nylon polymer	Nylon polymer
Colors	Orange	Orange, Yellow	Orange, Yellow	Orange, Beige	Yellow, Orange, Black	Yellow, Orange
Weight (w/batteries)	7.4 lbs. (3.36 kilograms)*	7.4 lbs. (3.36 kilograms)*	7.4 lbs. (3.36 kilograms)*	7.4 lbs. (3.36 kilograms)*	17.9 ounces (507.46 grams)*	15.4 ounces (437 grams)*
Dimensions L x W x H	11.5" x 5.1" x 7"	11.5" x 5.1" x 7"	11.5" x 5.1" x 7"	11.5" x 5.1" x 7"	7.06" x 2.87"	6.75" x 2.87"
Run Time	Up to nine hours of continuous use	Up to nine hours of continuous use	Up to nine hours of continuous use	Up to nine hours of continuous use	Up to 6 hours of continuous use	Up to 1.7 hours of continuous use
Light Output	Up to 80,000 candlepower Up to 150 Lumens	Up to 105,000 cp Up to 400 Lumens	Up to 105,000 cp Up to 157 Lumens	Up to 105,000 cp Up to 400 Lumens	65 Lumens	25,000 candlepower 114 Lumens
Special Features	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification	Serialized for positive identification, water resistant	Serialized for positive identification, water resistant



	ULTRASTINGER®	STRION®	SL-20X®	SL-20X®-LED	SL-20XP®-LED	FIRE VULCAN®	VULCAN®
	5-Cell, 6 volt NiCd sub-C battery	3.75 volt Li-Ion	Ni-cd power cell	High-capacity NiCd sub-C battery	High-capacity NiCd sub-C battery	4.5 Ah sealed lead-acid battery	4.5 Ah sealed lead-acid battery
	Xenon gas-filled bi-pin bulb	Xenon gas-filled bi-pin bulb	Halogen bulb	Halogen bulb & (3) white LEDs	Halogen bulb & (3) white LEDs	Halogen bi-pin bulb & (2) ultra bright blue LEDs	Halogen bi-pin bulb
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Nylon polymer w/non-slip foam grip	ABS thermoplastic w/cushioned-grip handle	ABS thermoplastic w/cushioned-grip handle
	Black	Black	Black	Black	Black, Yellow, Orange	Orange	Yellow, Orange
	16.1 ounces (500 grams)*	4.6 oz. (8.22 grams)*	1.9 lbs. (.86 kilograms)*	1.7 lbs. (.77 kilograms)*	1.1 lbs. (.45 kilograms)*	3.3 lbs. (1.5 kilograms)*	3.3 lbs. (1.5 kilograms)*
	11.75" x 2.37"	5.3" x 1.25"	13" x 2.5"	13.2" x 2.5"	13.2" x 2.5"	7.5" x 5" x 5.75"	7.5" x 5" x 6.5"
	Up to one hour of continuous use	Up to 70 min. of continuous use	Up to 1.5 hours of continuous use	Up to 80 min. of contin. use / LEDs 40 hrs.	Up to 1.5 hrs. of contin. use / LEDs 40 hrs.	Up to 3.25 hours of continuous use	Up to 3.25 hours of continuous use
	75,000 candlepower 295 Lumens	12,000 candlepower 116 Lumens	30,000 candlepower 200 Lumens	38,000 candlepower 200 Lumens/LED 30	28,000 candlepower 150 Lumens/LED 30	80,000 candlepower 150 Lumens	80,000 candlepower 150 Lumens
	Charger with LED charge-continuity indicator, compact, snap-in charger holder that mounts in any position, serialized for positive identification	Adjustable focus, water resistant, o-ring sealed, serialized for identification	LED charge-continuity indicator, serialized for positive identification, o-ring sealed for water resistance	LED charge-continuity indicator, serialized for positive identification, o-ring sealed for water resistance	LED charge-continuity indicator, serialized for positive identification	Serialized for positive identification	Serialized for positive identification



	PROPOLYMER® 2AA	PROPOLYMER® 3N LED	PROPOLYMER® 4AA	PROPOLYMER® 4AA LED	PROPOLYMER® 4AA LUXEON®	PROPOLYMER® 4AA LUXEON® DIV 1	PROPOLYMER® 3C
	Two "AA" size alkaline batteries	Three "N" size alkaline batteries	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Four "AA" size alkaline batteries	Three "C" size alkaline batteries
	Xenon gas-filled bi-pin bulb	(3) ultra bright white LEDs	Xenon module	Seven ultra-bright white LEDs	Luxeon® Super High-Flux LED	Luxeon® Super High-Flux LED	Xenon bulb
	Non-conductive polymer w/non-slip grip	Impact resistant polymer	Impact resistant polymer	Impact resistant polymer	Impact resistant polymer	Impact resistant polymer	Non-conductive polymer
	Yellow	Yellow, Black	Yellow	Yellow, Black	Yellow, Black	Yellow, Black	Yellow
	3.7 ounces (104.90 grams)*	2.1 ounces (59.54 grams)*	6.3 ounces	6.3 ounces	7.52 ounces	7.52 ounces	13.5 ounces (382.73 grams)*
	6.06" x 1.3"	5.25" x .96"	6.5" x 1.63"	6.5" x 1.63"	7" x 1.63"	7" x 1.63"	8.55" x 1.95"
	Up to four hours of continuous use	Up to 120 hours of continuous use	Up to four hours of continuous use	Up to 155 hours of continuous use	Up to four hours of continuous use	Up to four hours of continuous use	Up to 5.5 hours of continuous use
	4,500 candlepower 9 Lumens	30 Lumens	11,000 candlepower 34 Lumens	67 Lumens	3,500 candlepower 67 Lumens	3,500 candlepower 42 Lumens	16,000 candlepower 50 Lumens
	Waterproof, wrist lanyard connection, pocket clip	Wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection	Waterproof, wrist lanyard connection, pocket clip



	PROPOLYMER® 3C LED	PROPOLYMER® 3C LUXEON®	PROPOLYMER® 3C LUXEON® DIV 1	3C-XP® LED	NF-2®	NF-2® LED
Battery	Three "C" size alkaline batteries	Three "C" size alkaline batteries	Three "C" size alkaline batteries	Three "C" size alkaline batteries	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery
Light Source	(10) ultra-bright white LEDs	Luxeon® Super High-Flux LED	Luxeon® Super High-Flux LED	3W Xenon Bulb & (3) Hi intensity LEDs	Xenon gas-filled bi-pin bulb	Super High-Flux LED
Case Material	Non-conductive polymer	Impact resistant polymer	Impact resistant polymer	Non-conductive polymer with non-slip grip	Anodized, machined aluminum housing	Anodized, machined aluminum housing
Colors	Yellow, Black	Yellow, Black	Yellow, Black	Black, Yellow, Orange	Black	Black
Weight (w/batteries)	13.5 ounces (382.73 grams)*	0.94 lbs	0.94 lbs	0.92 lbs	4.34 ounces (128 grams)*	5.2 ounces (147 grams)
Dimensions L x W x H	8.55" x 1.95"	9.30" x 1.6"	9.30" x 1.6"	10.9" x 2.5"	4.8" x 1.25"	5.4" x 1.25"
Run Time	Up to 336 hours of continuous use	Up to 5.5 hours of continuous use	Up to 4 hours of continuous use	Xenon up to 5.5 hours LEDs only 300 hours	Up to one hour of continuous use	Up to 1.75 hours of continuous use
Light Output	85 Lumens	3,500 candlepower 44 Lumens	3,500 candlepower 44 Lumens	16,000 candlepower 50 Lumens/LED 30 Lumens	7,900 candlepower 114 Lumens	47 Lumens
Special Features	Waterproof, wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection, pocket clip	Waterproof, wrist lanyard connection, pocket clip	Water resistant	Pocket clip, adjustable lanyard, adjustable grip-ring, serialized for positive identification, water resistant	Anti roll head, pocket clip, adjustable lanyard, adjustable grip-ring, serialized for positive identification, water resistant, anti-roll head



	TLR-2™	TWIN-TASK® 1 CELL LITHIUM	TWIN-TASK® 2 CELL LITHIUM	TWIN-TASK® 2D	TWIN-TASK® 3AA	TWIN-TASK® 3C
Battery	(2) 3 volt CR123A Lithium battery	(1) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	Two "D" size alkaline batteries	Three "AA" size alkaline batteries	Three "C" size alkaline batteries
Light Source	3W Super High-Flux LED	(1) Xenon bulb, (3) ultra bright white LEDs	(1) Xenon bulb, (3) ultra bright white LEDs	(1) Xenon bulb, (10) ultra bright white LEDs	(1) Xenon bulb, (3) ultra bright white LEDs	(1) Xenon bulb, (6) ultra bright white LEDs
Case Material	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
Colors	Black	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium	Matte Black, Titanium
Weight (w/batteries)	4.72 ounces (133.81 grams)*	4.00 ounces (112 grams)*	5.44 ounces (152 grams)*	1.39 lbs. (632 grams)*	6.72 ounces (191 grams)*	1.00 lb. (449 grams)*
Dimensions L x W x H	3.26" x 1.47" x 1.83"	4.09" x 1.33"	5.43" x 1.33"	8.35" x 2.19"	8.54" x 1.33"	9.02" x 1.68"
Run Time	Up to 2.5 hours of maximum intensity	Xenon: up to 1.5 hours 3 LED: up to 9.5 hours	Xenon: up to 2.5 hours 3 LED: up to 28 hours	Xenon / 5 LED / 10 LED 9.5 hrs/80 hrs/50 hrs	Xenon: 160 minutes 3 LED: up to 80 hours	Xenon / 3 LED / 6 LED 5 hrs/160 hrs/100 hrs
Light Output	80 Lumens	Xenon: 29 Lumens LED: 24 Lumens	Xenon: 72 Lumens LED: 25 Lumens	Xenon: 22 Lumens LED: 79 Lumens	Xenon: 29 Lumens LED: 30 Lumens	Xenon: 57 Lumens LED: 52 Lumens
Special Features	Rail grip clamp system, dustproof	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction



	SCORPION®	SCORPION® LED	TL-2®	TL-2® LED	TL-3®	TL-3® LED	TLR-1™
	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery	(3) 3 volt CR123A Lithium battery	(3) 3 volt CR123A Lithium battery	(2) 3 volt CR123A Lithium battery
	Xenon bulb	Super High-Flux LED	Xenon gas-filled bi-pin bulb	1W Super High-Flux LED	Xenon gas-filled bi-pin bulb	5W Super High-Flux LED	3W Super High-Flux LED
	Machined aluminum w/ rubber-armored sleeve	Machined aluminum w/ rubber-armored sleeve	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
	Black	Black	Black	Black	Black	Black	Black
	4.7 ounces (133 grams)*	5.3 ounces (150 grams)*	4.2 ounces (119 grams)*	4.33 ounces (129 grams)	7 ounces (198 grams)*	7 ounces (198 grams)*	4.18 ounces (118.5 grams)*
	4.90" x 1.25"	5.72" x 1.25"	4.9" x 1.25"	5.25" x 1.25"	6.25" x 1.6"	6.25" x 1.6"	3.26" x 1.47" x 1.44"
	Up to 1 hour of continuous use	Up to 1.75 hours of continuous use	Up to one hour of continuous use	Up to 1.75 hours of maximum intensity	Up to one hour of continuous use	Up to 2.5 hours of maximum intensity	Up to 2.5 hours of maximum intensity
	7,900 candlepower 114 Lumens	47 Lumens	7,900 candlepower 114 Lumens	47 Lumens	11,500 candlepower 211 Lumens	90 Lumens	80 Lumens
	O-ring sealing protects against moisture, adjustable head allows for variable spot-to-flood focus, standard package includes spare bulb	Anti-roll head, LED solid state power regulation provides maximum light output throughout battery life	Pocket clip, adjustable lanyard, serialized for positive identification, water resistant, shock proof model available	Anti-roll head, pocket clip, adjustable lanyard, serialized for positive identification, water resistant, anti roll head, solid state power regulation provides maximum light output throughout battery life	Pocket clip, adjustable lanyard, serialized for positive identification, water resistant, shock proof model available	Pocket clip, adjustable lanyard, serialized for positive identification, water resistant	Rail grip clamp system, waterproof and dustproof



	TWIN-TASK® 3C-UV	NIGHT COM™	TWIN-TASK® 3C LASER	TWIN-TASK® 3AAA LASER	TWIN-TASK®- RECHARGEABLE	TASK-LIGHT® 3AA LUXEON®	TASK-LIGHT® 1AA
	Three "C" size alkaline batteries	(2) 3 volt CR123A Lithium battery	Three "C" size alkaline batteries	Three "AAA" size alkaline batteries	High-capacity NiCd sub-C battery	(3) "AA" size alkaline batteries	(1) "AA" size alkaline battery
	(1) Xenon bulb (6) UV LEDs	(1) Xenon bulb, (2) Ultra Bright LEDs, (1) LED	(1) Xenon bulb (5) White LEDs, (1) Laser	(1) Xenon bulb (5) White LEDs, (1) Laser	Halogen bulb & (6) white LEDs	Luxeon® Super High-Flux LED	High intensity LED
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
	Matte Black, Titanium	Matte Black	Gun-Metal anodize	Matte Black	Titanium	Matte Black, Titanium	Gun Metal Gray
	1.00 lb. (449 grams)*	5.44 ounces (152 grams)*	1.00 lb. (449 grams)*	7.04 ounces (199.58 grams)*	.66 lbs. (299.37 grams)*	6.40 ounces (180 grams)*	3.1 ounces (87.88 grams)*
	9.02" x 1.68"	5.43" x 1.33"	9.02" x 1.68"	5.38" x 1.35"	7.14" x 1.6"	8.6" x 1.33"	4.25"
	Xenon / 3 LED / 6 LED 5 hrs/160 hrs/100 hrs	Xenon / 2 LED / 1 LED 2.5 hrs/28 hrs/130 hrs	Xenon / 5 LED / Laser 5 hrs/100 hrs/100 hrs	Xenon / 5 LED / Laser 2.25 hrs/12 hrs	Up to 50 min. of contin. use / LEDs 9 hrs.	Up to 28 hours of continuous use	Up to 80 hours of continuous use
	Xenon: 57 Lumens	Xenon: 72 Lumens LED: 8 Lumens	Xenon: 57 Lumens LED: 21 Lumens	Xenon: 57 Lumens LED: 21 Lumens	Xenon: 95 Lumens LED: 42 Lumens	32 Lumens	8 Lumens
	Black model (3) 375 nm and (3) 390 nm LEDs, Titanium model (6) 390 nm LEDs, micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	3-position lighting, red or green leds, micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	O-ring sealed, water resistant, heavy duty drop tested construction	O-ring sealed, water resistant



	TASK-LIGHT® 2AA	TASK-LIGHT® 3AAA	STYLUS®	STYLUS REACH®	STYLUS REACH® 18"	STREAMLIGHT JR.® LUXEON® REACH
Battery	(2) "AA" size alkaline batteries	(3) "AAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(3) "AAAA" size alkaline batteries	(2) "AA" size alkaline batteries
Light Source	High-intensity LED	High-intensity LED	High-intensity LED	High-intensity LED	High-intensity LED	1W Luxeon® Star LED
Case Material	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing
Colors	Gun Metal Gray	Gun Metal Gray	Black, Gold, Silver, Red, Flag, Blue, Camo	Black, Silver	Black, Silver	Black
Weight (w/batteries)	4.6 ounces (130.41 grams)*	5.1 ounces (144.58 grams)*	1.1 ounces (31.19 grams)*	1.7 ounces	3.5 ounces	6.30 ounces (178.6 grams)*
Dimensions L x W x H	6.8"	4.5"	6.21" x .375"	Folded: 6.75" Extended: 14"	Folded: 13" Extended: 25.5"	Folded: 9" Extended: 20"
Run Time	Up to 50 hours of continuous use	Up to 45 hours of continuous use	Up to 60 hours of continuous use	Up to 60 hours of continuous use	Up to 60 hours of continuous use	Up to 3 hours of continuous use
Light Output	25 Lumens	25 Lumens	10 Lumens	10 Lumens	10 Lumens	31 Lumens
Special Features	O-ring sealed, water resistant	O-ring sealed, water resistant	Waterproof, individually serialized, pocket clip, glare guard protector, UV model available	Cable allows for 14" of reach, waterproof, individually serialized, aluminum clip	Cable allows for 25.5" of reach, waterproof, individually serialized, aluminum clip	Internal reflection optics, flexible PVC coated cable, o-ring sealed, water resistant design



	TRIDENT® LED HEADLAMP	ENDURO® LED HEADLAMP	SEPTOR® LED HEADLAMP	CLIPMATE®	KEY-MATE®	CUFFMATE®
Battery	(3) "AAA" size alkaline batteries	(2) "AAA" size alkaline batteries	(3) "AAA" size alkaline batteries	(3) "AAA" size alkaline batteries	(4) LR 44 Alkaline coin cells	(2) CR2016 lithium batteries
Light Source	(1) Xenon bulb, (3) ultra bright white LEDs	.5W High-Flux LED	(7) ultra bright white LEDs	(3) ultra bright white or green LEDs	High intensity LED (white, blue, green)	Dual high intensity LED
Case Material	Water resistant lightweight thermoplastic construction	Impact resistant ABS Case	Water resistant lightweight thermoplastic construction	Water resistant lightweight thermoplastic construction	Anodized, machined aluminum housing	Anodized, machined aluminum housing
Colors	Yellow, Green	Black, REALTREE Hardwoods™ Green HD	Yellow	Yellow, Black, Realtree® Camo	Black, Titanium, Realtree® Camo	Black
Weight (w/batteries)	4.64 ounces (131.54 grams)*	2.75 ounces (78.5 grams)*	4.72 ounces (133.81 grams)*	2.4 ounces (66.7 grams)*	0.9 ounces (25.4 grams)*	0.4 ounces (11.3g)*
Dimensions L x W x H	2.55" x 2.53"	1.6" x 2.25"	2.55" x 2.53"	3.52"	2.36" x .74"	3.25" x 1"
Run Time	Up to 150 hours of continuous use	14.5 Lum./6 Lum. 6hrs/24 hrs	Up to 150 hours of continuous use	Up to 40 hours of continuous use	Up to 96 hours of continuous use	Up to 7.5 hours of continuous use
Light Output	Xenon 18 Lumens LED 24 Lumens	(2) Digitally Controlled 14.5 / 6 Lumens	7 LED/ 3 LED/ 1 LED 50 / 25 / 9 Lumens	27 Lumens	10 Lumens (white LED)	7 Lumens
Special Features	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant, Trident Green model features (1) xenon bulb, (2) white LEDs & (1) safety green LED	High-Flux LED, water resistant design, includes both elastic and rubber head straps, LED battery indicator, REALTREE Hardwoods™ Green HD camouflage pattern available	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	Elastic strap head band and lanyard	Includes a spring steel pocket clip, swivel snap hook, and a neck/wrist lanyard	Double locking pin and unlocking key that fits S&W, Hiatt, American, Peerless, Quik-Kuf and HWC handcuffs, swiveling key ring connector with key ring included



	STREAMLIGHT JR.® LUXEON®	TWIN-TASK®- RECHARGEABLE	BUCKMASTERS® TWIN-TASK® 2L	BUCKMASTERS® CAMO TRIDENT®	ARGO® HP LED HEADLAMP	ARGO® LED HEADLAMP	3AA HAZ-LO™ LED HEADLAMP
	(2) "AA" size alkaline batteries	High-capacity NiCd sub-C battery	(2) 3 volt CR123A Lithium battery	(3) "AAA" size alkaline batteries	(2) Lithium batteries	(3) "AAA" size alkaline batteries	(3) "AA" size alkaline batteries
	1W Luxeon® Star LED	Halogen bulb, (3) green & (3) blue LEDs	(1) Xenon bulb, (3) safety green LEDs	(1) Xenon bulb, (3) safety green LEDs	Super High-Flux LED	Super High-Flux LED	Super High-Flux LED
	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Anodized, machined aluminum housing	Water resistant lightweight thermoplastic construction	Impact resistant ABS Case	Yellow ABS Case	Impact resistant ABS Case
	Black	REALTREE Hardwoods® Green HD camouflage	REALTREE Hardwoods® Green HD camouflage	REALTREE Hardwoods® Green HD camouflage	Black	Yellow	Yellow
	3.80 ounces (107 grams)*	.66 lbs. (299.37 grams)*	5.44 ounces (154 grams)*	4.64 ounces (131.54 grams)*	4.00 ounces (114.12 grams)*	4.75 ounces (134.66 grams)*	4.5 ounces (127.57 grams)*
	6.5" x 1.0"	7.14" x 1.6"	5.43" x 1.33"	2.55" x 2.53"	2.00" x 3.00"	2.15" x 2.25"	2.55" x 2.53"
	Up to 6 hours of continuous use	Up to 50 min. of contin. use / LEDs 16 hrs.	Xenon / 3 LED 2.5 hrs/28 hrs	Up to 150 hours of continuous use	33 Lum. / 12 Lum. 4.75 hrs / 24 hrs	24 Lum./12 Lum./6 Lum. 1 hr/2.5 hrs/6.5 hrs	Up to 11 hours of continuous use
	31 Lumens	Xenon: 95 Lumens LED: 22 Lumens	Xenon: 72 Lumens LED: 10 Lumens	Xenon: 18 Lumens LED: 7.5 Lumens	(2) Digitally Controlled 33 / 12 Lumens	(3) Digitally Controlled 31 / 15 / 9 Lumens	34 Lumens
	Internal reflection optics, o-ring sealed, water resistant design	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	Micro faceted reflector for smooth focus, o-ring sealed, water resistant, heavy duty drop-tested construction	(3) lighting modes, rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant	Water resistant construction, impact resistant housing – drop test verified, solid state power regulation, includes both elastic head strap and rubber hard hat strap	Super high flux Luxeon "Star" LED, water resistant design, includes both elastic and rubber head straps, LED battery indicator	Rubber hard hat strap (included in purchase), 90 degree tilting head, water resistant

STREAMLIGHT GLOSSARY OF TERMS

AMP The abbreviation for ampere and amperage. The unit used to measure electric current.

AMPERE-HOUR One ampere of current flowing for one hour.

ANODIZING An electro-chemical coating for aluminum. Hard, durable, and attractive. Anodized parts are highly corrosion resistant.

ATEX European safety rating. ATEX products are rated for use in or around explosive atmospheres.

BI-PIN BULB A bulb with two contact pins that plug into a socket allowing easy replacement.

"BLACK DOT" BULB The Black Dot prevents stray light and gives the beam the ability to shine through dense mist, fog, and smoke. Firefighters rely heavily upon the Survivor for this reason.

BEAM CANDLEPOWER Also called Peak Beam Candlepower. Measurement of the brightest spot in a focused beam. An indication of the maximum intensity of the flashlight. The "hot spot" is equal in brightness to the number of "candles" required to produce the same illumination.

CANDELA Also called "candle." The unit of luminous intensity. One candela is equivalent to 12.57 lumens. At one time it was equal to the light from an actual burning "standard candle."

CANDLEPOWER When referring to flashlights, candlepower is usually the same as beam candlepower.

CE Flashlights carrying this symbol meet applicable European Community Directives, and can therefore be sold in Europe.

DUAL FILAMENT An option on the Vulcan and LiteBox, this bulb contains two filaments which enables users to instantly switch to the second filament when back-up lighting is needed.

EX Signifies conformance to European Standards for use in potentially explosive atmospheres.

FM Factory Mutual Research Corporation is a third-party testing organization that approves products for use in specified hazardous locations. The Vulcan carries an FM approval.

HALOGEN AND XENON BULBS Flashlights using bulbs filled with these gases are recognized by their extreme brilliance and white light. These bulbs are generally more efficient than ordinary bulbs and may last longer.

HIGH TEMPERATURE LENS Typically made of borosilicate glass which has low thermal expansion characteristics. Easy to clean, resists scratching, and has good shock resistance when properly mounted.

INTRINSICALLY SAFE Not capable of igniting a flammable atmosphere under both normal and "fault" conditions.

LEAD ACID Rechargeable battery chemistry used in the Vulcan and LiteBox. Unlike automotive batteries, Streamlight lead acid batteries will not spill acid. Streamlight batteries are sealed and do not contain free liquid.

LED (Light Emitting Diode) A high-intensity "solid-state" bulb which lasts up to 100,000 hours. Able to run for very long periods of time on very little power. Available in various colors including Ultra Violet.

LITHIUM Disposable batteries using lithium chemistry are gaining in popularity because of their light weight, high energy density, and shelf life of ten years. Lithium Ion rechargeable batteries, as used in the Strion, combine high capacity with small size and light weight.

LUMEN Unit of luminance. As used in reference to flashlights, it refers to the total amount of light radiated by the bare lamp, the LED, or the flashlight. Because this measurement does consider the focusing efficiency of the reflector, it does not indicate how "bright" the focused beam will appear. A flood lamp with a very wide dim appearing pattern can have the same lumen rating as a very tightly focused intensely bright spot lamp assembly. Lumen ratings cannot be converted to beam candlepower.

MACHINED ALUMINUM Flashlight components made from this material are lightweight, durable, and can be held to tight manufacturing tolerances for superior performance in precision assemblies.

NICKEL CADMIUM (abbreviated NiCd) The most common rechargeable battery used in Streamlight products. It is the most rugged rechargeable technology and provides the highest performance/cost ratio. Must be recycled at end of life.

NON-INCENDIVE Not capable of igniting a flammable atmosphere under normal operating conditions.

NON-CONDUCTIVE Will not conduct electricity. Flashlights made with non-conductive case materials protect against electric shock should the flashlight touch an electrical source.

O-RING Used as a gasket to seal the flashlight case against dust and moisture.

POLYCARBONATE Clear, tough, shatterproof, virtually unbreakable polymer used to make the lens in most Streamlight flashlights. Often hard coated for abrasion resistance.

POLYMER Material with a long chain molecular structure. Lightweight, highly durable, shock-resistant, non-conductive, and moldable in colors.

PRE-FOCUSED LAMP MODULE Lamp and reflector furnished and replaced as a unit. Permanently adjusted at the factory for optimum focus.

REFLECTOR Surrounds the lamp and directs and focuses the light rays in one direction. Streamlight reflectors are computer designed for optimum performance.

UL Underwriters Laboratories, Inc. is a third-party testing organization that approves products for compliance to electrical specifications and for use in specified hazardous locations.

VOLT Unit of electrical potential. The potential difference between two points in an electrical system is called the voltage between those points.

WATT Unit of power. Electrical power can be calculated by multiplying voltage times amperage.

FEATURES AT A GLANCE

	STRION®	STINGER® LED	STINGER®	STINGER HP®	STINGER XT®	STINGER XT HP®	POLYSTINGER®	ULTRASTINGER®	TWIN-TASK® 3C-R	SL-20X®	SL-20X® -LED	SL-20XP® -LED	FIRE VULCAN®	VULCAN®	LITEBOX®	FIREBOX®	SURVIVOR® LED	SURVIVOR®	PROPOLYMER® 2AA	PROPOLYMER® 3N	PROPOLYMER® 4AA	PROPOLYMER® 4AA LED	PROPOLYMER® 4AA LUXEON	PROPOLYMER® 4AA LUXEON-DIV. 1	PROPOLYMER® 3C	PROPOLYMER® 3C LED	PROPOLYMER® 3C LUXEON	PROPOLYMER® 3C LUXEON-DIV. 1	3C-XP® LED	NF-2®	NF-2® LED	SCORPION®	SCORPION® LED				
Rechargeable Time 12-14 hrs.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•																			
Fast Charger Time 2-2.5 hrs.		•	•	•	•	•	•	•	•								•	•																			
Alkaline																			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Lithium	•																																•	•	•	•	
Machined Aluminum		•	•	•	•	•		•	•	•	•																						•	•	•	•	
Polymer							•					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Waterproof													•	•						•																	
Polycarbonate Lens	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
High Temperature Lens																																		•	•	•	
LED											•		•				•			•			•	•	•							•		•	•	•	
LED/Incandescent Combo	•								•			•																					•				
Adjustable Focus	•		•	•	•	•	•	•	•								•																•		•		
Spare Bulb			•				•																										•		•		
Push Button Switch	•	•	•	•			•	•	•	•	•	•																				•					
Tailcap Switch					•	•														•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FM APPROVED													•	•																							
UL LISTED		•	•	•			•										•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
NFPA													•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
UL LISTED		•	•	•													•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SB													•	•																							
Ex													•	•					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MSHA	•																		•																		
CE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

x= Specific Models Only
 xx= Shock proof lamps available
 xxx= UV Available

STINGER® LED	
75713	Stinger® LED with AC/DC - 2 Holders
75711	Stinger® LED with AC
75712	Stinger® LED with DC
75732	Stinger® LED with AC/DC -1 - PiggyBack Holder
75733	Stinger® LED with AC - PiggyBack Holder
75734	Stinger® LED with DC - PiggyBack Holder
75735	Stinger® LED with AC/DC Fast Charger - 2 Holders
75714	Stinger® LED with AC Fast Charger
75715	Stinger® LED with DC Fast Charger
75716	Stinger® LED with AC/DC -1 - FastCharger PiggyBack Holder
75736	Stinger® LED with AC - FastCharger PiggyBack Holder
75737	Stinger® LED with DC - FastCharger PiggyBack Holder
75710	Stinger® LED without charger
STINGER®	
75014	Stinger® with AC/DC - 2 Holders
75001	Stinger® with AC
75002	Stinger® with DC
75300	Stinger® with AC/DC - 1 PiggyBack® Holder
75301	Stinger® with AC - PiggyBack® Holder
75302	Stinger® with DC - PiggyBack® Holder
75024	Stinger® with AC/DC Fast Charger - 2 Holders
75021	Stinger® with AC Fast Charger
75022	Stinger® with DC Fast Charger
75303	Stinger® with AC/DC 1 Fast Charger PiggyBack® Holder
75304	Stinger® with AC Fast Charger PiggyBack® Holder
75305	Stinger® with DC Fast Charger PiggyBack® Holder
75000	Stinger® - (W/OUT CHARGER)
75110	Stinger 10th Anniversary Edition with AC/DC Chargers and Al Mar Nomad knife
STINGER XT®	
75013	Stinger XT® with AC/DC - 2 holders
75011	Stinger XT® with AC
75012	Stinger XT® with DC
75306	Stinger XT® with AC/DC - 1 PiggyBack® Holder
75307	Stinger XT® with AC PiggyBack® Holder
75308	Stinger XT® with DC PiggyBack® Holder
75124	Stinger XT® with AC/DC Fast Charger - 2 holders
75121	Stinger XT® with AC Fast Charger
75122	Stinger XT® with DC Fast Charger
75309	Stinger XT® with AC/DC - 1 Fast Charger PiggyBack® Holder
75310	Stinger XT® with AC Fast Charger PiggyBack® Holder
75311	Stinger XT® with DC Fast Charger PiggyBack® Holder
75010	Stinger XT® - (WITHOUT CHARGER)
STINGER HP®	
75503	Stinger HP® with AC/DC - 2 Holders
75501	Stinger HP® with AC
75502	Stinger HP® with DC
75523	Stinger HP® with AC/DC - 1 PiggyBack® Holder
75521	Stinger HP® with AC - PiggyBack® Holder
75522	Stinger HP® with DC - PiggyBack® Holder
75506	Stinger HP® with AC/DC Fast Charger - 2 Holders

75504	Stinger HP® with AC Fast Charger
75505	Stinger HP® with DC Fast Charger
75526	Stinger HP® with AC/DC - 1 Fast Charger PiggyBack® Holder
75524	Stinger HP® with AC - Fast Charger PiggyBack® Holder
75525	Stinger HP® with DC - Fast Charger PiggyBack® Holder
75500	Stinger HP® - (WITHOUT CHARGER)
STINGER XT HP®	
75513	Stinger XT HP® with AC/DC - 2 Holders
75511	Stinger XT HP® with AC
75512	Stinger XT HP® with DC
75533	Stinger XT HP® with AC/DC - 1 PiggyBack® Holder
75531	Stinger XT HP® with AC - PiggyBack® Holder
75532	Stinger XT HP® with DC - PiggyBack® Holder
75516	Stinger XT HP® with AC/DC Fast Charger - 2 Holders
75514	Stinger XT HP® with AC Fast Charger
75515	Stinger XT HP® with DC Fast Charger
75536	Stinger XT HP® with AC/DC - 1 Fast Charger PiggyBack® Holder
75534	Stinger XT HP® with AC - Fast Charger PiggyBack® Holder
75535	Stinger XT HP® with DC - Fast Charger PiggyBack® Holder
75510	Stinger XT HP® - (WITHOUT CHARGER)
POLYSTINGER®	
76014	PolyStinger® w/AC/DC 2 Holders - Yellow
76514	PolyStinger® with AC/DC 2 Holders - Black
76603	PolyStinger® w/AC/DC 2 Holders - Olive Drab
76001	PolyStinger® with AC - Yellow
76501	PolyStinger® with AC - Black
76601	PolyStinger® w/AC - Olive Drab
76909	PolyStinger® with AC Clam Packaged - Yellow
76907	PolyStinger® with AC Clam Packaged - Black
76905	PolyStinger® w/AC Clam Packaged - Olive Drab
76002	PolyStinger® with DC - Yellow
76502	PolyStinger® with DC - Black
76602	PolyStinger® w/DC - Olive Drab
76908	PolyStinger® with DC Clam Packaged - Yellow
76906	PolyStinger® with DC Clam Packaged - Black
76900	PolyStinger® w/DC Clam Packaged - Olive Drab
76300	PolyStinger® with AC/DC 1 PiggyBack® Holder - Yellow
76306	PolyStinger® with AC/DC 1 PiggyBack® Holder - Black
76312	PolyStinger® w/AC/DC 1 PiggyBack® Holder - Olive Drab
76301	PolyStinger® with AC PiggyBack® Holder - Yellow
76307	PolyStinger® with AC PiggyBack® Holder - Black
76313	PolyStinger® w/AC PiggyBack® Holder - Olive Drab
76302	PolyStinger® with DC PiggyBack® Holder - Yellow
76308	PolyStinger® with DC PiggyBack® Holder - Black
76314	PolyStinger® w/DC PiggyBack® Holder - Olive Drab
76024	PolyStinger® with AC/DC Fast Charger - 2 holders - Yellow
76524	PolyStinger® with AC/DC Fast Charger - 2 holders - Black
76606	PolyStinger® w/AC/DC Fast Charger - 2 holders - Olive Drab
76021	PolyStinger® with AC Fast Charger - Yellow
76521	PolyStinger® with AC Fast Charger - Black
76604	PolyStinger® w/AC Fast Charger - Olive Drab

76022	PolyStinger® with DC Fast Charger - Yellow
76522	PolyStinger® with DC Fast Charger - Black
76605	PolyStinger® w/DC Fast Charger - Olive Drab
76303	PolyStinger® with AC/DC 1 Fast Charger PiggyBack® Holder - Yellow
76309	PolyStinger® with AC/DC 1 Fast Charger PiggyBack® Holder - Black
76315	PolyStinger® w/AC/DC 1 Fast Charger PiggyBack® Holder - Olive Drab
76304	PolyStinger® with AC Fast Charger PiggyBack® Holder - Yellow
76310	PolyStinger® with AC Fast Charger PiggyBack® Holder - Black
76316	PolyStinger® w/AC Fast Charger PiggyBack® Holder - Olive Drab
76305	PolyStinger® with DC Fast Charger PiggyBack® Holder - Yellow
76311	PolyStinger® with DC Fast Charger PiggyBack® Holder - Black
76317	PolyStinger® w/DC Fast Charger PiggyBack® Holder - Olive Drab
76000	PolyStinger® - (WITHOUT CHARGER) - Yellow
76500	PolyStinger® - (WITHOUT CHARGER) - Black
76600	PolyStinger® - (WITHOUT CHARGER) - Olive Drab
ULTRASTINGER®	
78014	UltraStinger® with AC/DC - 2 holders
78001	UltraStinger® with AC
78002	UltraStinger® with DC
78024	UltraStinger® with AC/DC Fast Charger - 2 Holders
78021	UltraStinger® with AC Fast Charger
78022	UltraStinger® with DC Fast Charger
78000	UltraStinger® - (WITHOUT CHARGER)
STRION®	
74002	Strion® 120V AC/12V DC (2) Holder
74001	Strion® 120V AC/12V DC (1) Holder
74003	Strion® 120V AC
74004	Strion® with DC
74000	Strion® Light Only
74202	Tactical Strion® 120V AC/12V DC
74203	Tactical Strion® with DC
74201	Tactical Strion® Light Only
SL-20XP®-LED	
25183	SL-20XP®-LED with 120V AC/DC 2 SLV - Yellow
25103	SL-20XP®-LED with 120V AC/DC 2 SLV - Black
25123	SL-20XP®-LED with 120V AC/DC 2 SLV - Orange
25181	SL-20XP®-LED with 120V AC - Yellow
25101	SL-20XP®-LED with 120V AC - Black
25121	SL-20XP®-LED with 120V AC - Orange
25182	SL-20XP®-LED with DC - Yellow
25102	SL-20XP®-LED with DC - Black
25122	SL-20XP®-LED with DC - Orange
25180	SL-20XP®-LED - (WITHOUT CHARGER) - Yellow
25100	SL-20XP®-LED - (WITHOUT CHARGER) - Black
25120	SL-20XP®-LED - (WITHOUT CHARGER) - Orange
3C-XP®	
24000	3C-XP® without batteries - Black
24001	3C-XP® without batteries - Orange
24002	3C-XP® without batteries - Yellow

SL-20X®-LED	
20203	SL-20X®-LED with 120V AC/DC - 2 Sleeves
20201	SL-20X®-LED with 120V AC
20202	SL-20X®-LED with 12V DC
20200	SL-20X®-LED - (WITHOUT CHARGER)
SL-20X®	
26010	SL-20X® 120V AC/12V DC - 2 Sleeves
26060	SL-20X® 120V AC
26120	SL-20X® 12V DC
26000	SL-20X® Light Only
SL-20XP®	
25041	SL-20XP® with 120V AC/DC 2 SLV - Yellow
25011	SL-20XP® with 120V AC/DC 2 SLV - Black
25031	SL-20XP® with 120V AC/DC 2 SLV - Orange
25036	SL-20XP® with 120V AC - Yellow
25006	SL-20XP® with 120V AC - Black
25026	SL-20XP® with 120V AC - Orange
25037	SL-20XP® with DC - Yellow
25007	SL-20XP® with DC - Black
25027	SL-20XP® with DC - Orange
25002	SL-20XP® without charger - Yellow
25000	SL-20XP® without charger - Black
25001	SL-20XP® without charger - Orange
SURVIVOR® LED	
90513	Survivor® LED with Charger/Holder and 120V AC & 12V DC cords - Yellow
90503	Survivor® LED with Charger/Holder and 120V AC & 12V DC cords - Orange
90523	Survivor® LED with Charger/Holder and 120V AC & 12V DC cords - Black
90512	Survivor® LED with 120V AC Fast Charger - Yellow
90502	Survivor® LED with 120V AC Fast Charger - Orange
90522	Survivor® LED with 120V AC Fast Charger - Black
90519	Survivor® LED with 12V DC - Yellow
90509	Survivor® LED with 12V DC - Orange
90528	Survivor® LED with 12V DC - Black
90510	Survivor® LED without charger - Yellow
90500	Survivor® LED without charger - Orange
90520	Survivor® LED without charger - Black
90541	Survivor® LED Alkaline - Yellow
90540	Survivor® LED Alkaline - Orange
90545	Survivor® LED Alkaline - Black
SURVIVOR® DIV. 2	
90243	Survivor® (Div. 2) with Charger/Holder and 120V AC & 12V DC cords - Yellow
90043	Survivor® (Div. 2) with Charger/Holder and 120V AC & 12V DC cords - Orange
90265	Survivor® (Div. 2) with PiggyBack® Charger/Holder, 120V AC & 12V DC cords & 2 batteries - Yellow
90065	Survivor® (Div. 2) with PiggyBack® Charger/Holder, 120V AC and 12V DC cords & 2 batteries - Orange
90262	Survivor® (Div. 2 model) with 120V AC Fast Charger - Yellow
90062	Survivor® (Div. 2) with 120V AC Fast Charger - Orange
90264	Survivor® (Div. 2) with 12V DC Fast Charger Cigarette Lighter - Yellow
90064	Survivor® (Div. 2) with 12V DC Fast Charger Cigarette Lighter - Orange

90241	Survivor® (Div. 2) with 120V AC PiggyBack® Fast Charger and 2 batteries - Yellow
90041	Survivor® (Div. 2) with 120V AC PiggyBack® Fast Charger and 2 batteries - Orange
90242	Survivor® (Div. 2) with 12V DC PiggyBack® Fast Charger Cigarette Lighter & 2 batteries - Yellow
90042	Survivor® (Div. 2) with 12V DC PiggyBack® Fast Charger Cigarette Lighter & 2 batteries - Orange
90244	Survivor® (Div. 2) - (WITHOUT CHARGER) - Yellow
90044	Survivor® (Div. 2) - (WITHOUT CHARGER) - Orange
LITEBOX®	
45117	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Yellow
45109	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (20WS) - Yellow
45113	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (20WF) - Yellow
45116	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Orange
45110	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (20WS) - Orange
45111	LiteBox® Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (20WF) - Orange
45705	LiteBox® Dual Filament Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Yellow
45704	LiteBox® Dual Filament Standard System - 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Orange
45108	LiteBox® Vehicle Mount System - 12V DC, shoulder strap. (8WS) - Yellow
45104	LiteBox® Vehicle Mount System - 12V DC, shoulder strap. (20WS) - Yellow
45107	LiteBox® Vehicle Mount System - 12V DC, shoulder strap. (8WS) - Orange
45102	LiteBox® Vehicle Mount System - 12V DC, shoulder strap. (20WS) - Orange
45707	LiteBox® Dual Filament Vehicle Mount System - 12V DC, shoulder strap. (8WS) - Yellow
45706	LiteBox® Dual Filament Vehicle Mount System - 12V DC, shoulder strap. (8WS) - Orange
45131	LiteBox® Power Failure System - 120V AC, 12V DC chargers & mounting rack (8WS) - Orange
45127	LiteBox® Power Failure System - 120V AC, 12V DC chargers & mounting rack (8WF) - Orange
45133	LiteBox® Power Failure System - 120V AC, 12V DC chargers & mounting rack (8WS) - Beige
45129	LiteBox® Power Failure System - 120V AC, 12V DC chargers & mounting rack (8WF) - Beige
FIREBOX®	
45311	FireBox® Standard System - with dual rear LEDs. 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Yellow
45301	FireBox® Standard System - with dual rear LEDs. 120V AC, 12V DC, shoulder strap & mounting rack (8WS) - Orange
45312	FireBox® Vehicle Mount System - with dual rear LEDs. 12V DC, shoulder strap. (8WS) - Yellow
45302	FireBox® Vehicle Mount System - with dual rear LEDs. 12V DC, shoulder strap. (8WS) - Orange
45310	FireBox® Light Only- with dual rear LEDs and quick release shoulder strap. (8WS) (Fits existing LiteBox mounting racks) - Yellow
45300	FireBox® Light Only- with dual rear LEDs and quick release shoulder strap. (8WS) (Fits existing LiteBox mounting racks) - Orange
VULCAN®/FIRE VULCAN®	
44000	Vulcan® Standard System - 120V AC, 12V DC, shoulder strap & charging rack. (8WS) - Yellow
44001	Vulcan® Vehicle Mount System - 12V DC with shoulder strap (8WS) - Yellow
44200	Vulcan® Dual Filament Standard System - 120V AC, 12V DC, shoulder strap & charging rack. (8WS) - Yellow
44201	Vulcan® Dual Filament Vehicle Mount System - 12V DC with shoulder strap (8WS) - Yellow
44215	Vulcan® - Light Only - Yellow
44500	Vulcan® Standard System - 120V AC, 12V DC, shoulder strap & charging rack. (8WS) - Orange
44501	Vulcan® Vehicle Mount System - 12V DC with shoulder strap (8WS) - Orange

44520	Vulcan® Dual Filament Standard System - 120V AC, 12V DC, shoulder strap & charging rack. (8WS) - Orange
44521	Vulcan® Dual Filament Vehicle Mount System - 12V DC with shoulder strap (8WS) - Orange
44511	Vulcan® - Light Only - Orange
44400	Fire Vulcan® Standard System dual rear LEDs, quick release shoulder strap. 120V AC/12V DC. (8WS) Orange
44401	Fire Vulcan® Vehicle Mount System dual rear LEDs, quick release shoulder strap. 12V DC. (8WS) Orange
44411	Fire Vulcan® Light Only- with dual rear LEDs and quick release shoulder strap. (8WS) Orange
PROPOLYMERS®	
67002	2AA with alkaline batteries - Blister packaged - Yellow
67001	2AA with alkaline batteries in box - Yellow
67000	2AA without alkaline batteries in box - Yellow
68254	4AA with alkaline batteries. Blister packaged. Yellow
68251	4AA with alkaline batteries in box. Yellow
68250	4AA without alkaline batteries in box. Yellow
68202	4AA LED with White LEDs and alkaline batteries. Blister packaged. Yellow
68302	4AA LED with White LEDs and alkaline batteries. Blister packaged. Black
68212	4AA LED with Blue LEDs and alkaline batteries. Blister packaged. Yellow
68201	4AA LED with White LEDs and alkaline batteries in box. Yellow
68301	4AA LED with White LEDs and alkaline batteries in box. Black
68200	4AA LED with White LEDs without alkaline batteries in box. Yellow
68300	4AA LED with White LEDs without alkaline batteries in box. Black
68244	4AA Luxeon® with White LED and alkaline batteries. Blister packaged. Yellow
68344	4AA Luxeon® with White LED and alkaline batteries. Blister packaged. Black
68035	Helmet Lighting Kit - 4AA Luxeon® with White LED, alkaline batteries, helmet clamp, helmet band. Blister packaged. Yellow
68602	4AA Luxeon® Div. 1 with White LED and alkaline batteries. Blister packaged. Yellow
68702	4AA Luxeon® Div. 1 with White LED and alkaline batteries. Blister packaged. Black
33254	3C without alkaline batteries. Blister packaged. Yellow
33250	3C without alkaline batteries in box. Yellow
33202	3C LED with White LEDs without alkaline batteries. Blister packaged. Yellow
33302	3C LED with White LEDs without alkaline batteries. Blister packaged. Black
33212	3C LED with Blue LEDs without alkaline batteries. Blister packaged. Yellow
33200	3C LED with White LEDs without alkaline batteries in box. Yellow
33300	3C LED with White LEDs without alkaline batteries in box. Black
33244	3C Luxeon® with White LED and alkaline batteries. Blister packaged. Yellow
33344	3C Luxeon® with White LED and alkaline batteries. Blister packaged. Black
33602	3C Luxeon® Div. 1 with White LED and alkaline batteries. Blister packaged. Yellow
33702	3C Luxeon® Div. 1 with White LED and alkaline batteries. Blister packaged. Black
62202	3N LED with White LEDs and alkaline batteries. Blister packaged. Yellow
62302	3N LED with White LEDs and alkaline batteries. Blister packaged. Black
62212	3N LED with Blue LEDs and alkaline batteries. Blister packaged. Yellow
STYLUS®/STYLUS REACH®	
65006	Stylus® - Black Blister packaged - Red LED
65022	Stylus® - Black Blister packaged - Blue LED
65020	Stylus® - Black Blister packaged - Green LED
65018	Stylus® - Black Blister packaged - White LED
65058	Stylus® - UL Listed Black - White LED
65024	Stylus® - Gold Blister packaged - White LED
65016	Stylus® - Silver - Blister packaged - Blue LED
65012	Stylus® - Silver - Blister packaged - White LED

65050	Stylus® - Blue - Blister packaged - White LED
65035	Stylus® - Red - Blister packaged - White LED
65069	Stylus® - Black - Blister packaged -UV LED
65080	Stylus® - US Flag - Blister packaged -White LED
65622	Stylus Reach® - Black - Blister packaged. Blue LED
65618	Stylus Reach® - Black - Blister packaged. White LED
65658	Stylus Reach® - UL Listed Black - Blister packaged. White LED
65616	Stylus Reach® - Silver - Blister packaged. Blue LED
65612	Stylus Reach® - Silver - Blister packaged. White LED
65620	Stylus Reach® - Black - Blister packaged. Green LED
65418	Stylus Reach® 18 - Black - 18" Cable - Blister packaged -White LED
65422	Stylus Reach® 18 - Black - 18" Cable - Blister packaged - Blue LED
STYLUS® ACCESSORY PACK	
65073	Stylus® Combo - Black - Includes Stylus, Glare Guard, Holster, Sharp Spot - Blister packaged - White LED
65074	Stylus® Combo - Black - Includes Stylus, Glare Guard, Holster, Sharp Spot - Blister packaged - Green LED
65072	Stylus® Combo - Camo - Includes Camouflage Stylus, Glare Guard, Holster, Sharp Spot - Blister packaged - Green LED
65089	Stylus® IR Combo - Olive Drab - Includes Stylus, Glare Guard, Holster, Sharp Spot - Blister packaged - I/R LED (Compatible w/ most night vision goggles)
STYLUS®/STYLUS REACH® COMBO PACK	
65076	Stylus®/Stylus Reach® Combo - Includes Black Stylus and Stylus Reach - White LED
65077	Stylus®/Stylus Reach® Combo - Includes Black Stylus and Stylus Reach - Green LED
SCORPION®/SCORPION® LED	
85001	Scorpion® with lithium batteries. Clam packaged.
85004	Scorpion® with belt clip attachment. Includes batteries. Mailing Carton.
85010	Scorpion® LED with lithium batteries. Clam packaged.
STREAMLIGHT JR.® Luxeon®	
71500	Streamlight Jr.® Luxeon® - with alkaline batteries. Black
71600	Streamlight Jr.® Luxeon® Reach - with alkaline batteries. Black
CLIPMATE®	
61100	ClipMate® with White LEDs and alkaline batteries. Yellow
61101	ClipMate® with White LEDs and alkaline batteries. Black
61102	ClipMate® with Green LEDs and alkaline batteries. Black
61115	ClipMate® with Green LEDs and alkaline batteries. Realtree® Camo
KEY-MATE®	
72001	Key-Mate® with White LED with batteries. Blister packaged. Black
72101	Key-Mate® with White LED with batteries. Blister packaged. Titanium
72004	Key-Mate® with Blue LED with batteries. Blister packaged. Black
72003	Key-Mate® with Green LED with batteries. Blister packaged. Black
72203	Key-Mate® with Green LED with batteries. Blister packaged. Realtree® Camo
72009	Key-Mate®/JetScream™ Combo - Key-Mate, JetScream with lanyard, DVD
72016	Key-Mate®/Filter Combo - Black Key-Mate w/ White LED, Red & Blue Filters with lanyard
HEADLAMPS	
61301	Argo® with alkaline batteries. Rubber & Elastic Straps. Yellow
61302	Argo® HP with alkaline batteries. Rubber & Elastic Straps. Black
61400	Enduro® with alkaline batteries. Elastic Strap. Black
61405	Enduro® Camo with alkaline batteries. Elastic Strap.
31200	3AA HAZ-LO™ alkaline batteries. Rubber & Elastic Straps. Yellow
61052	Septor® with alkaline batteries. Rubber & Elastic straps. Yellow
61051	Trident® with (2) White and (1) Green LED with alkaline batteries. Rubber & Elastic straps. Green

61050	Trident® with White LEDs, alkaline batteries. Rubber & Elastic straps. Yellow
61049	Trident® with White LEDs, alkaline batteries. UL Listed. Rubber & Elastic straps. Yellow
61070	Buckmasters® Camo Trident® -(3) Green LEDs & alkaline batteries. Rubber & Elastic straps. Realtree Hardwoods® Green
TWIN-TASK®	
51001	Twin-Task® 2D Blister packaged. Black
51011	Twin-Task® 2D Blister packaged. Titanium
51002	Twin-Task® 3C Blister packaged. Black
51012	Twin-Task® 3C Blister packaged. Titanium
51010	Twin-Task® 3C UV Blister packaged. (3) 390 nm LEDs and (3) 375 nm LEDs. Black
51018	Twin-Task® 3C UV Blister packaged. (6) 390 nm LEDs. Titanium
51003	Twin-Task® 3AA with alkaline batteries. Blister packaged. Black
51013	Twin-Task® 3AA with alkaline batteries. Blister packaged. Titanium
52104	Twin-Task® 3AAA Laser with alkaline batteries. Blister packaged. Black
51004	Twin-Task® 1L with lithium battery. Blister packaged. Black
51014	Twin-Task® 1L with lithium battery. Blister packaged. Titanium
51005	Twin-Task® 2L with lithium batteries. Blister packaged. Black
51015	Twin-Task® 2L with lithium batteries. Blister packaged. Titanium
51025	Buckmasters® Camo Twin-Task® 2L with lithium batteries. Blister packaged. Realtree Hardwoods® Green
51031	Twin-Task® 3C Laser. Blister packaged. Gun Metal Gray
51044	Twin-Task® Rechargeable. 3 Blue and 3 Green LEDs. Blister packaged. Camo.
51017	Twin-Task® 3C Rechargeable. 6 White LEDs. Blister packaged. Titanium.
51021	Night Com™ - Red
51023	Night Com™ - Green
TASK-LIGHTS®	
51006	Task-Light® 3AA Luxeon® with alkaline batteries. Blister packaged. Black
51016	Task-Light® 3AA Luxeon® with alkaline batteries. Blister packaged. Titanium
52101	Task-Light® 1AA with alkaline batteries. Blister packaged. Gun Metal Gray
52102	Task-Light® 2AA with alkaline batteries. Blister packaged. Gun Metal Gray
52103	Task-Light® 3AAA with alkaline batteries. Blister packaged. Gun Metal Gray
TACTICAL LIGHTS (HAND-HELD)	
88102	TL-2® with lithium batteries. Clam packaged. Black
88402	TL-2® Shock-Proof with lithium batteries. Clam packaged. Black
88105	TL-2® LED with lithium batteries. Clam packaged. Black
88107	TL-2® LED Thunder Ranch Illumination System w/ lithium batteries, Key-Mate with White LED, Green Flip Filter & DVD. Black
88103	TL-3® with lithium batteries. Clam packaged. Black
88403	TL-3® Shock-Proof with lithium batteries. Clam packaged. Black
88108	Thunder Ranch Urban Rifle System - Includes TL-3 Shock-Proof, Green Flip Filter, Rail Mount and Clint Smith DVD
88106	TL-3® LED with lithium batteries. Clam packaged. Black
88002	NF-2® with lithium batteries. Clam packaged. Black
88005	NF-2® LED with lithium batteries. Clam packaged. Black
TACTICAL LIGHTS (WEAPONS-MOUNTED)	
69110	TLR-1™ with lithium batteries. Includes keys for Glock (universal) installed, 1913 (Picatinny) and S&W TSW/99. Boxed.
69120	TLR-2™ w/ Laser Sight. Lithium batteries. Includes keys for Glock (universal) installed, 1913 (Picatinny) and S&W TSW/99. Boxed.
CUFFMATE®	
63001	CuffMate® with batteries. Blister packaged.
ACCESSORIES	
20110	SL-20X® Lamp Module

20111	SL-20X®-LED Lamp Module
20140	Switch Module (SL-20X®)
20160	Lens (Stinger HP®, Stinger XT HP®, UltraStinger®, SL-20XP®-LED) (Clear polycarbonate)
20170	Battery Stick (SL-20X®) (NiCd Batteries)
20175	Battery Stick (SL-20X®-LED) (NiCd Batteries)
21400	5 Unit Bank Charger, 120V (SL® Series)
21401	5 Unit Bank Charger DC (SL® Series)
21402	5 Unit Bank Charger, 120V (SL-20XP®-LED)
22050	DC2 direct wire charge cord (All Rechargeables)
22051	DC1 Charge Cord (All Rechargeables)
22052	Charge Sleeve Assembly (SL-20X®-LED/SL-20XP®-LED) (**Does not include cord)
22311	120V AC charge cord (All Rechargeables except UltraStinger® Fast Charger)
22511	Safety Wand (SL-20X®, SL-20X®-LED, SL-20XP®, SL-20XP®-LED, 3C-XP®) - Red
22512	Safety Wand (SL-20X®, SL-20X®-LED, SL-20XP®, SL-20XP®-LED, 3C-XP®) - Blue
22513	Safety Wand (SL-20X®, SL-20X®-LED, SL-20XP®, SL-20XP®-LED, 3C-XP®) - Glow-in-the-dark
22517	Safety Wand (SL-20X®, SL-20X®-LED, SL-20XP®, SL-20XP®-LED, 3C-XP®) - White
22519	Safety Wand (SL-20X®, SL-20X®-LED, SL-20XP®, SL-20XP®-LED, 3C-XP®) - Yellow
22665	120V AC Fast Charge cord (Required when fast charging UltraStinger®)
22911	Ring Holder (SL-20X®-LED, SL-20XP®-LED)
24003	3C-XP® Lamp Module
25090	Holster, Rechargeables (Nylon)
25107	SL-20XP® - Lamp Module
25127	SL-20XP® LED - Lamp Module
25140	SL-20X®-LED, SL-20XP®-LED Switch Module
25141	SL-20X® - Switch Module
25170	Battery Stick (SL-20XP®) (NiCd)
33004	3C Xenon Lamp Assembly
33221	3C White LED Lamp Module
33222	3C Blue LED Lamp Module
40004	Safety Tail Light (LiteBox®) **Must be factory installed
40163	Locking Device (keyed differently) (LiteBox®) **Must be factory installed
40164	Locking Device (keyed alike) (LiteBox®) **Must be factory installed
44007	Battery (Vulcan®/Fire Vulcan®)
44050	Quick Release Strap (LiteBox®, Vulcan®, Fire Vulcan®)
44100	Charging Rack (Vulcan®) Yellow
44101	Charging Rack (Vulcan®, Fire Vulcan®) Orange
44130	Direct Wire 12V DC Charging Rack (Vulcan®) Yellow
44131	Direct Wire 12V DC Mounting Rack (Vulcan®, Fire Vulcan®) Orange
45070	Mounting Rack (LiteBox®) Orange
45071	Direct Wire 12V DC Mounting Rack (LiteBox®) Orange
45072	Mounting Rack (LiteBox®) Yellow
45073	Mounting Rack (LiteBox®) Beige
45074	Direct Wire 12V DC Mounting Rack (LiteBox®) Yellow
45232	Shoulder Strap (LiteBox®, Vulcan®)
45901	8 watt Bi-Pin Bulb (100 Hr) (LiteBox®, Vulcan®, Fire Vulcan®)
45902	20 watt Bi-Pin Bulb (100 Hr) (LiteBox®)
45903	8 watt Bi-Pin Bulb (300 Hr) (LiteBox®)
45908	8 watt Flood Lamp Assembly (LiteBox®)
45910	20 watt Flood Lamp Assembly (LiteBox®)
45911	8 watt Spot Lamp Assembly (LiteBox®)
45913	20 watt Spot Lamp Assembly (LiteBox®)
45915	8 watt Dual Filament Lamp Assembly
45921	8 watt Dual Filament (LiteBox®)

45937	Battery (LiteBox®)
51101	Twin-Task® 2D Xenon Bulb
51102	Twin-Task® 3C Xenon Bulb
51103	Twin-Task® 3AA Xenon Bulb
51104	Twin-Task® 1L Xenon Bulb
51105	Twin-Task® 2L Xenon Bulb
51107	Twin-Task® Rechargeable Xenon Bulb
51175	Twin-Task® Rechargeable Battery Stick
51201	Twin-Task® 3C/3C UV/3C Laser Holster
61001	Battery Cartridge (Trident® & Septor®)
61004	Xenon Bulb (Trident®)
63030	Coin Cell batteries - 2 pack (CuffMate®)
64030	"N" Cell batteries - 6 pack (3N)
65030	AAAA Batteries - 6 pack
65031	Stylus® Glare Guard
65065	Stylus® Sharp Spot™ (Black)
65905	Nylon Holster, Stylus®
67004	2AA helmet clamp, Fire
67005	2AA helmet clamp, Industrial
67006	2AA helmet clamp, Euro
67007	2AA Xenon Lamp Assembly
68004	4AA helmet clamp, Fire
68005	4AA helmet clamp, Industrial
68006	4AA helmet clamp, Euro
68025	4AA helmet clamp (metal), Fire
68220	4AA Xenon Lamp Assembly
68221	4AA White LED Lamp Module
68222	4AA Blue LED Lamp Module
68905	4AA Holster
69100	Rail Mount (TL Series)
69115	Flip Lens (TLR Series) - Red
69116	Flip Lens (TLR Series) - Blue
69117	Flip Lens (TLR Series) - Green
69118	Flip Lens (TLR Series) - IR
69085	H&K USP Full Size Adapter (TLR Series)
69901	Mag Tube Rail (12 ga) (TLR Series)
69902	M16/AR15 Rail (TLR Series)
69906	REM 870 Rail (TLR Series)
69908	Mossberg 500 Rail (TLR Series)
69903	Mag Tube Rail (TL Series)
69130	Remote Door/Switch Assembly
69132	Remote Tape Switch
69134	Remote pressure Switch with Coil Cord
69135	Remote pressure Switch with Straight Cord
69175	TLR Key Kit
70108	Streamlight Jr.® Luxeon® helmet clamp, Fire
70109	Streamlight Jr.® Luxeon® helmet clamp, Euro
70110	Streamlight Jr.® Luxeon® helmet clamp, Industrial
70114	Streamlight Jr.® Luxeon® black nylon holster
70129	Streamlight Jr.® Luxeon® black nylon flapless holster
71510	Streamlight Jr.® Luxeon® Magentic Clip
72024	Lanyard with Push Button Slide
72025	KeyMate® Filter - Red
72026	KeyMate® Filter - Green

72027	KeyMate® Filter – Blue
72028	KeyMate® Filter – IR
72030	KeyMate® Batteries - 4 pack
74102	Charger Holder (Strion®)
74175	Battery Stick (Strion®) (Li-Ion)
74200	Rail Mount (Strion®)
74400	Bank Charger 120V AC (Strion®)
74401	Bank Charger 12V DC (Strion®)
74903	Safety Wand, Red (Strion®)
74904	Safety Wand, Yellow (Strion®)
74913	Safety Wand, Hi-Vis (Strion®)
74914	Replacement Bulb (Strion®)
75027	Infrared Lens (Stinger®, PolyStinger®, Stinger XT®, TL-3®)
75100	Charger Holder Stinger® (10 Hour) (All Stingers®) (**Does not include cord)
75103	Charger Holder Fast Charge (2.5 hour) (All Stingers®) (**Does not include cord)
75115	Flip Lens (Stinger® LED, Stinger®, PolyStinger®, Stinger XT®, TL-3®) - Red
75116	Flip Lens (Stinger® LED, Stinger®, PolyStinger®, Stinger XT®, TL-3®) - Blue
75117	Flip Lens (Stinger® LED, Stinger®, PolyStinger®, Stinger XT®, TL-3®) - Green
75140	Switch Module (Stinger®, PolyStinger®, UltraStinger®) ** Special tool required for installation
75175	Battery Stick, (Stinger® LED, Stinger®, Stinger XT®, Stinger HP®, Stinger XT HP®, PolyStinger®) (NiCad Batteries)
75275	PiggyBack® Charger Holder - Steady Charger & Battery (**Does not include cord)
75276	PiggyBack® Charger Holder Fast Charge & Battery (**Does not include cord)
75400	5 Unit Bank Charger, 120V (All Stingers)
75401	5 Unit Bank Fast Charger, 120V (Stinger®, Stinger XT®, Stinger HP®, Stinger XT HP®, PolyStinger®)
75702	Anti-Roll Ring (Fits Stinger®, PolyStinger®, Stinger XT®, Stinger® LED)
75902	Safety Wand (Stinger® LED, Stinger®, Stinger XT®, 4AA, TT-3C, TL-3®) - Blue
75903	Safety Wand (Stinger® LED, Stinger®, Stinger XT®, 4AA, TT-3C, TL-3®) - Red
75904	Safety Wand (Stinger® LED, Stinger®, Stinger XT®, 4AA, TT-3C, TL-3®) - Yellow
75906	Ring Holder (All Stingers®)
75908	Safety Wand (Stinger® LED, Stinger®, Stinger XT®, 4AA, TT-3C, TL-3®) - White
75909	Holster, Stinger®, Stinger XT®, PolyStinger® (Deluxe Nylon)
75910	Holster, Stinger HP® (Deluxe Nylon)
75913	Safety Wand (Stinger®, Stinger XT®, 4AA, TT-3C, TL-3®) - Hi-Vis
75914	Bulb (Stinger®, Stinger XT®, PolyStinger®)
75927	Holster, Stinger® LED
75956	Lens/Reflector Assembly (Stinger®, Stinger XT®)
76090	Holster, Stinger®/PolyStinger® (Nylon)
76956	Lens/Reflector Assembly (PolyStinger®)
77175	Battery Stick (SL-20XP® LED, UltraStinger®) (NiCad Batteries)
77914	Bulb, SuperStinger®
78003	Ultra Head Upgrade Kit (Converts SuperStinger® to UltraStinger®)
78004	HP Upgrade Kit (Converts Stinger® to Stinger HP® / Stinger XT® to Stinger XT HP®)
78902	Safety Wand (UltraStinger®, Stinger HP®, Stinger XT HP®) - Blue
78903	Safety Wand (UltraStinger®, Stinger HP®, Stinger XT HP®) - Red
78904	Safety Wand (UltraStinger®, Stinger HP®, Stinger XT HP®) - Yellow
78908	Safety Wand (UltraStinger®, Stinger HP®, Stinger XT HP®) - White
78913	Safety Wand (UltraStinger®, Stinger HP®, Stinger XT HP®) - Hi-Vis
78914	Bulb (UltraStinger®)
78915	Bulb (Stinger HP®, Stinger XT HP®)
85115	Flip Lens (TL-2®, NF-2®, Scorpion®, Strion®) - Red
85116	Flip Lens (TL-2®, NF-2®, Scorpion®, Strion®) - Blue
85117	Flip Lens (TL-2®, NF-2®, Scorpion®, Strion®) - Green
85175	Lithium batteries (2) Pack

85177	Lithium batteries (12) Pack
85179	Lithium batteries (400) Pack
85905	Black nylon holster - Night Com™, Scorpion®, TL-2®, TL-2® LED, Strion®
85909	Scorpion® black nylon holster (Deluxe)
85914	Xenon Bulb (Scorpion®, TL-2®, NF-2®)
88175	TL-2® Shock-Proof Lamp Assembly
88178	Remote Retaining Clip
88180	TL-3® Shock-Proof Lamp Assembly
88185	Remote Switch w/ 8" Cord
88186	Remote Switch w/ Coil Cord
88914	TL-3® Xenon bulb
90010	Steady Charge (SC) Plug-In Charger Holder **Cords not included (Survivor®)
90011	AC Fast Charger (Includes Holder) (Survivor®)
90012	DC #1 Fast Charger (Includes Holder) (Survivor®)
90013	DC #2 Fast Charger (Includes Holder) (Survivor®)
90030	Lamp Module (Survivor® Original Version)
90054	Bezel/Lens Assembly (Survivor® Original Version)
90110	Steady Charge (SC) PiggyBack® Charger **Cords not included (Survivor® Div. 2 Only)
90111	AC PiggyBack® Fast Charger (Survivor® Div. 2)
90112	DC #1 PiggyBack® Fast Charger (Survivor® Div. 2)
90113	DC #2 PiggyBack® Fast Charger (Survivor® Div. 2)
90130	Battery Pack Assembly (Blue Sleeve, NiCd Battery) (Survivor® LED)
90314	Black Dot Xenon Bulb (Survivor® Div. 2)
90320	Xenon Bulb (Survivor® Div. 1)
90330	Facecap Assembly (Survivor® Div. 1 & 2)
90337	Battery Pack Assembly (White Sleeve, NiCad Battery) (Survivor® Div. 1)
90338	Battery Pack Assembly (Black Sleeve, NiCad Battery) (Survivor® Div. 2)
90400	Bank Charger (SC) 120V AC (Survivor®)
90401	Bank Charger DC (Survivor®)
90542	Survivor® LED alkaline battery pack (Batteries not included)
90145	Facecap Assembly (Survivor® Div. 1)
90075	Rubber Helmet Strap (4AA, 4AA LED, 3N, Scorpion®, TT-3AA, 3AA Luxeon®, TL-2®, TL-3®, Streamlight® Jr®, Luxeon®)

The part numbers reflected are US part numbers. For international part numbers, please ask your international sales representative.

Luxeon® is a trademark of Lumileds Lighting, Inc.; Thunder Ranch® is a trademark of Thunder Ranch Inc.; H&K® is a trademark of Heckler & Koch; American Handgunner Magazine® is a registered trademark of Publishers Development Corporation; GUNS Magazine® is a registered trademark of Publishers Development Corporation; RealTree® Hardwoods Green High Definition® (HD) is a registered trademark of Jordan Outdoor Enterprises, Ltd. Buckmasters® is a registered trademark of Buckmasters, Ltd.


Streamlight reserves the right to change specifications at any time without notice.

THE PEOPLE BEHIND OUR LIGHTS, REALLY DO GET BEHIND OUR LIGHTS.

Streamlight is a “hands-on” company. We learn by doing, so we understand what our customers need because we’re out there doing what they do, using the same lighting tools in the same ways. We go through firefighters’ training. We take courses in low-light shooting. We’re hunters, fishermen, outdoor and sports enthusiasts.

Brad Penney, our president, takes his Streamlight flashlight on his many hunting trips. Our sales manager for the hunting and fishing markets is an avid hunter. Many of our law enforcement sales managers are gun collectors, hunters, competitive shooters and former police officers.

We believe it’s our hands-on, real-world experience that leads to new ideas and innovations that set Streamlight apart. Who knows what we’ll come up with next?





STREAMLIGHT
Heroes Trust Streamlight®

GET MORE INFO AT: WWW.STREAMLIGHT.COM / 800 523-7488



Streamlight, Inc.
 30 Eagleville Road
 Eagleville, PA U.S.A 19403-3996

www.streamlight.com
 (800) 523-7488 Toll-Free
 (800) 220-7007 Fax
 (610) 631-0600
 (610) 631-0712 Fax

