





L e e E l e c t r i c Illustrated Price Catalog

Manufacturers of Signaling Devices, Bells and Buzzers, Transformers, Electric Door Strikes, and Electrical Specialties







Lee Electric, Inc.

309-11 51st Street West New York, NJ 07093-0238 201-866-3656 800-433-3417 Fax No.: 201-866-0735

www.leeelectric.com

CONDITIONS OF SALE DISTRIBUTORS AND OTHER COMMERCIAL CUSTOMERS

NOTE: The following Conditions of Sale are subject to change. All Sales Transactions are subject to the latest published Conditions of Sale of Lee Electric, Inc. and to any Special Conditions of Sale which may be contained in applicable Lee quotations and acknowledgments. Modified consumer product warranties are provided to consumers.

I. ACCEPTANCE, GOVERNING PROVISIONS, AND CANCELLATIONS.

No order for Lee equipment or services shall be binding upon Lee until accepted by a writing of an authorized official of Lee or by shipment or other performance of such order. Any such order shall be subject to these Conditions of Sale, and acceptance shall be expressly conditioned on assent to such Conditions, which assent shall be deemed given unless purchaser shall expressly notify Lee to the contrary prior to any shipment or other performance of an order by Lee and, in any event, within five (5) days after receipt of any acknowledgement or confirmation of such order.

No order accepted by Lee may be altered or modified by purchaser unless agreed to in a writing signed by an authorized official of Lee; and no such order may be cancelled or terminated except upon payment of Lee's loss, damage and expense arising from such cancellation or termination.

No modified or other conditions will be recognized by Lee unless specifically agreed to in writing and failure of Lee to object to provisions contained in any purchase order or other communication from a purchaser (including, without limitation, penalty clauses of any kind) shall not be construed as a waiver of these Conditions nor an acceptance of any such provisions.

Unless otherwise agreed in writing by a duly authorized representative of Lee, pro-ducts sold hereunder are not intended for use in or in connection with a nuclear facility or activity. If so used, Lee disclaims all liability for any nuclear damage, injury or contamination, and purchaser shall indemnify Lee against any such liability, whether as a result of breach of contract, warranty, tort (including negligence) or otherwise.

Any contract for sale and these Conditions shall be governed by and construed according to the laws of the State of New Jersey.

QUOTATIONS AND PRICES. Written quotations are conditioned upon acceptance
by purchaser within thirty (30) days from date issued and shall be considered as offers by
Lee to sell during such thirty (30) day period unless sooner terminated by notice. Other
Lee publications are maintained as sources of general information and are not quotations
or offers to sell

All prices are subject to change without notice. In the event of a net price change, the price of equipment on order but unshipped will be adjusted to the price in effect at the time of shipment. Downward adjustment of prices shall apply only to unshipped portions of outstanding orders.

Except as may otherwise be stated in quotations, discount schedules, catalogs, or other Lee publications, orders amounting to less than \$ 50.00 net will be billed at \$ 50.00. All clerical errors are subject to correction.

3. PAYMENT TERMS. Terms of payment for Lee products to purchasers of satisfactory credit are either (1) 2% cash discount for payment by the 10th proximo and net invoice amount for payment by the 25th proximo or (2) net 30 days. Applicable terms of payment are stated in quotations or on the discount sheet for the product involved.

Lee reserves the right at any time to demand full or partial payment before proceeding with a contract of sale if, in its judgement, the financial condition of purchaser shall not justify the terms of payment specified. If delivery is delayed or deferred by purchaser beyond the scheduled date, payment shall be due in full when Lee is prepared to ship and the equipment may be stored at the risk and expense of purchaser. If purchaser defaults when any payment is due, then the whole contract price shall become due and payable upon demand, or Lee, at its option, without prejudice to other lawful remedies, may defer delivery or cancel the contract for sale.

- 4. TAXES AND OTHER CHARGES. Any manufacturer's tax, retailer's occupation tax, use tax, sales tax, excise tax (except the Federal excise tax on vehicles), duty, custom, inspection or testing fee, or other tax, fee or charge of any nature whatsoever, imposed by any governmental authority, on or measured by any transaction between Lee and purchaser, shall be paid by purchaser in addition to the prices quoted or invoiced. In the event Lee shall be required to pay any such tax, fee or charges, purchaser shall reimburse Lee therefore; or, in lieu of such payment, purchaser shall provide Lee at the time the order is submitted with an exemption certificate or other document acceptable to the authority imposing the same. Purchase orders must state the existence and amount of any such tax, fee or charge which it shall be Lee's responsibility to collect from purchaser and pay.
- DELIVERY. Delivery of equipment to a carrier at any Lee facility or other shipping point shall constitute delivery to purchaser; and, regardless of freight payment, title and all risk of loss or damage in transit shall pass to purchaser at that time.

Great care is taken in packing Lee equipment. Lee cannot be held responsible for breakage after having received "in good order" receipts from the transportation company. All claims for loss and damage must be made by purchaser to the carrier.

Claims for shortages or other errors must be made in writing to Lee within 15 days after receipt of shipment, and failure to give such notice shall constitute unqualified acceptance and a waiver of all such claims by purchaser.

Except as may otherwise by stated in quotations, discount schedules, catalogs, or other Lee publications, freight will be allowed to the common carrier free delivery point nearest the destination on shipments within THE UNITED STATES EXCLUDING ALASKA AND HAWAII, except that such freight shall be prepaid but not allowed on shipments of Lee products having a net invoice price of less than Two Hundred Dollars (\$200).

No allowance will be made in lieu of transportation if purchaser accepts shipment at factory, warehouse, freight station, or otherwise supplies its own transportation.

Method and route of shipment will be at the discretion of Lee unless purchaser shall specify otherwise, and any additional expense of the method or route of shipment specified by purchaser shall be borne by purchaser.

Lee reserves the right to make delivery in installments, unless otherwise expressly stipulated in the contract for sale; and all such installments when separately invoiced shall be paid for when due per invoice, without regard to subsequent deliveries. Delay in delivery of any installment shall not relieve purchaser of its obligations to accept remaining deliveries. Lee shall not be liable for any damage as a result of any delay due to any cause beyond Lee's reasonable control, including, without limitation, an act of God; act of purchaser or Lee's supplier; embargo or other governmental act, regulation or request, fire; accident; strike; slowdown; war; riot; delay in transportation; and inability to obtain necessary labor, materials or manufacturing facilities. In the event of any such delay, the date of delivery shall be extended for a period equal to the time lost by reason of the delay.

- SUBSTITUTES. Lee may furnish suitable substitutes for materials unobtainable because of priorities or regulations established by governmental authority or nonavailability of materials from suppliers, and assumes no liability for deviation from published dimensions and descriptive information not essential to proper performance of the product.
- 7. WARRANTIES TO DISTRIBUTORS AND OTHER COMMERCIAL CUSTOMERS. Lee warrants equipment manufactured by it to be free from defects in materials and workmanship for a period of one (1) year from date of shipment by Lee. If within such period any such equipment shall be proved to Lee's satisfaction to be so defective, such equipment shall be repaired or replaced at Lee's option. This warranty shall not
 apply (a) to equipment not manufactured by Lee, (b) to equipment which shall have ben
 repaired or altered by others than Lee so as, in its judgement, to affect the same adversely, or (c) to equipment which shall have been subjected to negligence, accident or damage by circumstances beyond Lee's control, or to improper operation, maintenance or
 storage, or to other than normal use or service. Lee shall in all respects conform and be
 limited to the warranty actually extended to Lee by its supplier. The foregoing warranties
 do not cover reimbursement for transportation, removal, installation, or other expenses
 which may be incurred in connection with repair or replacement.

Except as may be expressly provided in an authorized writing by Lee, Lee shall not be subject to any other obligations or liabilities whatsoever with respect to equipment manufactured by Lee or services rendered by Lee.

THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER EXPRESS AND IMPLIED WARRANTIES EXCEPT WARRANTIES OF TITLE, IN-CLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

- 8. LIMITATION OF LIABILITY. Anything to the contrary herein contained notwith-standing. LEE ELECTRIC, INC., ITS CONTRACTORS AND SUPPLIERS OF ANY TIER, SHALL NOT BE LIABLE IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY OR OTHERWISE FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHATSOEVER. The remedies of the purchaser set forth herein are exclusive are so stated and the total cumulative liability of Lee, its contractors and suppliers of any tier, with respect to this contract or anything done in connection therewith, such as the use of any product covered by or furnished under the contract, whether in contract, in tort (including negligence or strict liability) or otherwise, shall not exceed the price of the product or part on which such liability is based.
- RETURN OF EQUIPMENT: No equipment may be returned without first obtaining Lee's written permission and a returned material identification tag.

Equipment accepted for credit, not involving a Lee error, shall be subject to a minimum service charge of \$20.00 or 20% of the invoice price, whichever is greater, plus all transportation charges incurred by Lee.

Returned equipment must be securely packed to reach Lee without damage, any cost incurred by Lee to put equipment in first class condition will be charged to purchaser.

10. PATENTS. As to equipment proposed and furnished by Lee, Lee shall defend any suit or proceeding brought against purchaser so far as based on a claim that said equipment constitutes an infringement of any patent of the United States, if notified promptly in writing and given authority, information, and assistance at Lee's expense for the defense of the same In event of a final award of costs and damages, Lee shall pay such award. In event the use of said equipment by purchaser is enjoined in such a suit, Lee shall, at its own expense, either (a) procure for purchaser the right to continue using said equipment, (b) modify said equipment to render it non-infringing, (c) replace said equipment with non-infringing equipment, or (d) refund the purchase price (less depreciation) and the transportation and installation costs of said equipment. Lee will not be responsible for any compromise or settlement made without its written consent.

The foregoing states the entire liability of Lee for patent infringement, and in no event shall Lee be liable if the infringement charge is based on the use of Lee equipment for a purpose of other than that for which sold by Lee. As to any equipment furnished by Lee to purchaser and manufactured in accordance with designs proposed by purchaser, purchaser shall indemnify Lee against any award made against Lee for patent, trademark, or copyright infringements.

11. PATTERNS AND TOOLS. Notice will be given if special patterns or tools are required to complete any order. Charges for such patterns or tools do not convey title thereto or the right to remove them from Lee's plant. If patterns or tools are not used for a period of two years, Lee shall have the right to scrap them without notice.

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	•	BLISTER CARDED PUSH BUTTONS ster Carded) items are also available boxed at same price. Omit leading to 16V AC; unlighted to 24V AC.		rdering.	
	*BC 200	1¾" Round, Sprayed Brass	10	l lb.	3.50
	*BC 200 C	13/4" Round, Chrome	10	l lb.	4.35
	*BC 200 P	13/4" Round, Polished Brass	10	l lb.	4.35
		74 1.001.0, 1.01.01.02			
	BC 200 LG	1¾" Round, Gold, Lighted	10	l lb.	8.40
	*BC 201	21/4" Round, Sprayed Brass	10	I Ib.	3.70
	*BC 201 C	2 ¹ / ₄ " Round, Chrome	10	I Ib.	4.55
	*BC 201 P	21/4" Round, Polished Brass	10	I lb.	4.55
	BC 201 LG	2 ¹ / ₄ " Round, Gold, Lighted	10	l lb.	8.40
	BC 202	Single Nameplate, Sprayed Brass 2" x 2%16"	10	l lb.	6.90
	BC 203 BC 203 C BC 203 P	Two Gang Nameplate, Sprayed Brass $1\frac{5}{8}$ " x $4\frac{3}{4}$ " Two Gang Nameplate, Chrome $1\frac{5}{8}$ " x $4\frac{3}{4}$ " Two Gang Nameplate, Polished Brass $1\frac{5}{8}$ " x $4\frac{3}{4}$ "	10 10 10	2 lbs. 2 lbs. 2 lbs.	8.90 12.25 12.25
	BC 204 G-I	Gold Escutcheon Unlit Button for Stucco 2½" Dia.	10	I lb.	5.80
	BC 204 G-2	Gold Escutcheon Unlit Button for Stucco w/Plastic Sleeve	10	I lb.	7.80
		Gold Escutcheon Lighted Button for Stucco $2\frac{1}{2}$ " Dia.	10	I Ib.	8.15
		Gold Escutcheon Lighted Button for Stucco w/Plastic Sleeve	10	I Ib.	10.40
	BC 204 S-I	Silver Escutcheon Unlit Button for Stucco 2½" Dia.	10	I Ib.	5.80
(4)	BC 204 S-2	Silver Escutcheon Unlit Button for Stucco w/Plastic Sleeve	10	I Ib.	7.80
	BC 204 LS-I	Silver Escutcheon Lighted Button for Stucco 21/2" Dia.	10	l lb.	8.15
	BC 204 LS-2	Silver Escutcheon Lighted Button for Stucco w/Plastic Sleeve	10	I Ib.	10.40
	BC 204-PS	Plastic Wiring Sleeve for 204 G or LG S or LS	10	I lb.	2.70
	*BC 205 B	5/8" Push Button, Brass	10	¹⁄₄ lb.	2.85
	*BC 205 C	5/8" Push Button, Chrome	10	¹⁄₄ lb.	2.85
	*BC 205 LB	%" Pearl Push Button, Brass, Lighted	10	1/ ₄ lb.	5.00
_	*BC 205 LC	%" Pearl Push Button, Chrome, Lighted	10	1/ ₄ lb.	5.00

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	BLI	STER CARDED PUSH BUTTONS (C	ontinued)		
	BC 208	Three Gang Nameplate, Sprayed, Bagged with Header or Box 15/8" x 7"	10	2 lbs.	15.30
	BC 208 C	Three Gang Nameplate, Chrome, Bagged with Header or Box 15/8" x 7"	10	2 lbs.	21.00
	BC 208 P	Three Gang Nameplate, Polished Brass, Bagged w/ Header or Box 15%" x 7"	10	2 lbs.	21.00
Moln	BC 215 B	Oblong Escutcheon 2" x 15%" Brass Finish	10	3/ ₄ lb.	5.60
	BC 215 C	Oblong Escutcheon 2" x 15/8" Chrome	10	³ / ₄ lb.	5.60
	BC 215 LB	Oblong Escutcheon 2" x 15/8" Brass Finish, Lighted	10	3/ ₄ lb.	8.75
0	BC 215 LC	Oblong Escutcheon 2" x 15%" Chrome, Lighted	10	³ / ₄ lb.	8.75
	BC 219	Narrow Door Jamb Push Button, Sprayed Brass Finish	10	¹⁄₂ lb.	3.95
	BC 219 C BC 219 P	$\frac{7_8}{8}$ " x $2\frac{3}{4}$ " Narrow Door Jamb Push Button, Chrome $\frac{7_8}{8}$ " x $2\frac{3}{4}$ " Narrow Door Jamb Push Button, Polished Brass	10 10	½ lb. ½ lb.	4.50 4.50
	BC 219 W	$\frac{7}{8}$ " x $2\frac{3}{4}$ " Narrow Door Jamb Push Button, White $\frac{7}{8}$ " x $2\frac{3}{4}$ "	10	¹⁄₂ lb.	3.95
	BC 260 C	17/8" Round, Chrome Finish	10	14 oz.	5.60
	BC 260 P	$1\frac{7}{8}$ " Round, Brass Finish	10	14 oz.	5.60
	BC 260 LB	I $rac{1}{3}$ " Round, Brass Finish, Lighted	10	14 oz.	7.40
	BC 260 LC	17/8" Round, Chrome Finish, Lighted	10	14 oz.	7.40
	BC 262 P	2 ¹ / ₈ " x 1 ³ / ₁₆ " Rectangle, Brass Finish	10	14 oz.	5.60
	BC 262 LB	2 ⁷ / ₈ " x I ³ / ₁₆ " Rectangle, Brass Finish, Lighted	10	14 oz.	8.75
A	BC 263 C	31/8" x 2" Star, Chrome Finish	10	l lb.	8.40
	BC 263 P	37/8" x 2" Star, Brass Finish	10	I lb.	8.40
	BC 263 LB	37/8" x 2" Star, Brass Finish, Lighted	10	I lb.	11.25
y	BC 263 LC	$3\frac{7}{8}$ " x 2" Star, Chrome Finish, Lighted	10	I lb.	11.25
	BC 264 C	Diamond or Square, Chrome Finish, Unlighted 2½" x 2½"	10	I4 oz.	5.60
	BC 264 LC	Diamond or Square, Chrome Finish, Lighted $2\frac{1}{2}$ " x $2\frac{1}{2}$ "	10	14 oz.	8.75
	BC 265 B	Slim Bar Type Metal, Gold, Unlighted $2\frac{3}{4}$ " x I $\frac{1}{16}$ "	10	I lb.	5.05
	BC 265 C	Slim Bar Type Metal, Silver, Unlighted $2\frac{3}{4}$ " x I $\frac{1}{16}$ "	10	I lb.	5.05
	BC 265 LG	Slim Bar Type Metal, Gold, Lighted 2¾" x1½6"	10	I lb.	6.60
	BC 265 LS	Slim Bar Type Metal, Silver, Lighted 23/4" x11/16"	10	I lb.	6.60
	BC 265 LW	Slim Bar Type Metal, White, Lighted 23/4" x1 1/16"	10	I lb.	6.60

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	BLIS	STER CARDED PUSH BUTTONS (Continued)		
Separate Sep	BC 266 BLK	Slim Bar Type, $2^{13}/_{16}$ " x $\frac{7}{8}$ ", Black, Unlighted	10	I lb.	4.55
	BC 266 BRN	Slim Bar Type, $2^{13}/_{16}$ " x $\frac{7}{8}$ ", Brown, Unlighted	10	I lb.	4.55
Commence of the second	BC 266 W	Slim Bar Type, $2^{13}/_{16}$ " x $\frac{7}{8}$ ", White, Unlighted	10	I lb.	4.55
	BC 266 B	Slim Bar Type, $2^{13}/_{16}$ " x $7/_8$ ", Gold, Unlighted	10	I lb.	4.55
	BC 266 C	Slim Bar Type, $2^{13}/_{16}$ " x $7/_{8}$ ", Silver, Unlighted	10	I lb.	4.55
	BC 266 LG	Slim Bar Type, $2^{13}/_{16}$ " x $7/_8$ ", Gold, Lighted	10	I lb.	6.00
	BC 266 LS	Slim Bar Type, $2^{13}/_{16}$ " x $7/_{8}$ ", Silver, Lighted	10	I lb.	6.00
	BC 266 LBRN	Slim Bar Type, $2^{13}/_{16}$ " x $\frac{7}{8}$ ", Brown, Lighted	10	I lb.	6.00
	BC 266 LW	Slim Bar Type, $2^{13}/_{16}$ " x $7/_{8}$ ", White, Lighted	10	I Ib.	6.00
	BC 267 LG	Single Lighted Name, 25/16" x13/8", Gold	10	I ¼ Ibs.	13.75
	BC 267 LS	Single Lighted Name, $2\frac{5}{16}$ " x $1\frac{3}{8}$ ", Silver	10	1 1/4 lbs.	13.75
Ö	BC 268 LG	Double Lighted Name, 5½" x 1¾", Gold	10	2½ lbs.	18.30
Ö	BC 268 LS	Double Lighted Name, 51/4" x 13/8", Silver	10	2½ lbs.	18.30
Ĉ	BC 269 LG BC 269 LS	Triple Lighted Name, $7\%_{16}$ " x $1\%_8$ ", Gold, Bagged w/Header Triple Lighted Name, $7\%_{16}$ " x $1\%_8$ ", Silver, Bagged w/Header	10	3 lbs. 3 lbs.	27.40 27.40
9	One price appl	lies regardless of finish. Indicate finish when ordering BC 270	through BC 27	7.	
Ö	BC 270	Castillian 2" Diameter, Lighted White & Polished Brass White & Polished Chrome Black & Pewter	10	I½ lbs.	10.75
	BC 271	Mandarin 2" x 2", Lighted Black & Polished Brass White & Gold Black & Pewter	10	I ½ lbs.	10.75
	BC 272	Medallion 2" Diameter, Lighted Black & Polished Brass Black & Gold	10	l ⅓ lbs.	10.75
	BC 273	Versailles 5½" x 1", Lighted White & Polished Brass White & Polished Chrome Black & Pewter	10	I½ lbs.	10.75

Catalog No.		Description		Std. Qty.	Pkg. Weight	List Price
			BUTTONS (Co		<i>'</i> .	
BC 274	Corinthian 5" x White & Po Black & Pev	olished Chrome		10	I ½ lbs.	10.75
BC 276	Shield 3½" x 1½ Antique Iro Antique Br	n		10	I ½ lbs.	10.75
BC 277	Fleur de Lis 5¾ Antique Iro Antique Br Bright Gold	on ass		10	2 lbs.	12.10
BC 278	Femina 3½" x I Antique Go			10	2 lbs.	12.60
		ATOR PUSH BU	TTONS (Lighted) brass or Pewter			
BC 285 LB	Buckingham	Brass	4½" x 1½"	6	3 lbs.	12.35
BC 285 LC	Buckingham	Pewter	4½" x 1½"	6	3 lbs.	12.35
BC 286 LB	Regent	Brass	2 ³ / ₄ " x 1 ¹ / ₄ "	6	I ½ lbs.	8.65
BC 286 LC	Regent	Pewter	2 ³ / ₄ " x 1 ¹ / ₄ "	6	I ½ lbs.	8.65
BC 287 LB	Churchill	Brass	3" x I 1/4"	6	I ½ lbs.	9.90
BC 287 LC	Churchill	Pewter	3" x 1½"	6	1 ½ lbs.	9.90
DC 200 L D	Outual	D	29/ 11 15/ 11	,	11/ 11.	0.45
BC 288 LB BC 288 LC	Oxford Oxford	Brass Pewter	3 ⁹ / ₁₆ " x ¹⁵ / ₁₆ " 3 ⁹ / ₁₆ " x ¹⁵ / ₁₆ "	6	$1\frac{1}{2}$ lbs. $1\frac{1}{2}$ lbs.	8.65 8.65

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

BLISTER CARDED PUSH BUTTONS (Continued) DECORATOR PUSH BUTTONS (Lighted)

Available in Polished Brass or Pewter

ı	5	9	ì	١
6	-		1	
1	6	1	Į,	١
ı			d	l

BC 289 LB	Windsor	Brass	2 ⁷ / ₈ " x 1 ¹ / ₄ "	6	$1\frac{1}{2}$ lbs.	9.90
BC 289 LC	Windsor	Pewter	21/8" x I 1/4"	6	$1\frac{1}{2}$ lbs.	9.90



BC 290 LB	Lancaster	Brass	31/4" x 11/4"	6	2 lbs.	11.10
BC 290 LC	Lancaster	Pewter	31/4" x 11/4"	6	2 lbs.	11.10



BC 291 L CLR	Lighted clear replacement push button for	
	BC285 through BC290 Series	
	See page 19 for display information.	

Mini-Estate - Surface Mounted - Lighted

6	l lb.	4.85



BC 292 LW	Spindletop White Lighted	I" x 4½"	6	I lb.	10.00
BC 292 LAB	Spindletop Antique Brass Lighted	I" x 4½"	6	I lb.	10.00



BC 293 LRB

BC 293 LSS Stainless Steel	¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85
BC 293 LMBLK Matte Black	¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85
BC 293 LPB Polished Brass	¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85
BC 293 LPW Pewter	¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85



See Page 20 for Display information.

Rustic Black

¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85
¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85
¹⁵ / ₁₆ " x 3 ¹ / ₄ "	6	I lb.	11.85



BC 601 BR	Cast Brass Push Button Plate, $3\frac{3}{4}$ " x $1\frac{1}{2}$ ", Unlighted Cast Black Push Button Plate, $3\frac{3}{4}$ " x $1\frac{1}{2}$ ", Unlighted	10	13/4 lbs.	5.60
BC 601 BLK		10	13/4 lbs.	5.60
BC 601 W	Cast Push Button Plate, $3\frac{3}{4}$ " x $1\frac{1}{2}$ ", White, Unlighted	10	$1\frac{3}{4}$ lbs.	5.60



BC 601 W	Cast Push Button Plate, 3¾" x 1½", White, Unlighted	10	$1\frac{3}{4}$ lbs.	5.60
	Cast Brass Push Button Plate, $3\frac{3}{4}$ " x $1\frac{1}{2}$ ", Lighted Cast Black Push Button Plate, $3\frac{3}{4}$ " x $1\frac{1}{2}$ ", Lighted	10 10	$1\frac{3}{4}$ lbs. $1\frac{3}{4}$ lbs.	8.00 8.00
BC 601 LW	Cast Push Button Plate, 3¾" x 1½", White, Lighted	10	13/4 lbs.	8.00

BC 666 B	Plastic Button Black - Ivory Bar	2¾" x ¾"	10	l lb.	2.60
BC 666 P	Plastic Button Gold Body - Ivory Bar	2¾" x ¾"	10	I lb.	3.00
BC 666 W	Plastic Button Ivory - Black Bar	2¾" x ¾"	10	I lb.	2.60
BC 666 S	Plastic Button Silver Body – Black Bar	2¾" x ¾"	10	I lb.	3.00

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

CLAM SHELL PACKAGED TRANSFORMERS COMPLETE WITH GROUND WIRE

120V AC Primary

Cat. Nos. BC 315 - BC 323 M available at lower cost. See Nos. 315 - 323 M.

Cat. Nos. BC 315 - BC 323 M available at lower cost. See Nos. 315 - 323 M.				
BC 315	10 Volts, 5 VA "Lock nut type"	5	5 lbs.	13.50
BC 323 M	Chime Transformer 16 Volts, 10 VA "Lock nut type"	5	5 lbs.	13.50
BC 323 M-15	Chime Transformer 16 Volts, 15 VA "Lock nut type"	5	5 lbs.	15.00
BC 592	Heavy Duty Trivolt 8-16-24 "Lock nut type" 8 & 16 Volts – 10 VA 24 Volts – 20 VA	5	5 lbs.	22.75

BLISTER CARDED AUDIBLE SIGNALS

8-16V AC, 3-6V DC

Cat. Nos. BC 302 - BC 305 avail. boxed at lower cost. See Nos. 302 - 305.

BC 302	2 coil Bell, Concealed Terminals, 2½" Dia. Gong	10	5 lbs.	11.20
BC 303	2 coil Bell, Concealed Terminals, 3" Dia. Gong	10	5 lbs.	14.00
BC 304	2 coil Bell, Concealed Terminals, 4" Dia. Gong	10	6 lbs.	16.55
BC 305	2 coil Buzzer, Concealed Terminals	5	2 lbs.	9.40

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

HANGER BOXED NON-ELECTRIC CHIMES



BC 1027	Ivory – Non-Electric, One Door	3" x 7"	3	3 lbs.	22.25
BC 1027 DV	Ivory Chime & Door Viewer Non-Electric, One Door	3" x 7"	3	3 lbs.	29.10
BC 1027 DV-2 Ivory Chime with Long Door Plate & Viewer Long Plate ($1^{15}/_{16}$ " x $2^{3}/_{4}$ ") – Non-Electric, One Door			3	3 lbs.	32.10

NON-ELECTRIC CHIMES

All LEE Door Chimes are packaged with complete fastening hardware, positioning templates and easy-to-follow instructions. LEE Chimes are designed to fit doors and walls up to 4-3/4" thick.

There are a variety of handsome decorator finishes to choose from. Each finish blends attractively with a wide range of decors.



BC 1028-685 Hotel Model, One-Way Wide Angle Viewing Lens. 5" h x 2" w



BC 1028-686 One-Way Wide Angle Viewing Lens, Apartment Identification, Name Plate. 5" h x 2" w



BC 1028-687 Economy Model, Name Plate Only, No Viewer. 21/4" h x 2" w



BC 1028-689 Modern, Deep Recessed, Deluxe One-Way Viewing Mirror. Apartment Identification Card, Name Card. Heavy Cast Metal Plate. 65/8" h x 3" w

BC 1028-685-BZ Non-Electric Chime Bronze	5" x 2"	30	24 lbs.	22.25
BC 1028-685-GP Non-Electric Chime Gold	5" x 2"	30	24 lbs.	22.25
BC 1028-685-SP Non-Electric Chime Silver	5" x 2"	30	24 lbs.	22.25
BC 1028-686-BZ Non-Electric Chime Bronze	5" x 2"	30	24 lbs.	22.25
BC 1028-686-GP Non-Electric Chime Gold	5" x 2"	30	24 lbs.	22.25
BC 1028-686-SP Non-Electric Chime Silver	5" x 2"	30	24 lbs.	22.25
BC 1028-687-GP Non-Electric Chime Gold	2½" x 2"	30	24 lbs.	18.50
BC 1028-687-SP Non-Electric Chime Silver	2½" x 2"	30	24 lbs.	18.50
BC 1028-689-GP Non-Electric Chime Gold	65/8" x 3"	30	36 lbs.	22.25
BC 1028-689-SP Non-Electric Chime Silver	6 ⁵ / ₈ " x 3"	30	36 lbs.	22.25
BC 1028-689-GMT Replacement Grommet		50	I/4 lb.	.25
* For U/L Viewer (BC 1028-685, BC 1028-686) add				4.95

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

CLAM SHELL PACKAGED DECORATOR DOOR CHIMES

All Chimes 16V AC, Two Notes Front Door, One Note Rear Door, unless otherwise indicated. See Page 19 for Chime Display Information.

	BC 1032	White	7½" x 4"	3	3 lbs.	18.75
	BC 1035 BC 1036	White & Gold White & Silver	7½" × 4" 7½" × 4"	3	3 lbs. 3 lbs.	22.10 22.10
	BC 1039	Walnut & Gold	7½" x 4"	3	3 lbs.	22.10
+	BC 1042	Walnut & Gold	8½" x 5½"	3	4 lbs.	32.00
	BC 1050 BC 1055	White Acrylic & Gold Tubes White Acrylic & Silver Tubes	9" x 7" 9" x 7"	3	3 lbs. 3 lbs.	29.50 29.50
	BC 1051 BC 1056	Solid Oak & Gold Tubes Solid Oak & Silver Tubes	9" x 7" 9" x 7"	3	3 lbs. 3 lbs.	36.90 36.90
	BC 1052	Black Acrylic & Gold Tubes	9" x 7"	3	3 lbs.	29.50
	BC 1054	Walnut & Gold Tubes	9" x 7"	3	5 lbs.	29.50
	BW 6520	Bell Wire 65 ft. #20 Bell Win Available in 5 Colors: Red, Wh		5	2 lbs.	6.20

	Catalog No.	Description		Std. Qty.	Pkg. Weight	List Price
	DV 22	Door Viewer 180° Brass	U/L Listed	5	I lb.	8.65
	DV 22	Door Viewer 180° Chrome	U/L Listed	5	I lb.	8.65
	FA-50-G	Glass Replacement Rod for	Cat. No. FA-50 (Packed 20 per box)	20	½ lb.	2.50
	PI-12-20	Plug-in 12V AC, 20V A	For general signaling	ı	I lb.	20.40
	PI-16-20	Plug-in 16V AC, 20V A	For general signaling	I	I lb.	20.40
E	PI-24-20	Plug-in 24V AC, 20V A	For general signaling	I	I lb.	20.40
	PI-12-40	Plug-in 12V AC, 40V A	For heavy duty signaling	I	2 lbs.	25.30
	PI-16-40	Plug-in 16V AC, 40V A	For heavy duty signaling	I	2 lbs.	25.30
	PI-24-40	Plug-in 24V AC, 40V A	For heavy duty signaling	I	2 lbs.	25.30
	PI-12-50	Plug-in 12V AC, 50V A	For post lighting	I	2 lbs.	27.80
-/-	PI-24-50	Plug-in 24V AC, 50V A	For post lighting	I	2 lbs.	27.80
	QR-I	Rectifier for Silent Operation For use up to 24V AC/DC	1	I	¹ ⁄ ₄ lb.	44.45

CLAM SHELL PACKAGED WIRELESS CHIMES

WC 100	Wireless Chime Battery Operated Receiver Battery Operated Transmitter	6	3 lbs.	24.60
WC 102	Wireless Chime Plug-In Receiver Battery Operated Transmitter	6	4 lbs.	27.05
WC 103	Wireless Chime – White with Gold Tubes 3 Battery Operated Receiver Battery Operated Transmitter		6 lbs.	36.90
WC 104	Wireless Chime – Oak with Gold Tubes Battery Operated Receiver Battery Operated Transmitter	3	6 lbs.	41.85
WC 105	2-Entrance Wireless Chime – Battery Operated Receiver Battery Operated Transmitter		4 lbs.	31.95
WC 106	2-Entrance Wireless Chime – Plug-in Receiver Battery Operated Transmitter		4 lbs.	34.50
WC 109	Transmitter and Battery Combo for All Lee Wireless Chimes	6	2 lbs.	10.50
BTY 103	Replacement Transmitter Battery for All Lee Wireless Chimes (I per bag)	2	⅓ lb.	2.70

	Catalog No.	Description	Std. Qty.	Pkg. Weight	Li: Pri
		ELECTRIC DOOR STRIKES Standard Voltage 3-6V DC, 8-16V AC, unless otherwise indicated. For Solenoid Door Openers, choose either 16V AC or 24 V AC/DC			
0	2	Mortise Type Flat Face	5	3 1/4 lbs.	58.5
	2 SOL	Mortise Type Flat Face Solenoid	1	l lb.	66.6
	+2 RS	Mortise Type Flat Face, Reverse Action 24V AC/DC	1	I Ib.	140.
	2 R	Mortise Type Round Face	2	I Ib.	92.
	2 R SOL	Mortise Type Round Face Solenoid	1	I Ib.	102.
0	+2 R RS	Mortise Type Round Face, Reverse Action 24V AC/DC	I	I Ib.	144.
11	3	Rim Type Door Opener	5	3¾ lbs.	67.
1	3 SOL	Rim Type Door Opener Solenoid	I	I Ib.	81.
9	+3 RS	Rim Type, Reverse Action 24V AC/DC	I	I lb.	113.
	4	Mortise Type Knockout	5	3¾ lbs.	71.2
1	4 SOL	Mortise Type Knockout Solenoid	I	l lb.	79.
	+4 RS	Mortise Type Knockout, Reverse Action 24V AC/DC	1	l lb.	125.
	5	Mortise Type Door Opener	5	33/4 lbs.	41.
	5 SOL	Mortise Type Door Opener Solenoid	1	l lb.	50.
	+5 RS	Mortise Type, Reverse Action 24V AC/DC	I	I lb.	95.
	5 S	Mortise Type, for Schlage Type Lock Set	5	5 lbs.	55.
	5 S SOL	Mortise Type, for Schlage Type Lock Set Solenoid	1	I Ib.	62.
	+5 S RS	Mortise Type, Schlage, Reverse Action 24V AC/DC	I	I lb.	103.
and the same of th	6	Rim Type Door Opener	5	5 lbs.	59.
	6 SOL	Rim Type Door Opener Solenoid	I	l lb.	67.
	+6 RS	Rim Type Door Opener, Reverse Action 24V AC/DC	I	I lb.	103.
	7	Mortise Type Door Opener	5	5 lbs.	82.
	7SOL	Mortise Type Door Opener Solenoid	1	I lb.	94.
	+7 RS	Mortise Type, Reverse Action 24V AC/DC	I	I lb.	135.
	*12	Mortise Type ANSI Standards Brass 47/8"	I	I Ib.	87.
	*12 C	Mortise Type ANSI Standards Chrome 4\(^{7}\)8"	1	I Ib.	92.
	+12 RS	Mortise Type ANSI Standards $4\frac{7}{8}$, Reverse Action	1	I Ib.	144.
	+12 C RS	Mortise Type ANSI Standards Chrome 47/8" Reverse Action *Specify 16VAC, 24VAC or 24V AC/DC	I	l lb.	150.
	14	Mortise Type ANSI Standards 23/4"	5	1 ½ lbs.	53.
	I4 DL	Mortise Type Extra Narrow for Dead Lock Add for Chrome No. 14 Models	2	I lb.	53. 3.
***	+Reverse Actio	Add for Chrome - Nos. 4, 5, 5S, 7 Add for 24V AC - Nos. 2, 3, 4, 5, 5S, 6, 7, 14 Add for 12V DC - Nos. 220, 2, 3, 4, 5, 5S, 6, 7, 14 Add for 24V DC - Nos. 220, 2, 3, 4, 5, 5S, 6, 7, 14 FOR NO. 220 MORTISE OPENER - OUR MOST POPULAR MOE n means normally unlocked - power locks units (24V AC/DC only) toor Openers, choose either 16V AC or 24V AC/DC	DEL!		3. 4. 4. 4.

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	A	WEATHERPROOF BEACONS For Indoor or Outdoor Applications vailable in: Red, Amber and Blue. Specify color when one of the second	ordering.		
	50	Flashing Beacon 120V AC – 40 Watt	I	5 lbs.	269.00
	51	Flashing Beacon with Horn 120V AC - 40 Watt	I	6 lbs.	343.00
K	52	Rotating Beacon 120V AC - 40 Watt	I	9 lbs.	274.00
		ELECTRICAL SPECIALTIES			
	100 101	Totally Enclosed Bell, Boxed 8-16 V AC, 3-6V DC Totally Enclosed Bell, Combination Bell-Buzzer, Boxed 8-16 V AC, 3-6V DC	10 10	6 lbs. 6 lbs.	25.25 26.65
•	147-1 149-1	Stainless Steel Plate for 5%" Push Nos. 205C, 694, 695 Stainless Steel Plate for Nos. 214, 850	I I	½ lb. ¼ lb.	10.40 10.40
	206	Pendant Push Button with No. 205B 24V AC Max. Subject to availability.	5	¹⁄₄ lb.	9.75
	207	Doortrip Switch – Rings when Door Opens & Closes Low Voltage Only 24V AC Max.	5	I lb.	17.90
	209 DN 209 DN	ECONOMY DOOR LIGHT SWITCH 1 1/4" wide plate; 6 amp switch. 120V AC maximum. Door Switch – 'On' when Door is Open – 50 Pack Door Switch – 'On' when Door is Open – 100 Pack Call factory for larger quantity pricing.	50 100	20 lbs. 40 lbs.	11.00 9.75
	210 DN 210 SW 211 DF 211 SW	SPECIFICATION GRADE DOOR LIGHT SWITCH I 1/4" wide plate; 10 amp switch. 120V AC maximum. Door Switch – 'On' when Door is Open Switch on plate with leads Door Switch – 'Off' when Door is Open Switch on plate with leads Call factory for larger quantity pricing.	25 10 5 10	11 lbs. 3 lbs. 3 lbs. 3 lbs.	13.75 9.30 15.25 10.80

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
		ELECTRICAL SPECIALTIES (Continue	ed)		
	214	High Voltage Push, I 20 Volts, Use on $\frac{7}{8}$ " Hole	5	¹⁄₂ lb.	41.6
		CAST BODY DOOR LIGHT SWITCH 13/16" wide plate; 10 amp switch. 120V AC maximum.			
2	217 DN	Door Switch - 'On' when Door is Open - 50 Pack	50	29 lbs.	11.5
	217 DN	Door Switch - 'On' when Door is Open - 100 Pack	100	57 lbs.	9.7
		50 piece minimum. Call factory for larger quantity pricing.			
a		CAST BODY DOOR LIGHT SWITCH 13/16" wide plate; 10 amp switch. 120V AC maximum.			
	218 DF	Door Switch – 'Off' when Door is Open	5	3 lbs.	15.2
		ELECTRIC DOOR OPENER Standard Voltage 8-16V AC, 3-6V DC			
	220	Mortise Door Opener	25	20 lbs.	32.5
	220 SOL	Mortise Door Opener, Solenoid type (Specify 16V AC or 24V AC	I C/DC)	I lb.	41.5
	220 RS	Mortise Type, Reverse Action (normally unlocked) 24V AC/DC only	1	I lb.	101.2
3	220 S	Mortise Door Opener ($\frac{1}{4}$ " plate for schlage lock)	1	I lb.	71.2
٩		Add for Chrome No. 220			3.4
		Add for 24V AC			4.9
L	ow Voltage to	SIGNAL MATS 24V AC. Indoor use only. Keep mat flat. Do not roll or bend. Mats	subject to a	vailability.	
	230	12" x 11"		2 lbs.	66.7
	231	30" x 18"	i	6 lbs.	118.5
	232	36" x 24"	i	8 lbs.	148.1
	233	36" x 30"	i	9 lbs.	150.6
	234	30" x 24"	1	7 lbs.	145.7
	235	24" x 9"	1	$2\frac{1}{2}$ lbs.	81.5
	236	30" x 9"	1	3 lbs.	81.5
	237	36" x 9"	1	31/2 lbs.	81.5
	239	45" x 30"	1	II lbs.	214.7
	240	24" x 18"	1	5 lbs.	103.7
	241	24" x 24"	I	6 lbs.	130.8
10	244 RB	*Roller Ball Contact for Open Circuit Use	10	¹⁄₄ lb.	9.4
	245 RB	*Roller Ball Contact for Closed Circuit Use	10	⅓ lb.	9.4
	246 RB	*Roller Ball Contact for Make & Break Circuit	10	¹⁄₄ lb.	9.9
(4)		*Low Voltage Only 48V AC Max.			

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
		AUDIBLE SIGNALS 8-16V AC, 3-6V DC			
	302	2 coil Bell, Concealed Terminals, $2\frac{1}{2}$ " Dia. Gong, Boxed	100	38 lbs.	10.45
	303	2 coil Bell, Concealed Terminals, 3" Dia. Gong, Boxed	10	5 lbs.	12.75
°	304	2 coil Bell, Concealed Terminals, 4" Dia. Gong, Boxed	10	8 lbs.	14.40
	305	2 coil Buzzer, Concealed Terminals, Boxed	100	24 lbs.	8.75
	306	2 coil Bell, Concealed Terminals, 6" Dia. Gong	6	12 lbs.	50.85
		TRANSFORMERS COMPLETE WITH GROUND WIRE 120V Primary, unless otherwise indicated			
	315	10 Volts, 5 VA 'Lock Nut Type'	50	47 lbs.	12.25
3 3 3	319	6-12-18 Volts, Trivolt with 'Lock Nut Type' 6 Volts-10 VA 12 Volts-15 VA 18 Volts-15 VA	10	8 lbs.	23.25
	323 M	Chime Transformer 16 Volts, 10 VA, with "Lock Nut Type"	50	47 lbs.	12.50
	323 M-15	Chime Transformer 16 Volts, 15 VA, with "Lock Nut Type"	25	23 lbs.	14.00

Primary 120V Secondary 50VA @ 24V 25VA @ 12V 25VA @ 12V 25VA @ 12V 34VA @ 12V 34VA @ 12V 30VA & 12V		Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
Primary 120V Secondary 50 VA @ 24V 25 VA @ 12V 25 VA @ 12V 25 VA @ 12V 25 VA @ 12V 30 VA @ 12V 30 VA @ 24V 30 VA @ 12V 40 VA @ 120 VA WA			TRANSFORMERS (Continued)			
Primary 120V Secondary 100 VA @ 24V 50 VA @ 12V 50 VA @ 12V 50 VA @ 12V 50 VA @ 12V 700 VA @ 24V 200 VA @ 26V 200 VA @ 26V 160 VA @ 16V 125 VA @ 12V 80 VA @ 18V 40 VA @ 14V 80 VA @ 4V 40 VA & 40		330	Primary I20V Secondary 50 VA @ 24V	I	4 lbs.	115.80
Primary 120V Secondary 250 VA @ 24V 200 VA @ 16V 125 VA @ 16V 125 VA @ 12V 80 VA @ 8V 40 VA @ 4V AUDIBLE SIGNALS 410 Recessed Bell 8-12V AC 5 2 lbs. 22.90 411 Recessed Buzzer 8-12V AC 5 2 lbs. 22.90 412 Recessed Combination Bell-Buzzer, 8-12V AC 5 2 lbs. 33.10		340	Primary I20V Secondary I00 VA @ 24V	I	5 lbs.	168.70
410 Recessed Bell 8-12V AC 5 2 lbs. 22.90 411 Recessed Buzzer 8-12V AC 5 2 lbs. 22.90 412 Recessed Combination Bell-Buzzer, 8-12V AC 5 2 lbs. 33.10 415 Recessed Bell and Push Combination, 8-12V AC 5 2 lbs. 30.55		350	Primary I 20V Secondary 250 VA @ 24V 200 VA @ 20V 160 VA @ 16V 125 VA @ 12V 80 VA @ 8V	I	10 lbs.	382.70
411 Recessed Buzzer 8-12V AC 5 2 lbs. 22.90 412 Recessed Combination Bell-Buzzer, 8-12V AC 5 2 lbs. 33.10 415 Recessed Bell and Push Combination, 8-12V AC 5 2 lbs. 30.55			AUDIBLE SIGNALS			
412 Recessed Combination Bell-Buzzer, 8-12V AC 5 2 lbs. 33.10 415 Recessed Bell and Push Combination, 8-12V AC 5 2 lbs. 30.55		410	Recessed Bell 8-12V AC	5	2 lbs.	22.90
415 Recessed Bell and Push Combination, 8-12V AC 5 2 lbs. 30.55		411	Recessed Buzzer 8-12V AC	5	2 lbs.	22.90
		412	Recessed Combination Bell-Buzzer, 8-12V AC	5	2 lbs.	33.10
416 Recessed Buzzer and Push Combination, 8-12V AC 5 2 lbs. 30.55	•			5		30.55
417 Recessed Combination Bell-Buzzer & Push, 8-12V AC 5 2 lbs. 35.60						30.55 35.60

	Catalog No.	Description		Std. Qty.	Pkg. Weight	List Price
			ERS (Continued) H GROUND WIRE			
	592	Heavy Duty 8-16-24 Trivolt 8	& 16 Volts – 10 VA; 24 Volts – 20 VA 120V Primary	10	8 lbs.	22.00
T	598	Heavy Duty 8-16-24 Trivolt 8	/olts – 20 VA; 16 & 24 Volts – 30 VA 120V Primary	10	16 lbs.	26.00
	598Y	Heavy Duty 8-16-24 Trivolt 8 \	/olts – 20 VA; 16 & 24 Volts – 30 VA 240V Primary	5	5 lbs.	40.65
N. N.	599	Heavy Duty 24Volts – 40 VA	120V Primary	10	16 lbs.	27.40
	599-P	Heavy Duty 24Volts - 40 VA	120V Primary with Plate	20	30 lbs.	29.90
AND LANGE	599Y	Heavy Duty 24Volts – 40 VA	240V Primary	5	5 lbs.	44.80
2222	HAN	NGING BOXED PRO	JECT DOOR CHIN	1E KITS	6	
	636P-EMR-16	6-C 2 Door Chime w/ No. 323M – 2-No. 266LW Push Button	16 Volts–10 VA Transformer, is. $7\frac{3}{8}$ " x 5" Cover fits over 2	24 Gang Box	50 lbs.	19.90
		(A) I Door Kit with One 2	266LW Push Button		41 lbs.	14.80
		(F) Stucco Kit – I Door Unlight Plastic Mounting Tube	·	24	50 lbs.	21.00
		and accessories.	placement stucco push buttons			
		Contact factory for quanti made to your requirements	,	ne Kit Paci	ks	
	*694 B	Push Button Black Protruding	Button, Snap Fit 5/8"	5	1/ ₄ lb.	13.85
130	*694 W	Push Button White Protruding	g Button, Snap Fit 5/8"	5	1/ ₄ lb.	13.85
A CIFA	*695 B	Push Button Black Protruding	Button, Lock Nut Mtg. 5/8"	5	1/ ₄ lb.	13.85
	*695 W	Push Button White Protruding	- D44 11- N4 M4 - 5/!!	5	¹⁄₄ lb.	13.85

	Catalog No.	Description		Std. Qty.	Pkg. Weight	List Price
		AUDIBLE SIG	SNALS (Continued)			
	800	6-10 V AC; 3-8 V DC		1	⅓ lb.	52.05
	800 A	24V AC		1	⅓ lb.	60.70
-	801	6-12 V AC; 5-10 V DC		I	¹⁄₄ lb.	51.20
NO.	801 A	24V AC		I	1/ ₄ lb.	51.20
***	802	6-12 V AC; 5-10 V DC		ı	1/ ₄ lb.	52.05
	802 A	24V AC		I	1/ ₄ lb.	52.05
B	*810	Brass Weatherproof Push B	utton	ı	¹⁄₂ lb.	65.68
A.C.	*810 X	Brass Weatherproof Push B *Low Voltage to 24V AC		I	⅓ lb.	71.85
	811	Cast Aluminum High Voltage Surface Type I 20V AC Max.		I	I lb.	99.90
4	850	High Voltage Push Button 120V AC Max.		ı	¹ / ₈ lb.	41.65
•	852	High Voltage Push Button, V I 20V AC Max.	High Voltage Push Button, Weatherproof I 20V AC Max.		I/4 lb.	75.40
1	870 A	Adaptahorn, Flush Mount, 2 Indoor use only	4V AC	I	2 lbs.	161.10
	870 B	Adaptahorn, Flush Mount, I Indoor use only	20V AC	I	2 lbs.	161.10
	870 BB	Back Box for Flush Mountin	g of 870 A and 870 B	1	l lb.	35.20
	872 A	Projector Type, 24V AC	Indoor use only	I	3 lbs.	163.70
	872 B	Projector Type, I 20V AC	Indoor use only	1	3 lbs.	163.70
	872 A 876	Projector Type, 24V AC	Weatherproof	1	4 lbs.	206.40
	872 B 876	Projector Type, I 20V AC	Weatherproof	1	4 lbs.	206.40
	874 A	Grille Type, 24V AC	Indoor use only	I	3 lbs.	126.55
	874 B	Grille Type, I 20V AC	Indoor use only	1	3 lbs.	126.55
	874 A 876	Grille Type, 24V AC	Weatherproof	1	4 lbs.	169.25
	874 B 876	Grille Type, I 20V AC	Weatherproof	1	4 lbs.	169.25

	Catalog No.	Description	Std. Qty.	Pkg. Weight	List Price
	950	Industrial Buzzer, 24V AC	ı	2 lbs.	148.85
	951	Industrial Buzzer, I 20V AC	I	2 lbs.	148.85
	952	Industrial Chime, 24V AC	ı	3 lbs.	253.10
	953	Industrial Chime, I 20V AC	1	3 lbs.	253.10
Ö	1064 A	AC Buzzer, Strap Mounted, Fits I-gang Box, 24V AC	1	⅓ lb.	39.95
	1064 B	AC Buzzer, Strap Mounted, Fits 1-gang Box, 120V AC	I	⅓ lb.	39.95
•	1205	Switch Lock, Round Key Type 24V AC/DC Max.	1	½ lb.	54.35
	1211	Magnet Reed Switch Contact Set, Closed Circuit 24V AC/DC Max.	5	½ lb.	13.35
	1224	Magnetic Reed Switch Contact Set, Open Circuit 24V AC/DC Max.	5	⅓ lb.	13.35
	1268	Make & Break Magnetic Switch – Surface Type 24V AC/DC Max.	5	½ lb.	16.30
1 4	1268 cover	Protective Cover for Magnetic Switches	10	½ lb.	2.35ea.
to. ot	1268 spacer	Insulating Spacer for Magnetic Switches	10	½ lb.	2.35ea.
	1268 bracket	Mounting Bracket to Offset Magnetic Switch	10	½ lb.	8.65ea.
11 12 12 9 3 8 4 4 7 6 5	1882 A	Economy Wall Clock, I2" Surface Mount, Grey Case I20V AC – Plug In	6	21 lbs.	85.25

Catalog		Std.	Pkg.	List
No.	Description	Qty.	Weight	Price

VIBRATING BELLS

+ For general signaling purposes only. Not for fire usage.

	9
0	0

Vibrating Bells, AC Ope	ration, 60 Cycles. Note: Spec	ify Gong Size & Voltag	ge.	
4" Gong Size –	12V AC*	5	5 lbs.	104.35
	24V AC	5	5 lbs.	104.35
	120V AC	5	5 lbs.	104.35
	240V AC	5	5 lbs.	104.35
6" Gong Size –	12V AC*	5	15 lbs.	119.75
	24V AC	5	15 lbs.	119.75
	120V AC	5	15 lbs.	119.75
	240V AC	5	15 lbs.	119.75
8" Gong Size -	12 V AC *	1	3 lbs.	132.10
	24V AC	I	3 lbs.	132.10
	120V AC	1	3 lbs.	132.10
	240V AC	1	3 lbs.	132.10
10" Gong Size -	12V AC*	1	4 lbs.	143.20
	24V AC	I	4 lbs.	143.20
	120V AC	I	4 lbs.	143.20
	240V AC	1	4 lbs.	143.20
Use prefix WP for Weath	erproofing-Model 3200, Add			

24.70ea.

3200+

(Not Available Separately)


Economy Line, Vibrating Bells, AC Operation

*Requires minimum of 25 VA.



INDOOR OPERATION ONLY. Note: Specify Gong Size & Voltage.








No Back Box Furnished.

For Red Gong-Models 3200, 3600, Add

*Requires minimum of 25 VA.

12.35

Display for BC285LB - BC290LB



Get this push button display FREE with your order of (6) six each Catalog Nos. BC 285LB through BC 290LB, featured on pages 4 and 5.

Ask for a FREE Push Button Display Board and Hooks. Holds 12 styles of blister carded push buttons. Size: 15" x 26". (Push buttons not included.)





Size: 2' x 4'; 2 Sections

Get this display FREE with your order of (3) each of Catalog Numbers: BC 1032, BC 1035, BC 1036, BC 1050, BC 1051, BC 1054, BC 1055, and BC 1056.

This colorful working display is the perfect way to show potential customers the LEE chimes that are available for purchase.

Display for BC293LSS - BC293LWBZ



Get this push button display FREE with your order of (6) six each Catalog Nos. BC 293LSS through BC 293LWBZ, featured on page 5.

Notes



Quality Electrical Devices